

King and Queen County Founded 1691 in Virginia

Board of Supervisors Meeting

Monday, January 9, 2023

Regular Monthly Meeting 7:00 P.M.

242 Allen's Circle King and Queen Court House, Virginia 23085 General District Courtroom

AGENDA

- 1. Invocation and Pledge of Allegiance to the Flag of the United States
- 2. Elect Chairman and Vice Chairman
- 3. Appoint Clerk and Deputy Clerk
- 4. Set 2023 Meeting Dates
- 5. Approval and Signing of the December 12, 2022 minutes
- 6. Approval and Signing of the January 2023 warrants and appropriations
 - a. Ratification of December Recurring Warrants
 - b. January 2022 County Warrants and Payroll
 - c. Budget Amendment NG911 Grant Funding
- 7. Public Comment Period
- 8. Resolution/Edge Hill School Highway Marker
- 9. Resolution for no special election to fill vacancy for sheriff
- 10. Resolution/Sheriff Charboneau
- 11. Presentation of FY2022 Audit
- 12. Public Hearing Amend King and Queen County Code Chapter 18 to relocate central absentee voter precinct and multiple polling places
- 13. Public Hearings Zoning Items:
 - a. CUP 22-01 Ahmed Sallam/Discount Auto Repair
 - b. RZ22-01 C. Scott Mitchell
- 14. Approve purchase of new rescue vehicle
- 15. Review Modular Classroom Pricing Options
- 16. Quarterly Reports
- 17. Set Public Hearing Date Telecenter Deed of Trust
- 18. Appointments and Reappointments
- 19. County Administrator's Comments
- 20. Board of Supervisors Comments
- 21. Closed Session

ITEM #1:

Invocation and Pledge of Allegiance to the Flag of the United States of America

ACTION REQUESTED:

None Required

ATTACHMENTS:

None

ITEM #2:

Election of Chairman and Vice chairman of the Board of Supervisors for 2022

ACTION REQUESTED:

Nominations for Chairman

Nominations for Vice Chairman

SUMMARY OF INFORMATION:

None

ATTACHMENTS:

None

ITEM #3:

Appointment of Clerk and Deputy Clerk of the Board for 2023

ACTION REQUESTED:

A motion is needed to appoint Vivian Seay as Clerk of the Board for 2023.

A motion is needed to appoint Tina Ammons as the Deputy Clerk of the Board for 2023.

SUMMARY OF INFORMATION:

None

ATTACHMENTS:

None

ITEM #4:

Resolution fixing the date, time and place of the regular meetings of the Board of Supervisors for 2023

ACTION REQUESTED:

Adoption of resolution setting the date, time and place of the regular meetings and for setting a date for the purpose of holding workshops and to hear presentations, and the date of continued meeting in the event of hazardous weather or other conditions.

ATTACHMENTS:

- Resolution setting regular meeting dates
- Resolution fixing the date in the event of hazardous weather or other conditions



King and Queen County

Founded 1691 in Virginia

County Administrator's Office
242 Allen's Circle
P. O. Box 177
King and Queen Court House, Virginia 23085
Phone: (804) 785-5975 Fax: (804) 785-5999

King and Queen County Board of Supervisors Meeting Dates

King and Queen County Courts and Administration Building

Regular Meeting – 2nd Monday of each month/General District Courtroom 7:00 P.M.

Presentations/Work Sessions – 4th Monday of each month/2nd Floor Conference Room 6:00 P.M.

Schedule of Meeting Dates 2023

January 9, 2023	July 10, 2023
January 23, 2023	July 24, 2023
February 13, 2023	August 14, 2023
February 27, 2023	August 28, 2023
March 13, 2023	September 11, 2023
March 27, 2023	September 25, 2023
April 10, 2023	October 10, 2023*
April 24, 2023	October 23, 2023
May 8, 2023	November 15, 2023*
May 22, 2023	November 27, 2023
June 12, 2023	December 11, 2023
June 26, 2023	December 27, 2023*

NOTES

October Regular meeting falls on Columbus Day, moved to Tuesday, October 10, 2023

November Regular meeting falls during the VACo conference, moved to Wednesday, November 15, 2023

December work session meeting falls on Christmas Day, moved to Wednesday, December 27, 2023

KING AND QUEEN COUNTY BOARD OF SUPERVISORS' RESOLUTION FIXING THE DATE OF THE REGULAR MEETING AND THE DATE OF THE CONTINUED MEETING IN THE EVENT OF HAZARDOUS WEATHER OR OTHER CONDITIONS AND SETTING DATE FOR THE PURPOSE OF HOLDING WORKSHOPS AND TO HEAR PRESENTATIONS FOR THE BOARD OF SUPERVISORS OF KING AND QUEEN COUNTY, VIRGINIA

WHEREAS, the Board of Supervisors of King and Queen County (the "Board") is required by Section 15.2-1416 of the Code of Virginia, as amended, to set the date, time and place of the regular Board Meeting at the annual Meeting of the Board; and

WHEREAS, Section 15.2-1416 also permits the board to fix the date of days to which a regular meeting shall be continued if the Chairman, or Vice-Chairman if the Chairman is unable to act, finds and declares that weather or other conditions are such that it is hazardous for Board Members to attend the regular meeting.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF SUPERVISORS OF KING AND QUEEN COUNTY:

- 1. That the regular meeting of the Board shall be held in the King and Queen Courts and Administration Building, General District Courtroom at 7:00 P.M., the 2nd Monday of each month.
- 2. That upon the finding and declaration by the Chairman or Vice-Chairman, if the Chairman is unable to act, that the weather or other conditions are such that it is hazardous for Board members to attend the regular meeting of the Board, such meeting shall be continued until the seventh day immediately following such previously scheduled regular meeting at the same time and place.
- 3. That the fourth Monday of each month at 6:00 P.M., in the King and Queen Courts and Administration Building, 2nd Floor Conference Room be set for the purpose of holding workshops and to receive presentations.

This resolution is effective immediately. January 9, 2023

King and Queen County Board of Supervisors 2023

R. F. "Rusty" Bailey, Chairman James M. Burns, Vice Chairman Doris H. Morris, Member J. Lawrence Simpkins, Member Sherrin C. Alsop, Member

Clerk 2023

Vivian R. Seay, Clerk Tina R. Ammons, Deputy Clerk

ITEM #5:

Approval of the December 12, 2022 minutes of the Board of Supervisors

ACTION REQUESTED:

Need a motion and second to approve the December 12, 2022 minutes of the Board of Supervisors

ATTACHMENTS:

• December 12th regular meeting minutes

King and Queen County Board of Supervisors Regular Meeting

December 12, 2022 7:00 P.M.

King and Queen County Courts and Administration Building General District Courtroom

"Minutes of the Meeting"

INVOCATION AND PLEDGE OF ALLEGIANCE TO THE FLAG OF THE UNITED STATES OF AMERICA

Vice Chairman Bailey provided the invocation, followed by the Pledge of Allegiance to the Flag of the United States. Vice Chairman Bailey noted that member Doris Morris was absent.

APPROVAL AND SIGNING OF THE OCTOBER 24, 2022 AND NOVEMBER 15, 2022 MINUTES

A motion was made by Ms. Alsop and seconded by Mr. Burns approving the October 24, 2022 and November 15, 2022 minutes as presented.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

APPROVAL OF DECEMBER 2022 WARRANTS AND APPROPRIATIONS

1) A motion was made by Mr. Burns and seconded by Ms. Alsop to ratify the November recurring warrants, subject to audit (work session cancelled).

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

2) A motion was made by Mr. Simpkins and seconded by Mr. Burns to approve the County warrants and payroll for the month of Decmber 2022, subject to audit.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

3) A motion was made by Ms. Alsop and seconded by Mr. Simpkins to approve a quarterly appropriation to the School Food Service Fund in the amount of \$100,011.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

PUBLIC COMMENT PERIOD

Matthew Villanueva, St. Stephens Church District – Requested that the Board change the hunting regulations within the County to allow hunting with rifles.

Sheriff John Charboneau thanked the Board for everything they have done to support him and his department during his time as Sheriff. He is retiring at the end of the year and this will be his last meeting. He knows that sometimes the citizens only see the bad things that happen in the County but having worked with the Board he knows the good things that they have done and that are happening.

ADOPTION AND PRESENTATION OF RESOLUTION OF APPRECIATION FOR TOM SWARTZWELDER

A motion was made by Ms. Alsop and seconded by Mr. Burns to adopt the following resolution:

WHEREAS, Thomas J. Swartzwelder has assisted King and Queen County since 2007, first serving as outside counsel beginning in December of 2007, and later joining the County in November of 2008 to serve in the unprecedented combined position as County Administrator, Zoning Administrator, and County Attorney; and

WHEREAS, Thomas J. Swartzwelder recently announced his retirement from King and Queen County, Virginia; and

WHEREAS, as County Administrator and County Attorney, Thomas J. Swartzwelder has honorably and tirelessly led King and Queen County by serving her citizens; guiding and supporting her local government staff and elected officials; representing the County at the regional and state level, including at the Virginia General Assembly; and administering the policies established by the Board of Supervisors, all with outstanding stewardship and legal guidance; and

WHEREAS, during his tenure, Thomas J. Swartzwelder identified, designed, and managed many local and regional advancements through which Mr. Swartzwelder and King and Queen County have become known as leaders in the region. Projects have included, but certainly are not limited to, the installation of a state-of-the-art regional emergency radio system; the cultivation of unique business opportunities at the regional airport; and the establishment in unprecedented fashion of a local broadband authority to deploy the "Fiber to the Home" project, thereby bringing broadband to all County citizens; and

WHEREAS, the Board of Supervisors of King and Queen County wishes to acknowledge, with thanks, the selfless commitment to King and Queen County, as well as the Middle Peninsula Region, the outstanding service and leadership, and the well-earned retirement of Thomas J. Swartzwelder.

NOW, THEREFORE, the Board of Supervisors of King and Queen County, Virginia does express its deep respect and appreciation to Thomas J. Swartzwelder for his outstanding and unprecedented service to King and Queen County since 2007; to acknowledge the unparalleled level of professionalism he has brought to the offices he has occupied; and to express its enduring gratitude for the time, expertise, and wisdom he has shared. The Board of Supervisors of King and Queen County, Virginia wishes Thomas J. Swartzwelder Godspeed.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

ADOPTION OF THE FY2024 BUDGET CALENDAR

A motion was made by Ms. Alsop and seconded by Mr. Burns adopt the proposed calendar as presented.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

REQUEST FROM EMERGENCY SERVICES FOR AUTHORIZATION TO ORDER AMBULANCE IN ORDER TO MAINTAIN REPALCEMENT SCHEDULE DUE TO SUPPLY CHAIN ISSUES AND ANTICIPATED PRICE INCREASES

A request has been received from the Emergency Service Coordinator to allow him to order the next ambulance as proposed in the replacement schedule because the vendor has notified him that the most recent delivery date estimates are 33 months. If the one that is on order now arrives when it is scheduled to, ordering the next one now will prevent the replacement schedule from getting even further behind.

Mr. Burns requested the estimated price of this ambulance. Since Mr. Hunter was not present, it was the consensus of the Board to defer until January.

SET PUBLIC HEARING DATE FOR CUP22-01 AND SP22-03 AHMED SALLAM/DISCOUNT AUTO AND RZ22-01/C. SCOTT MITCHELL

The Planning Commission held their public hearings at the November meeting. They have recommend approval of both applications and are requesting the Board to hold their public hearings for them.

A motion was made by Mr. Burns and seconded by Mr. Simpkins to set the January 9, 2023 meeting as the date for the hearings for applications CUP22-01, SP22-03 and RZ22-01.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

REQUEST FROM ELECTORAL BOARD TO RELOCATE PRECINCT LOCATIONS

General Registrar, Diane Klausen was present and provided the requested updates on the request. After researching other locations suggested in the Buena Vista District it has been determined that the volunteer fire department is the best option. They have worked with the department and come up with a plan for use of the building that will accommodate the voting process with minimal expense. She also provided cost estimate for all of the proposed relocations.

After brief discussion, a motion was made by Mr. Burns and second by Ms. Alsop to set the January 9, 2023 meeting as the date for the public hearing to relocate the Buena Vista, Shanghai, Stevensville and Central Absentee voting precincts.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

REQUEST FROM KING WILLIAM COUNTY TO PROVIDE HALF OF THE FUNDNG FOR THE PURCHASE OF A GENERATOR FOR THE REGIONAL ANIMAL SHELTER

County Administrator, Vivian Seay requested the Board to defer decision on this request. She has been communicating with the staff in King William and is waiting for more detailed financial information. Mr. Burns expressed concern over the cost and requested that she request the procurement information from King William as well.

ESSEX COUNTY BOUNDARY LINE DISCUSSION

County Administrator Vivian Seay advised that she has been working with the County Administrator in Essex on this issue. After brief discussion, it was the consensus of the Board to have her continue to work with Essex County and come back at a future meeting for approval.

KQES PROJECT UPDATE

Architect, Richard Corner, provided an update on the status of the project. This included the recent discussions of the committee regarding the possible location of the temporary classrooms at the high school rather than at KQES, the possible change away from the replace/renovate proposal to full replacement and the changes in cost estimates due to the economy for both. Mr. Burns and Mr. Swartzwelder also provided updates on the discussions that the project committee is having and the need to spend more time looking at the overall project before proceeding.

Ms. Seay also advised that the funding provided by the original Skanska contract have been exhausted and in order to keep them working on the projects a contact amendment is needed. She added that they assistance with all of the county capital projects has been invaluable.

A motion was made by Mr. Burns and seconded by Mr. Simpkins to approve the contract amendment and authorize the County Administrator to execute it.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

COVID LEAVE POLICY

Ms. Seay advised that the locally is set to expire December 31st. Staff does not recommend extending the policy at this time. No action was taken.

APPOINTMENTS TO VARIOUS BOARDS AND COMMISSIONS

<u>Economic Development Authority/Stevensville</u> – Tabled

Bay Consortium Workforce Development Board - Tabled

<u>Planning Commission/Newtown</u> – Tabled

Planning Commission/Buena Vista - Tabled

<u>Pamunkey Regional Library Board</u> – Tabled

Board of Equalization/Buena Vista – Tabled

COUNTY ADMINISTRATOR'S COMMENTS

Ms. Seay had the following comments:

• Updated the Board on recent issues that have come up with the HVAC system in the Administration Building. James River has determined that the age of the controls system (original to the building so 25 years old) is causing the issues, most specifically with regulating temperatures within office suites. The quote to replace the controls system is \$29,525.

A motion was made by Mr. Simpkins and seconded by Mr. Burns to approve the quote from James River Air to replace the controls system.

AYES: J. L. SIMPKINS, S.C. ALSOP, R.F. BAILEY, J.M. BURNS

NAYS: NONE

ABSENT: D. H. MORRIS

• Wished everyone a Merry Christmas and a Happy New Year.

BOARD OF SUPERVISORS COMMENTS

Ms. Alsop had the following comments:

- Thanked everyone for coming and for all of the get well wishes she received after her recent surgery.
- Thanked the Sheriff for all he has done for the County.
- Expressed appreciation for the update on the school project and for the work the committee is putting into it.
- Advised that she will be teaching at the VACo Chairman's Institute in January.
- Wished everyone a Great Christmas and a Happy New Year.

Mr. Burns had the following comments:

- Thanked the committee for hard work and patience on the school project.
- Thanked the Sheriff for his service, that people have no clue what he has been through and hope he enjoys retirement.
- Wished everyone a safe trip home and a Merry Christmas.

Mr. Simpkins had the following comments:

- Thanked everyone for coming.
- Wished everyone a Merry Christmas and a Happy New Year.
- Expressed his appreciation to Tom Swartzwelder and John Charboneau, it marks the end of an era in King and Queen.

• Wished everyone a safe trip home and Happy Holidays.

Mr. Bailey had the following comments:

- Thanked the architect and the school project team for the update, feels like information overload but it was good information to get.
- Thanked the Sheriff for his twenty plus years of service, thanked Tom Swartzwelder for his years of service and thanked them both for being his friend and please don't make yourselves strangers.
- Wished everyone a Merry Christmas and a Happy New Year. Advised that he is glad he doesn't have to pay the electric bill for the lights at Dr. Carter's house, it is a sight worth going to see.
- Thanked everyone for coming.

IT IS ORDERED THAT THE BOARD BE ADJOURNED:

A motion was made by Ms. Alsop and seconded by Mr. Simpkins to adjourn the meeting at 9:40 p.m.

	Chairman	
Board of Supervisors Clerk		

ITEM #6:

Approval and signing of Warrants and Appropriations

ACTION REQUESTED:

- 1) Ratification of December 2022 Recurring warrants
- 2) Approval of County warrants and payroll for the month of January
- 3) Budget Amendment NG911 Grant Funding

ATTACHMENTS:

- December 2022 Recurring Warrants
- County Warrants (Payroll and Accounts Payable)
- NG911 Grant Award Notice
- School AP Reports (Informational Only)
- School Financial Report (Informational Only)

12/27/2022 FROM DATE-12/27/2022 ACCOUNTS PAYABLE LIST PAGE 1
AP375 TO DATE- 12/27/2022 KING & QUEEN
FUND # - 100 Revenue - General Fund DEPT # - 013030 Permits and Fees

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$3
	Permits and Fees				
TRIBBLE JR., DAVID L	E & S Sureties/Refundable	SURETY RELEASE	12/15/2022	12/15/2022	270.00
					270.00
PALUBINSKI, CRAIG S.	Wetlands Board Application Fee	SURETY RELEASE	12/15/2022	12/15/2022	1,440.00
					1,440.00
				TOTAL	1,710.00

12/27/2022 FROM DATE-12/27/2022 ACCOUNTS PAYABLE LIST PAGE 2
AP375 TO DATE- 12/27/2022 KING & QUEEN
FUND # - 100 Revenue - General Fund DEPT # - 016040

			I	NVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
BOYLE, JR., MARION A.	EMS Service Billing	REFUND	KQES22-000678	11/30/2022	141.79
			T	OTAL	141.79 * 141.79

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
VERIZON WIRELESS	*** Board of Supervisors *** Telecommunications	WIRELESS DEVICES	9921426733	11/25/2022 TOTAL	49.16 49.16 * 49.16

KING & QUEEN

ACCOUNTS PAYABLE LIST

DEPT # - 011010 *** Board of Supervisors ***

PAGE 3

12/27/2022

FUND # - 100

AP375

FROM DATE-12/27/2022

TO DATE- 12/27/2022

12/27	7 / 2	202	22
AP3	375	5	
FUND	#	_	100

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 012100 *** County Administrator ***

TOTAL

PAGE

1,080.82

INVOICE CHARGE TO VENDOR NAME DESCRIPTION INVOICE# DATE \$\$ PAY \$\$ -----_____ _____ *** County Administrator *** VERIZON SOUTH, INC. Telecommunications 777010957 12/03/2022 42.47 ANALOG LINES Telecommunications 40.01 VERIZON WIRELESS WIRELESS DEVICES 9921426733 11/25/2022 ESI HOSTED SERVICES, LLC Telecommunications VOIP LINES 37627 10/20/2022 33.72 116.20 * Office Supplies SHRED-IT USA, LLC ADMIN SHREDDING 8002823467 11/25/2022 80.13 80.13 * 12/01/2022 HR Consultant HR CONSULTANT 12/01/2022 884.49 KING & QUEEN COUNTY 884.49 *

.2/27	7 / 2	202	22	
AP3	375	5		
'UND	#	_	100	

ACCOUNTS PAYABLE LIST KING & QUEEN PAGE

DEPT # - 012310 *** Commissioner of Revenue ***

INVOICE

DESCRIPTION INVOICE# DATE \$\$ PA

				TIMOTOR	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
	*** Commissioner of Revenue ***				
VERIZON SOUTH, INC.	Telecommunications	ANALOG LINES	777010957	12/03/2022	42.47
ESI HOSTED SERVICES, LLO	C Telecommunications	VOIP LINES	37627	10/20/2022	32.82
					75.29 *
				TOTAL	75.29

12/27/2022 AP375 FUND # - 100 FROM DATE-12/27/2022 TO DATE- 12/27/2022 ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 012400 *** Finance ***

PAGE

6

1					INVOICE		<u>'</u>
VENDOR NAME		CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$	PAY \$\$
	***	Finance ***					1
VERIZON WIRELESS		Telecommunications	WIRELESS DEVICES	9921426733	11/25/2022		40.01
ESI HOSTED SERVICES,	LLC	Telecommunications	VOIP LINES	37627	10/20/2022		28.38
1							68.39 *
1					TOTAL		68.39

.2/27/2022						
AP3	375	5				
'UND	#	_	100			

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 012410 *** Treasurer ***

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
*	*** Treasurer ***				
VERIZON SOUTH, INC.	Telecommunications	ANALOG LINES	777010957	12/03/2022	84.94
ESI HOSTED SERVICES, LLC	Telecommunications	VOIP LINES	37627	10/20/2022	34.60
					119.54 *
				TOTAL	119.54

2/27/2022					
AP3	375	5			
'UND	#	-	100		

VENDOR NAME

ESI HOSTED SERVICES, LLC

FROM DATE-12/27/2022 TO DATE- 12/27/2022 ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 013200 *** Registrar ***

PAGE

29.27

TOTAL

	INVOICE						
CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$	PAY	\$\$	
*** Registrar ***							
Telecommunications	VOIP LINES	37627	10/20/2022		29.2		
					29.2	3./	

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
NEW KENT COUNTY	*** 9th Dist Circuit Court *** Purchased Services	CIRCUIT COURT (JNIT 3399	9/30/2022 TOTAL	5,714.59 5,714.59 * 5,714.59

KING & QUEEN

ACCOUNTS PAYABLE LIST

DEPT # - 021101 *** 9th Dist Circuit Court ***

12/27/2022

FUND # - 100

AP375

FROM DATE-12/27/2022

TO DATE- 12/27/2022

2/27	7/2	202	22
AP3	375	5	
CINIT	#	_	10

ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 021200 *** General District Court ***

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
**	** General District Court ***				
VERIZON SOUTH, INC.	Telecommunications	ANALOG LINES	777010957	12/03/2022	84.94
ESI HOSTED SERVICES, LLC	Telecommunications	VOIP LINES	37627	10/20/2022	31.94
					116.88 *
				TOTAL	116.88

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
KING WILLIAM COUNTY	Electronic Monitoring	NOVEMBER 2022	KQ112022	12/05/2022 TOTAL	1,470.00 1,470.00 * 1,470.00

KING & QUEEN

ACCOUNTS PAYABLE LIST

DEPT # - 021501 *** 9th Dist Court Service Unit ***

PAGE 11

12/27/2022

FUND # - 100

AP375

FROM DATE-12/27/2022

TO DATE- 12/27/2022

12/27	7/2	202	22
AP3	375	5	
FUND	#	-	100

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 021600 *** Clerk of Circuit Court ***

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
*	** Clerk of Circuit Court ***				
VERIZON SOUTH, INC.	Telecommunications	ANALOG LINES	777010957	12/03/2022	123.80
ESI HOSTED SERVICES, LLC	Telecommunications	VOIP LINES	37627	10/20/2022	29.27
•					153.07 *
				TOTAL	153.07

12/27	7/2	202	22
AP3	375	5	
FUND	#	-	100

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 022100 *** Commonwealth Attorney ***

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
	*** Commonwealth Attorney ***				
VERIZON SOUTH, INC.	Telecommunications	ANALOG LINES	777010957	12/03/2022	42.47
ESI HOSTED SERVICES, LLO	C Telecommunications	VOIP LINES	37627	10/20/2022	31.05
					73.52 *
				TOTAL	73.52

12/27/2022					
AP3	375	5			
FUND	#	-	100		

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 031200 *** Sheriff ***

PAGE 14

561.20

TOTAL

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
	*** Sheriff ***				
VERIZON SOUTH, INC.	Telecommunications	769 LINES	130735036 12/22	12/12/2022	201.41
VERIZON SOUTH, INC.	Telecommunications	769 TO 785 LINES	24448578 11/22	11/30/2022	38.64
VERIZON SOUTH, INC.	Telecommunications	ANALOG LINES	777010957	12/03/2022	84.94
VERIZON WIRELESS	Telecommunications	DESK PHONES	9922157106	12/04/2022	80.04
ESI HOSTED SERVICES, LLC	Telecommunications	VOIP LINES	37627	10/20/2022	36.38
					441.41 *
COECO OFFICE SYSTEMS	Copier Lease	SHERIFF CONTRACT	INV 955946	11/30/2022	119.79
					119.79 *

12/27/2022 AP375 FUND # - 100	FROM DATE-12/27/2022 TO DATE- 12/27/2022	ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 031400 *** E911 ***	PAGE 15
			TNVOTCE

		INVOLCE				
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$	
	*** E911 ***					
VERIZON SOUTH, INC.	E911 PHONE LINES	911 PHONE LINES	655326835 12/22	12/04/2022	96.24	
					96.24	
			TC	TAL	96.24	

	DEPT # - 032302 *** Rescue Services ***				
		INVOICE			
CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$	
*** Rescue Services ***					
Telecommunications	ANALOG LINES	777010957	12/03/2022	42.46	
Telecommunications	WIRELESS DEVICES	9921426733	11/25/2022	616.61	
				659.07 *	
Vehicle Fuel	FUEL	SQLCD-804210	11/30/2022	1,533.18	
		~		1,533.18 *	
NNPDC Ambulance Billing Fee	EMS BILLING	11/30/2022	11/30/2022	704.60	
				704.60 *	
		<u> </u>	ГОТАL	2,896.85	
	CHARGE TO *** Rescue Services *** Telecommunications Telecommunications Vehicle Fuel	CHARGE TO DESCRIPTION *** Rescue Services *** Telecommunications ANALOG LINES Telecommunications WIRELESS DEVICES Vehicle Fuel FUEL	CHARGE TO CHARGE TO THE COMMUNICATION STANDARD	CHARGE TO	

KING & QUEEN

ACCOUNTS PAYABLE LIST

PAGE 16

FROM DATE-12/27/2022

TO DATE- 12/27/2022

12/27/2022

AP375

12/27/2022 AP375 FUND # - 100 FROM DATE-12/27/2022 TO DATE- 12/27/2022 ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 032400 *** Radio Communications ***

PAGE 17

INVOICE VENDOR NAME CHARGE TO DESCRIPTION INVOICE# DATE \$\$ PAY \$\$ _____ _____ _____ _____ *** Radio Communications *** Electrical Services 7646266440 1222 12/07/2022 492.42 DOMINION ENERGY VIRGINIA COURTHOUSE TOWER RAPPAHANNOCK ELECTRIC Electrical Services 244 LAKE POND ROAD 114292001 12/22 12/14/2022 359.88 RAPPAHANNOCK ELECTRIC Electrical Services 8786 NEWTOWN ROAD 114292003 12/22 12/15/2022 442.85 1,295.15 * Tower Rent - Courthouse Site TOWER RENT 4086974 11/23/2022 5,163.10 AMERICAN TOWER CORP. 5,163.10 * SPECTRASITE Tower Rent - Canterbury Site 4103004 11/23/2022 5,566.53 TOWER RENT 5,566.53 * 4086974 11/23/2022 AMERICAN TOWER CORP. Tower Rent - Newtown Site TOWER RENT 5,573.53 5,573.53 * TOTAL 17,598.31

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
VERIZON WIRELESS	*** Building Inspections *** Telecommunications	WIRELESS DEVICES	9921426733	11/25/2022 TOTAL	49.16 49.16 * 49.16

KING & QUEEN

12/27/2022

FUND # - 100

AP375

FROM DATE-12/27/2022

TO DATE- 12/27/2022

ACCOUNTS PAYABLE LIST

DEPT # - 034500 *** Building Inspections ***

12/27	7/2	202	22
AP3	375	5	
FUND	#	_	100

VENDOR NAME

FROM DATE-12/27/2022 TO DATE- 12/27/2022 ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 035100 *** Animal Control ***

INVOICE#

37627

DESCRIPTION

VOIP LINES

PAGE 19

*** Animal Control ***
ESI HOSTED SERVICES, LLC Telecommunications

CHARGE TO

28.38 * TOTAL 28.38

12/27/2022 AP375 FUND # - 100

FROM DATE-12/27/2022 TO DATE- 12/27/2022

ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 035500 *** Emergency Services ***

		INVOICE				
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$	
**	* Emergency Services ***					
VERIZON WIRELESS	Communication Equipment	WIRELESS DEVICES	9921426733	11/25/2022	45.59	
ESI HOSTED SERVICES, LLC	Communication Equipment	VOIP LINES	37627	10/20/2022	29.26	
					74.85 *	
NI GOVERNMENT SERVICES	Grant - Satelite Phones	SATELLITE PHONE	22113053431	12/06/2022	73.73	
NI GOVERNMENT SERVICES	Grant - Satelite Phones	SATELLITE PHONE	22113053451	12/06/2022	73.73	
NI GOVERNMENT SERVICES	Grant - Satelite Phones	SATELLITE PHONE	22113053461	12/06/2022	76.90	
					224.36 *	
				TOTAL	299.21	

12/27/2022 AP375 FUND # - 100

FROM DATE-12/27/2022 TO DATE- 12/27/2022

ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 043200 *** General Properties ***

220.00 220.00 419.91 129.39
220.00 419.91 129.39
220.00 419.91 129.39
419.91 129.39
129.39
<u> </u>
98.76
170.75
6.59
5,279.39
109.99
733.79
6,948.57
38.86
84.94
69.11
34.22
34.60
261.73
295.87
295.87
315.00
315.00
278.10
278.10
4,160.00
4,160.00
12,479.27

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
LAMB EXTERMINATING	*** Marriott School Facility *** Repairs & Maintenance	NOV PEST TREATMENT	26698	11/30/2022	100.00 100.00 *
GFL ENVIROMENTAL	Dumpster Service	DUMPSTER/ MARRIOTT	KA0000715259	10/15/2022 TOTAL	214.54 214.54 * 314.54

KING & QUEEN

ACCOUNTS PAYABLE LIST

DEPT # - 043300 *** Marriott School Facility ***

12/27/2022

FUND # - 100

AP375

FROM DATE-12/27/2022

TO DATE- 12/27/2022

12/27	7/2	202	22
AP3	375	5	
FUND	#	_	100

FROM DATE-12/27/2022 TO DATE- 12/27/2022

ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 043400 *** Station 8/Shacklefords ***

			IN			
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$	
*	** Station 8/Shacklefords ***					
DOMINION ENERGY VIRGINIA	Electrical Service	STATION 8	5785160580 1122	11/29/2022	193.21	
					193.21 *	
COX BUSINESS	Telecommunications	STATION 8	117821201 12/22	12/01/2022	119.99	
COX BUSINESS	Telecommunications	BROADBAND	125268201 12/22	12/01/2022	3,630.00	
					3,749.99 *	
LAMB EXTERMINATING	Pest Control	NOV PEST TREATMENT	26698	11/30/2022	55.00 55.00 *	
			TO	TAL	3,998.20	

FUND # - 100		DEPT # - 052500 *** Community Services Board ***				
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$	
MIDDLE PENINSULA -	*** Community Services Board *** Community Services Board	CHAPTER X QTR BILL	CPTRX-441	12/01/2022 TOTAL	8,386.00 8,386.00 * 8,386.00	

KING & QUEEN

ACCOUNTS PAYABLE LIST

PAGE 24

12/27/2022

AP375

FROM DATE-12/27/2022

TO DATE- 12/27/2022

12/27/2022 AP375 FUND # - 100	FROM DATE-12/27/2022 TO DATE- 12/27/2022	ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 053600 *** Contributions ***	PAGE 2
		INVOICE	

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
ARTS ALIVE	VA Comm. for Arts Grant/Arts A	FY 23 CONTRIBUTION	11/08/2022	11/08/2022	1,000.00 1,000.00 *
				TOTAL	1,000.00

12/27	7/2	202	22
AP3	375	5	
FUND	#	-	100

FROM DATE-12/27/2022 TO DATE- 12/27/2022

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 071500 *** Mattaponi Pier ***

INVOICE

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
DOMINION ENERGY VIRGIN	*** Mattaponi Pier *** NIA Electrical Service	PIER	3013039916 1222	12/06/2022	17.70 17.70 *
CHURCH VIEW SEPTIC	Operating Expenses	TOILET AT PIER	59158 TO	12/02/2022 TAL	75.00 75.00 75.00 * 92.70

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
VERIZON WIRELESS	*** Economic Development *** Telecommunications	WIRELESS DEVICES	9921426733	11/25/2022 TOTAL	64.19 64.19 * 64.19

KING & QUEEN

12/27/2022

FUND # - 100

AP375

FROM DATE-12/27/2022

TO DATE- 12/27/2022

ACCOUNTS PAYABLE LIST

DEPT # - 081200 *** Economic Development ***

12/27	7/2	202	22
AP3	375	5	
FUND	#	-	100

FROM DATE-12/27/2022 TO DATE- 12/27/2022 ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 081402 *** Zoning Administrator ***

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ I	PAY 	\$\$
VERIZON WIRELESS ESI HOSTED SERVICES, I	*** Zoning Administrator *** Telecommunications LC Telecommunications	WIRELESS DEVICES VOIP LINES	9921426733 37627	11/25/2022 10/20/2022 TOTAL		49.16 30.15 79.31 79.31	;

12/27	7 / 2	202	22
AP3	375	5	
FUND	#	_	100

FROM DATE-12/27/2022 TO DATE- 12/27/2022 ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 083000 *** Cooperative Extension Prog. ***

PAGE 29

INVOICE VENDOR NAME CHARGE TO DESCRIPTION INVOICE# DATE \$\$ PAY \$\$ _____ _____ -----_____ ____ *** Cooperative Extension Prog. *** VERIZON SOUTH, INC. Telecommunications ANALOG LINES 777010957 12/03/2022 42.47 Telecommunications ESI HOSTED SERVICES, LLC VOIP LINES 37627 10/20/2022 31.94 74.41 * TOTAL 74.41

12/27/2022 AP375 FUND # - 100	FROM DATE-12/27/2022 TO DATE- 12/27/2022	ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 091400 *** Cor	ntingency Fund **	**	PAGE	30
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY	\$\$
MOBILE MINI, INC.	*** Contingency Fund *** Miscellaneous Contingencies	STORAGE CONTAINER	9016176586	12/09/2022 TOTAL	138.0 138.0 138.0	7 *
			FUN	ND TOTAL	58,958.3	6

12/27/2022 AP375

FUND # - 105

FROM DATE-12/27/2022 TO DATE- 12/27/2022 ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 053100 Welfare Administration

INVOICE

				THAOTCE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$3
	Welfare Administration				
VERIZON SOUTH, INC.	Telephone	ANALOG LINES	777010957	12/03/2022	42.47
ESI HOSTED SERVICES,	<u>=</u>	VOIP LINES	37627	10/20/2022	38.17
	_				80.64
				TOTAL	80.64
			FUND	TOTAL	80.64

12/27	7/2	202	22
AP3	375	5	
FUND	#	_	231

FROM DATE-12/27/2022 TO DATE- 12/27/2022

ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 064200

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
	*** Building Services ** Communications LC Communications	ANALOG LINES VOIP LINES	777010957 37627	12/03/2022 10/20/2022	42.47 45.29 87.76 *
				TOTAL	87.76
			FUND	TOTAL	87.76

AP375 FUND # - 513	TO DATE- 12/27/2022	KING & QUEEN DEPT # - 043400			17.01 33
			IN	VOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE 	\$\$ PAY \$\$
RIVERSTREET NETWORKS	Management Services	MANAGEMENT FEE	20650453	12/07/2022	10,005.00 10,005.00 *
COX BUSINESS COX BUSINESS	Telecommunications Telecommunications	BROADBAND BROADBAND	125268201 10/22 125268201 11/22	10/01/2022 11/01/2022	3,630.00 3,630.00 7,260.00 *
			TO	ΓAL	17,265.00
			FUND TO	ΓAL	17,265.00
			TOTAL :	DUE	76,391.76
Approved at meeting of		on			
Signed					
	Title	Date			

ACCOUNTS PAYABLE LIST

PAGE 33

FROM DATE-12/27/2022

12/27/2022

1/04/2023	FROM DATE-	1/09/2023	ACCOUNTS PAYABLE LIST	PAGE
AP375	TO DATE-	1/09/2023	KING & QUEEN	
FUND # - 100	GENERAL FUND		DEPT # - 000200 LIABILITIES	

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE# 	INVOICE DATE 	\$\$ PAY \$\$
DMV	LIABILITIES DMV Stop Fee Payable	DMV STOPS	202233400635	11/30/2022	700.00 700.00 *
			-	ГОТАL	700.00

1/04/2023 FROM DATE- 1/09/2023 AP375 TO DATE- 1/09/2023 FUND # - 100		ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 011010 *** Board of Supervisors ***			PAGE 2
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
RAPPAHANNOCK TIMES	*** Board of Supervisors *** Advertising	ADS	CL6660	11/30/2022	70.40 70.40 *
SEAY, VIVIAN R.	Miscellaneous Expense	FRAMED RESOLUTION	12/12/2022	12/12/2022 TOTAL	149.38 149.38 * 219.78

1/04/2023 AP375 FUND # - 100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 012100 *** County Administrator ***

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
***	County Administrator ***				
TOWN OF COLONIAL BEACH	Salary - County Admin.	SERVICES PROVIDED	103122	11/07/2022	5,700.00 5,700.00 *
ELAN CORPORATE PAYMENT SYS	Automotive/Motor Pool	BUILD OFFICIAL VEH	M 12/15/2022	12/15/2022	33.98
ELAN CORPORATE PAYMENT SYS	Automotive/Motor Pool	E&S VEHICLE REPAIR	R 12/15/2022	12/15/2022	157.90- 123.92-*
COECO FINANCIAL	Lease of Equipment - Copier	COPIER LEASE	490174364	12/22/2022	134.96 134.96 *
ELAN CORPORATE PAYMENT SYS	Dues & Association Memberships	SHRM AMMONS MEMBERS	H 12/15/2022	12/15/2022	55.71
ELAN CORPORATE PAYMENT SYS	Dues & Association Memberships	SHRM AMMONS MEMBERS	H 12/15/2022	12/15/2022	229.00 284.71 *
ELAN CORPORATE PAYMENT SYS	Miscellaneous	CREDIT CARD FEE	12/15/2022	12/15/2022	.25 .25 *
OFFICE DEPOT	Office Supplies	SUPPLIES	275249973002	11/28/2022	11.65
OFFICE DEPOT	Office Supplies	SUPPLIES	282219849001	12/06/2022	.45
QUILL CORPORATION	Office Supplies	SUPPLIES	29373779	12/05/2022	38.15 50.25 *
				TOTAL	6,046.25

AP375 FUND # - 100	TO DATE- 1/09/2023	KING & QUEEN DEPT # - 012240 *** Inc	lependent Audi	tor ***	PAGE	7
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY	\$\$
MARY K. EARHART, PLLC	*** Independent Auditor *** Professional Services	GOVT ACCT SERVICE	203454	11/28/2022 TOTAL	6,292.88 6,292.88 6,292.88	8 *

ACCOUNTS PAYABLE LIST

PAGE 4

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

1/04/2023

1/04	1/2	202	23	
AP3	375	5		
UND	#	_	100	

FROM DATE- 1/09/2023

TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN

NING & QUEEN
DEPT # - 012310 *** Commissioner of Revenue ***

TOTAL

INVOICE VENDOR NAME CHARGE TO DESCRIPTION INVOICE# DATE \$\$ PAY \$\$ _____ _____ _____ _____ *** Commissioner of Revenue *** BMS DIRECT, INC. Postal Services POSTAGE PP FORM 2023 164535P 12/22/2022 4,046.00 4,046.00 * V.A.L.E.C.O. Convention & Education MEETING & LUNCHEON 12/29/2022 LUMP 12/29/2022 25.00 V.A.L.E.C.O. Convention & Education MEETING AND LUNCHEON 12/29/2022 ROBI 12/29/2022 25.00 COMMISSIONER OF REVENUE Convention & Education KLAUSEN CLASS 6285 12/01/2022 100.00 COMMISSIONER OF REVENUE Convention & Education LUMPKIN CLASS 6302 12/02/2022 150.00 300.00 * Office Supplies OFFICE DEPOT SUPPLIES 282219849001 12/06/2022 53.04 53.04 * J.D. POWER Books and Subscriptions VINTAGE MOTORCYCLE ORDUS200401 12/29/2022 69.00 Books and Subscriptions 140.00 J.D. POWER CONNRV ORDUS201078 12/29/2022 AIRCRAFT BLUEBOOK Books and Subscriptions AIRCRAFT BLUEBOOK 77231261 12/12/2022 218.31 427.31 *

PAGE

4,826.35

FUND # - 100		DEPT # - 012400 *** Finance ***			
				NVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
**	* Finance ***				
VAGARA	Dues & Memberships	MEMBERSHIP RENEWAL	02794	12/06/2022	20.00
VGFOA	Dues & Memberships	2023 AMMONS MEMBER	12/31/2022	12/31/2022	50.00
	·				70.00 *
OFFICE DEPOT	Office Supplies	OFFICE SUPPLIES	275311791001	11/04/2022	4.17
AMAZON CAPITAL SERVICES	Office Supplies	100 BIRTHDAY CARDS	1XDK-GY13-1NC6	12/12/2022	24.99
					29.16 *
			\mathbf{T}^{t}	OTAL	99.16

KING & QUEEN

ACCOUNTS PAYABLE LIST

PAGE

1/04/2023

AP375

FROM DATE- 1/09/2023

TO DATE- 1/09/2023

1/04/2023 AP375 FUND # - 100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 012410 *** Treasurer ***

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
***	Treasurer ***				1
THRIFT INSURANCE COMPANY	Surety Bonds	SURETY BOND	1383	12/14/2022	500.00
					500.00 *
JESSIE, CHERYL L.	Mileage - Allowances	MILEAGE REIMBURSE	12/28/2022	12/28/2022	59.50
					59.50 *
OFFICE DEPOT	Office Supplies	SUPPLIES	282219849001	12/06/2022	66.18
PITNEY BOWES	Office Supplies	INK CARTRIDGES	1021976562	11/18/2022	118.99
QUILL CORPORATION	Office Supplies	SUPPLIES	29373779	12/05/2022	305.70
BARBOUR PRINTING SERVICES	Office Supplies	#10 WINDOW ENVELOPE	£S 2301-22	12/13/2022	300.00
					790.87 *
				TOTAL	1,350.37

1/04/2023 AP375 FUND # - 100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 012510 *** Information Technology ***

PAGE

8

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE 	\$\$ PAY \$\$
	*** Information Technology ***				
AMAZON CAPITAL SERVICES	Office Supplies/Software Upgra	CREDIT MEMO	1CHG-V3T4-DTLM	12/10/2022	13.95-
AMAZON CAPITAL SERVICES	Office Supplies/Software Upgra	GTEK MONITOR	1MMM-YHPY-9V1P	12/19/2022	106.87
AMAZON CAPITAL SERVICES	Office Supplies/Software Upgra	CREDIT MEMO	1X6L-RJMT-F11N	12/10/2022	13.95-
HORNS MIDDLESEX ACE HARD	WA Office Supplies/Software Upgra	TOOLS FOR DAVID	43591/2	12/09/2022	99.99
COECO FINANCIAL	Office Supplies/Software Upgra	COPIER LEASE	490174364	12/22/2022	257.72
					436.68 *
DELL MARKETING L. P.	EDP Equipment - County	POWEREDGE SERVER	10639455360	12/19/2022	3,462.55
	1 1			•	3,462.55 *
					,
PLANET TECHNOLOGIES, INC	Email - Cloud Exchange Service	AUDIO CONFERENCING	3 I006686	12/19/2022	256.08
	<u> </u>			•	256.08 *
DELL MARKETING L. P.	EDP Equipment - Sheriff	6 DOCKING STATIONS	10636843029	12/08/2022	5,261.76
	1. 1			, -	5,261.76 *
			Т	COTAL	9,417.07
					- / : - : :

1/04	$\frac{1}{2}$	202	23
AP:	375	5	
UND	#	_	100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023 ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 012550 *** Risk Management ***

INVOICE

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
		_	_	_	
MCNEIL & COMPANY, INC.	Gen Liability - Fire & Rescue	INSURANCE	15500131	12/07/2022	351.69
MCNEIL & COMPANY, INC.	Gen Liability - Fire & Rescue	INSURANCE	1550131- PT 2	12/07/2022	353.87
					705.56 *
			\mathbf{T}^{0}	OTAL	705.56

1/04/2023 AP375 FUND # - 100	FROM DATE- 1/09/2023 TO DATE- 1/09/2023	ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 013100 *** Elec			
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	NVOICE DATE	\$\$ PAY \$\$
AMAZON CAPITAL SERVI AMAZON CAPITAL SERVI		REGISTRAR SUPPLIES LABEL TAPE CARTRIDO	1K37-MP3F-1MYH GE 13HF-GLC9-GT3X	11/27/2022 11/22/2022	80.81 79.95 160.76 *
B.W. MURRAY & CO. IN B.W. MURRAY & CO. IN		IT ASSESSMENT IT ASSESSMENT	2127 2134	12/05/2022 12/20/2022	180.75 629.73

810.48 *

971.24

TOTAL

AP375 FUND # - 100	TO DATE- 1/09/2023	KING & QUEEN DEPT # - 013200 *** Registrar ***			
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
POSTMASTER	*** Registrar *** Postal Services	5 ROLLS OF STAMPS	12/19/2022	12/19/2022	300.00 300.00 *
RICOH USA, INC.	Copier Lease	COPIER OVERAGES	9031315172	12/24/2022 TOTAL	245.92 245.92 * 545.92

ACCOUNTS PAYABLE LIST

PAGE 11

1/04/2023

FROM DATE- 1/09/2023

1/04/2023 AP375 FUND # - 100	FROM DATE- TO DATE-		ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 021100 *** Circuit Court ***
	TO DATE-	1/09/2023	~

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
	*** Circuit Court ***				
BRAXTON, ANNA M.	Compensation of Jurors	GRAND JURORS	12/13/2022	12/13/2022	30.00
GIBSON, KRISTI N.	Compensation of Jurors	GRAND JURORS	12/13/2022	12/13/2022	30.00
WEEDEN, CHARLOTTE	Compensation of Jurors	GRAND JURORS	12/13/2022	12/13/2022	30.00
HICKMAN JR., CHARLES	Compensation of Jurors	GRAND JURORS	12/13/2022	1/21/3202	30.00
CUNDIFF, TIMOTHY	Compensation of Jurors	GRAND JURORS	12/13/2022	12/13/2022	30.00
CAMPBELL, MICHELLE R.	Compensation of Jurors	GRAND JURORS	12/13/2022	12/13/2022	30.00
					180.00 *
				TOTAL	180.00

1/04	$\frac{1}{2}$	202	23
AP:	375	5	
UND	#	-	100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 021600 *** Clerk of Circuit Court ***

INVOICE

			ر	TIVVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
	*** Clerk of Circuit Court ***				
ELAVON	Telecommunications	NOV MERCHANT FEES	K2334101398	11/30/2022	12.35
ELAVON	Telecommunications	NOV MERCHANT FEES	K2334101624	11/30/2022	32.83
ELAVON	Telecommunications	NOV MERCHANT FEE	K2334101739	11/30/2022	12.67
					57.85 *
REED, PATRICIA	Mileage	MILEAGE REIMBURSE	12/28/2022	12/28/2022	63.75
ROBINSON, HATTIE	Mileage	MILEAGE REIMBURSE	12/28/2022	12/28/2022	42.50
					106.25 *
OFFICE DEPOT	Office Supplies	SUPPLIES	282219849001	12/06/2022	32.44
					32.44 *
C. W. WARTHEN COMPANY	Microfilming & Indexing	DUPLEX PLATS	55504	12/19/2022	204.82
TREASURER OF VIRGINIA	Microfilming & Indexing	REDACTION	23-097C-RED	12/14/2022	944.53
					1,149.35 *
			г	TOTAL	1,345.89

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
RICOH USA, INC. RICOH USA, INC.	Copier Lease Copier Lease	COPIER OVERAGES COPIER OVERAGES	9031191142 9031315172	11/24/2022 12/24/2022 TOTAL	19.95 8.58 28.53 * 28.53

KING & QUEEN

1/04/2023

FUND # - 100

AP375

FROM DATE- 1/09/2023

TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST

DEPT # - 022100 *** Commonwealth Attorney ***

1/04/2023 FROM DATE- 1/09/2023 ACCOUNTS PAYABLE LIST PAGE 15
AP375 TO DATE- 1/09/2023 KING & QUEEN
FUND # - 100 DEPT # - 031200 *** Sheriff ***

				INVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION :	INVOICE#	DATE 	\$\$ PAY \$\$
***	Sheriff ***				
E SCHEDULE	Maintenance Service Contracts	USER COUNT INCREASE	5637	10/07/2022	300.00
	namediance bervies contracts	OBER COOK! INCIDENCE	3037	10,0,,2022	300.00 *
ELAN CORPORATE PAYMENT SYS	Postal Services	FOIA REQUEST POSTAG	E 12/15/2022	12/15/2022	9.90
		~			9.90 *
COECO FINANCIAL	Copier Lease	COPIER LEASE	490174364	12/22/2022	684.12
					684.12 *
OFFICE DEPOT	Office Supplies	OFFICE SUPPLIES	277752332001	11/21/2022	121.65
OFFICE DEPOT	Office Supplies	CREDIT MEMO	280928452001	11/29/2022	33.58-
SHRED-IT USA, LLC	Office Supplies	SHREDDING	8002970155	12/18/2022	127.28
COECO OFFICE SYSTEMS	Office Supplies	COPIER SUPPLIES	960992	11/18/2022	20.00
					235.35 *
MANSFIELD OIL COMPANY	Vehicle & Equipment Fuel	FUEL	SQLCD-804104	11/30/2022	2,759.66
MANSFIELD OIL COMPANY	Vehicle & Equipment Fuel	FUEL	SQLCD-806461	12/15/2022	2,538.22
					5,297.88 *
BRIMAR INDUSTRIES	Police Supplies	SIGN POST	1257464	12/14/2022	412.74
					412.74 *
DEPT OF MOTOR VEHICLES	Uniforms & Wearing Apparel	ID CARDS	202233400332	11/30/2022	30.00
MUNICIPAL EMERGENCY SERVIC	Uniforms & Wearing Apparel	BALDERSON UNIFORM	IN1791326	11/17/2022	134.18
MUNICIPAL EMERGENCY SERVIC	Uniforms & Wearing Apparel	PARKER OXFORD	IN1791910	11/18/2022	76.05
MUNICIPAL EMERGENCY SERVIC	Uniforms & Wearing Apparel	UNIFORM	IN1796724	12/01/2022	329.09
MUNICIPAL EMERGENCY SERVIC	Uniforms & Wearing Apparel	UNIFORM	IN1796742	12/01/2022	125.24
MUNICIPAL EMERGENCY SERVIC	Uniforms & Wearing Apparel	BALDERSON UNIFORM	IN1800122	12/09/2022	48.00
MUNICIPAL EMERGENCY SERVIC	Uniforms & Wearing Apparel	UNIFORMS	IN1802024	12/14/2022	178.87
					921.43 *
AMAZON CAPITAL SERVICES	Furniture & Fixtures	DIGITAL RECORDER	19KL-6TFN-6MGD	12/19/2022	256.00
		_			256.00 *
KUSTOM SIGNALS, INC.	Highway Safety Equipment (Gran	RAPTOR RADAR UNIT	599122	12/08/2022	4,150.00
ALL TRAFFIC SOLUTIONS INC.	Highway Safety Equipment (Gran	TRAFFIC SPEED BOARD	SIN035106	12/08/2022	4,999.00
				_	9,149.00 *
				TOTAL	17,266.42

1/04	$\frac{1}{2}/2$	202	23
AP:	375	5	
UND	#	_	100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 031400 *** E911 ***

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
* POWER PHONE INC.	*** E911 *** CONVENTION & EDUCATION	WILSON TRAINING	76264	3/22/2022	129.00
ELAN CORPORATE PAYMENT SY ELAN CORPORATE PAYMENT SY		ROAD SIGNS ROAD SIGNS	12/15/2022 12/15/2022	12/15/2022 12/15/2022 TOTAL	129.00 * 130.48 165.76 296.24 * 425.24

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
AIR-CARE, INC.	Fire Program Funds	HYDROSTATIC TEST	20003	9/29/2022 TOTAL	22.00 22.00 * 22.00

KING & QUEEN

1/04/2023

FUND # - 100

AP375

FROM DATE- 1/09/2023

TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST

DEPT # - 032200 *** Volunteer Fire Departments ***

1/04/2023 AP375 FUND # - 100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 032302 *** Rescue Services ***

VENDOR NAME	CHARGE TO	DESCRIPTION I	NVOICE#	INVOICE DATE	\$\$ PAY \$\$
***	Rescue Services ***				
ELAN CORPORATE PAYMENT SYS	Training	BLS CERTIFCATION CAR	12/15/2022	12/15/2022	7.25
ELAN CORPORATE PAYMENT SYS	Training	CPR CERTIFCATION CAR		12/15/2022	112.50
ELAN CORPORATE PAYMENT SYS	Training	INSTRUCTOR MEMBER FE		12/15/2022	70.00
			,,	,,	189.75 *
AMAZON CAPITAL SERVICES	Office Supplies	EMS SUPPLIES	1QPH-CCXL-C3JW	12/14/2022	165.99
				,,	165.99 *
BOUND TREE MEDICAL, LLC	Medical Supplies	MEDICAL SUPPLIES	84787793	12/08/2022	550.94
ZOLL MEDICAL CORPORATION	Medical Supplies	MEDICAL SUPPLIES	3625450	12/12/2022	631.40
ARC3 GASES	Medical Supplies	CENTRAL OXYGEN	0009445356	12/02/2022	213.97
CODE BLUE RESOURCES	Medical Supplies	MEDICAL SUPPLIES	1742	12/26/2022	1,183.16
007 220 1120011020	TIGGLOSE SUFFEES			,,	2,579.47 *
VIRGINIA PENINSULA PUBLIC	Vehicle Maintenance	VEHICLE MAINTENANCE	29854	12/14/2022	82.50
WHITMORE CHEVROLET	Vehicle Maintenance	EMS REPAIR	54004	11/29/2022	550.60
PORT RICHMOND AUTO PARTS	Vehicle Maintenance	OPS TRUCK & SUPPLIES		12/09/2022	50.16
PORT RICHMOND AUTO PARTS	Vehicle Maintenance	VEHICLE MAINTENANCE	427468	12/21/2022	82.16
PORT RICHMOND AUTO PARTS	Vehicle Maintenance	OIL SEAL CREDIT	427482	12/21/2022	18.52-
ADVANCE AUTO PARTS	Vehicle Maintenance	AUTO SUPPLIES	2118226957687	9/26/2022	17.98
ADVANCE AUTO PARTS	Vehicle Maintenance	WASHER FLUID	2118232639247	11/22/2022	6.99
ATLANTIC EMERGENCY	Vehicle Maintenance	ALARM REPAIR EMS	14077HAM	12/05/2022	372.36
ELAN CORPORATE PAYMENT SYS	Vehicle Maintenance	EMERGENCY SERVICES S		12/15/2022	5.56
ELAN CORPORATE PAYMENT SYS	Vehicle Maintenance	SUPPLIES	12/15/2022	12/15/2022	19.46
			, -	, -, -	1,169.25 *
MANSFIELD OIL COMPANY	Vehicle Fuel	FUEL	SQLCD-806573	12/15/2022	1,812.16
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	39.00
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	41.00
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	51.78
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	98.20
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	86.88
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	46.25
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	41.01
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	75.00
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	30.00
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	41.00
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	1.19
ELAN CORPORATE PAYMENT SYS	Vehicle Fuel	FUEL	12/15/2022	12/15/2022	56.11
					2,419.58 *
GALL'S LLC	Uniforms	UNIFORM PANTS	022831787	11/30/2022	55.34
HAZZARD, ANGELIA D.	Uniforms	BOOT REIMBURSEMENT	12/04/2022	12/04/2022	150.00
					205.34 *
ZOLL MEDICAL CORPORATION	Equipment	PREVENTIVE MAINT.	90069806	11/28/2022	2,240.00
HORNS MIDDLESEX ACE HARDWA	Equipment	SUPPLIES	43697/2	12/16/2022	17.98
	_ _				2,257.98 *
				TOTAL	8,987.36

1/04	$\frac{1}{2}/2$	202	23
AP3	375	5	
FUND	#	-	100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST

KING & QUEEN

DEPT # - 032400 *** Radio Communications ***

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
** RAPPAHANNOCK ELECTRIC	* Radio Communications *** Electrical Services	490 CANTERBURY ROAD) 114292002	12/17/2022	276.90
COMMUNICATIONS-APPLIED	Radio Equipment	CABLES FOR RADIO	21754	12/13/2022	276.90 * 1,185.00 1,185.00 *
CARTER MACHINERY CO, INC CARTER MACHINERY CO, INC	Maintenance Contracts - Genera Maintenance Contracts - Genera	COURTHOUSE SERVICE GENERATOR MAINTEN.	1244271 1244272	11/18/2022 11/18/2022	295.14 96.18 391.32 *
				TOTAL	1,853.22

1/04	$\frac{1}{2}$	202	23
AP:	375	5	
UND	#	_	100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 034500 *** Building Inspections ***

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
*** COECO FINANCIAL	Building Inspections *** Lease of Equipment - Copier	COPIER LEASE	490174364	12/22/2022	134.96 134.96 *
ELAN CORPORATE PAYMENT SYS	Convention & Education	BUILDING CODES TEST	12/15/2022	12/15/2022	160.00 160.00 *
OFFICE DEPOT	Office Supplies	SUPPLIES	282219849001	12/06/2022	6.79 6.79 *
MANSFIELD OIL COMPANY MANSFIELD OIL COMPANY	Vehicle Fuel Vehicle Fuel	FUEL FUEL	SQLCD-804101 SQLCD-806458	11/30/2022 12/15/2022 TOTAL	100.96 84.56 185.52 * 487.27

1/04	$\frac{1}{2}/2$	202	23
AP3	375	5	
UND	#	-	100

VENDOR NAME

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

CHARGE TO

*** Animal Control ***

MUNICIPAL EMERGENCY SERVIC Uniforms & Wearing Apparel MUNICIPAL EMERGENCY SERVIC Uniforms & Wearing Apparel

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 035100 *** Animal Control ***

TOTAL

PAGE 21

776.00 *

776.00

1/04/2023				
AP3	375	5		
UND	#	_	100	

VENDOR NAME

ELAN CORPORATE PAYMENT SYS

ELAN CORPORATE PAYMENT SYS

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

CHARGE TO

Postage

Postage

*** Emergency Services ***

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 035500 *** Emergency Services ***

SHIPPING EMS BADGES 12/15/2022

35.75 * TOTAL 35.75

12/15/2022

PAGE 22

24.00

1/04/2023 AP375 FUND # - 100

ELAN CORPORATE PAYMENT SYS

ELAN CORPORATE PAYMENT SYS

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

Tools & Equipment

Tools & Equipment

ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 043200 *** General Properties ***

INVOICE DESCRIPTION VENDOR NAME CHARGE TO INVOICE# DATE \$\$ PAY _____ _____ _____ _____ *** General Properties *** Repairs & Maintenance JAMES RIVER AIR MAINTENANCE S277629 11/15/2022 369.00 369.00 * THE HOME DEPOT PRO Janitorial Supplies SUPPLIES 11/16/2022 19.80 717688618 THE HOME DEPOT PRO Janitorial Supplies 718853898 11/23/2022 82.59 SUPPLIES THE HOME DEPOT PRO Janitorial Supplies PAPER TOWELS 720795368 12/07/2022 62.06 Janitorial Supplies AMAZON CAPITAL SERVICES CALENDAR & VACUUM 1CMM-NGRX-1CGV 12/13/2022 165.59 330.04 * Vehicle & Equipment Fuel MANSFIELD OIL COMPANY FUEL SQLCD-804101 11/30/2022 115.04 Vehicle & Equipment Fuel FUEL 96.41 MANSFIELD OIL COMPANY SQLCD-806458 12/15/2022 211.45 * Vehicle & Equipment Supplies 27.97 ELAN CORPORATE PAYMENT SYS MAINTENACE VEHICLE 12/15/2022 12/15/2022 Vehicle & Equipment Supplies 12/15/2022 ELAN CORPORATE PAYMENT SYS VEHICLE SUPPLIES 12/15/2022 20.76 48.73 * SCOTT'S STORE MEALS - INMATES INMATE LUNCHES 12/20/2022 12/20/2022 26.36 26.36 * Building Supplies 46.05 ELAN CORPORATE PAYMENT SYS BUILDING SUPPLIES 12/15/2022 12/15/2022 Building Supplies 14.34 ELAN CORPORATE PAYMENT SYS PLUMBING SUPPLIES 12/15/2022 12/15/2022 Building Supplies 12/15/2022 ELAN CORPORATE PAYMENT SYS FAUCET SHERIFFS OFFI 12/15/2022 63.18 ELAN CORPORATE PAYMENT SYS Building Supplies ADMIN REPAIRS 12/15/2022 12/15/2022 19.94 ELAN CORPORATE PAYMENT SYS Building Supplies 12/15/2022 12/15/2022 83.06 SUPPLIES Building Supplies 12/15/2022 12/15/2022 ELAN CORPORATE PAYMENT SYS SUPPLIES 76.13 ELAN CORPORATE PAYMENT SYS Building Supplies 12/15/2022 12/15/2022 BUILDING SUPPLIES 46.04 348.74 * ELAN CORPORATE PAYMENT SYS Grounds Supplies WREATHS FOR GROUNDS 12/15/2022 12/15/2022 47.36 47.36 * DIAMOND SPRINGS WATER, INC Water Fountain/Circuit Court BOTTLED WATER 0002982861 9/07/2022 19.73 DIAMOND SPRINGS WATER, INC Water Fountain/Circuit Court BOTTLED WATER 0002982863 9/07/2022 67.07 DIAMOND SPRINGS WATER, INC Water Fountain/Circuit Court 10/31/2022 19.73 BOTTLED WATER 0003159719 DIAMOND SPRINGS WATER, INC Water Fountain/Circuit Court BOTTLED WATER 0003159721 10/31/2022 99.13 205.66 *

BIT

EQUIPMENT

TOTAL

12/15/2022

12/15/2022

12/15/2022

12/15/2022

PAGE

31.26

37.34 68.60 *

1,655.94

TO DATE- 1/09/2023	KING & QUEEN DEPT # - 043400 *** Station 8/Shacklefords ***			FAGE 25
CHARGE TO	DESCRIPTION	TNVOTCE#	INVOICE DATE	\$\$ PAY \$\$
*** Station 8/Shacklefords *** HARDWA Facility Supplies	SUPPLIES	43706/2	12/16/2022	14.00 14.00 *
Dumpster Service	DUMPSTER/ STATION 8	KA0000833827	12/15/2022	234.88 234.88 * 248.88
	CHARGE TO *** Station 8/Shacklefords *** HARDWA Facility Supplies	TO DATE- 1/09/2023 KING & QUEEN DEPT # - 043400 *** Stat CHARGE TO DESCRIPTION *** Station 8/Shacklefords *** HARDWA Facility Supplies SUPPLIES	TO DATE- 1/09/2023 KING & QUEEN DEPT # - 043400 *** Station 8/Shacklefor CHARGE TO *** Station 8/Shacklefords *** HARDWA Facility Supplies KING & QUEEN DEPT # - 043400 *** Station 8/Shackleford DESCRIPTION *** Station 8/Shacklefords *** SUPPLIES 43706/2	TO DATE

ACCOUNTS PAYABLE LIST

PAGE 24

FROM DATE- 1/09/2023

1/04/2023

1/04/2023 AP375 FUND # - 100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST
KING & QUEEN
DEPT # - 081100 *** Planning Commission ***

PAGE 25

50.99 *

751.61

TOTAL

INVOICE VENDOR NAME CHARGE TO DESCRIPTION INVOICE# DATE \$\$ PAY \$\$ _____ _____ ______ _____ *** Planning Commission *** Advertising 208.80 RAPPAHANNOCK TIMES ADS CL6644 11/30/2022 VIRGINIA MEDIA Advertising ZONING AD 064151927000 12/01/2022 348.08 556.88 * CAMPBELL, DAVID Mileage - Allowances MILEAGE REIMBURSE 12/05/2022 12/05/2022 20.62 ALLEN, BARRY L. Mileage - Allowances MILEAGE 12/05/2022 12/05/2022 21.25 WATKINS, MILTON Mileage - Allowances 12/05/2022 MILEAGE REIMBURSE 12/05/2022 21.25 COLEMAN, JR. ROBERT W. Mileage - Allowances 12/05/2022 12/05/2022 2.50 MILEAGE REIMBURSE Mileage - Allowances RICHARDSON, HUNTER MILEAGE REIMBURSE 12/05/2022 12/05/2022 21.25 Mileage - Allowances 12/05/2022 12/05/2022 20.62 JACKSON, COMER MILEAGE REIMBURSE BERRY, MARK R. Mileage - Allowances MILEAGE REIMBURSE 12/05/2022 12/05/2022 13.75 Mileage - Allowances FLEMING, MICHAEL MILEAGE REIMBURSE 12/05/2022 12/05/2022 22.50 143.74 * Office Supplies PITNEY BOWES INK CARTRIDGES 1021976562 11/18/2022 50.99

1/04	$\frac{1}{2}$	202	23
AP:	375	5	
UND	#	_	100

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN

DEPT # - 081402 *** Zoning Administrator ***

PAGE 26

			I	NVOICE	
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
	*** Zoning Administrator ***				
COECO FINANCIAL	Lease of Equipment - Copier	COPIER LEASE	490174364	12/22/2022	134.96
					134.96 *
AMAZON CAPITAL SERVICES	S Office Supplies	CALENDAR & VACUUM	1CMM-NGRX-1CGV	12/13/2022	14.98
					14.98 *
MANSFIELD OIL COMPANY	Vehicle Equipment Fuel	FUEL	SQLCD-804101	11/30/2022	32.95
MANSFIELD OIL COMPANY	Vehicle Equipment Fuel	FUEL	SQLCD-806458	12/15/2022	34.23
					67.18 *
			Т	'OTAL	217.12

CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
Revenue Sharing	REVENUE SHARING	12/31/2022	12/31/2022	60,786.17 60,786.17 * 60,786.17
			Revenue Sharing REVENUE SHARING 12/31/2022	CHARGE TO DESCRIPTION INVOICE# DATE

KING & QUEEN

ACCOUNTS PAYABLE LIST

PAGE 27

1/04/2023

AP375

FROM DATE- 1/09/2023

TO DATE- 1/09/2023

1/04/2023	FROM DATE- 1/09/2023	ACCOUNTS PAYABLE LIST
AP375	TO DATE- 1/09/2023	KING & QUEEN
FUND # - 100		DEPT # - 096000 *** Expenditure Refunds ***

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$\$
A. MORTON THOMAS & ASSOC	*** Expenditure Refunds *** LIA Strata/Solar Farm	SOLAR PROJECT R	REVIEW 396107	12/22/2022	13,579.20
				TOTAL	13,579.20 * 13,579.20
				FUND TOTAL	139,821.18

PAGE 28

1/04/2023	FROM DATE-	1/09/2023	ACCOUNTS PAYABLE LIST	PAGE 29
AP375	TO DATE-	1/09/2023	KING & QUEEN	
FUND # - 221	Expenditures		DEPT # - 031800	

VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	INVOICE DATE 	\$\$ PAY \$
DELL MARKETING L. P.	E-Summons Software	6 DOCKING STATIONS	10636843029	12/08/2022	14,383.14 14,383.14
				TOTAL	14,383.14
			FUND	TOTAL	14,383.14

1/04/2023 AP375 FUND # - 301

FROM DATE- 1/09/2023 TO DATE- 1/09/2023

ACCOUNTS PAYABLE LIST KING & QUEEN DEPT # - 094100 PAGE 30

318,048.85

FUND TOTAL

INVOICE VENDOR NAME CHARGE TO DESCRIPTION INVOICE# DATE \$\$ PAY \$\$ _____ _____ _____ _____ ____ Emergency Services Facility 202211014 11/21/2022 20,710.00 COMMONWEALTH ARCHITECTS EMS STATION 1 Emergency Services Facility COMMONWEALTH ARCHITECTS EMS STATION 1 202212020 12/19/2022 190.00 SKANSKA Emergency Services Facility COUNTY PROJECTS 2222828-04 12/01/2022 1,040.00 21,940.00 * EMS Response Vehicles 12/15/2022 12/15/2022 ELAN CORPORATE PAYMENT SYS REGISTRATION FEE .00 EMS Response Vehicles ELAN CORPORATE PAYMENT SYS REGISTRATION FEE 12/15/2022 12/15/2022 5.00 EMS Response Vehicles 12/15/2022 ELAN CORPORATE PAYMENT SYS TRUCK WIRING 12/15/2022 144.51 ELAN CORPORATE PAYMENT SYS EMS Response Vehicles CONNECTORS 12/15/2022 12/15/2022 4.91 ELAN CORPORATE PAYMENT SYS EMS Response Vehicles REMOTE START 12/15/2022 12/15/2022 228.00 382.42 * ELAN CORPORATE PAYMENT SYS Telework Center 12/15/2022 225.00 HEALTH DEPT PERMIT 12/15/2022 Telework Center 937.50 COMMONWEALTH ARCHITECTS TELECENTER PROJECT 202211005 11/21/2022 COMMONWEALTH ARCHITECTS Telework Center TELECENTER PROJECT 202212019 12/19/2022 90.00 SKANSKA Telework Center COUNTY PROJECTS 2222828-04 12/01/2022 1,040.00 2,292.50 * RIVERSTREET COMMUNICATIONS Fiber to the Home Project FIBER PROJECT INV-1002 11/30/2022 293,433.93 293,433.93 * TOTAL 318,048.85

MENTOOD MAME	CHARGE EQ	DEGGDIDETON	TARIOT CELL	INVOICE	44 DAV 44
VENDOR NAME	CHARGE TO	DESCRIPTION	INVOICE#	DATE 	\$\$ PAY \$;
ATLANTIC UNION PUBLIC FINA	DEBT SERVICES PAYMENTS	KQES LOAN PAYMENT	01/01/2023	1/01/2023	204,000.00
HUDSON AND ASSOCIATES ARCH HUDSON AND ASSOCIATES ARCH THE BLAND TRUST SKANSKA	KQES CONSTRUCTION KQES CONSTRUCTION KQES CONSTRUCTION KQES CONSTRUCTION	KQES RECONSTRUCTION KQES PROJECT 2023 LAND RENT COUNTY PROJECTS	2110.12 2110.13 01/01/2023 2222828-04	11/16/2022 12/16/2022 1/01/2023 12/01/2022	43,200.00 20,409.68 1,000.00 2,080.00
				TOTAL	66,689.68 270,689.68
			FUND	TOTAL	270,689.68
			TOTA	AL DUE	742,942.85
Approved at meeting of	on_	·			
Signed					
	Title	Date			

ACCOUNTS PAYABLE LIST

KING & QUEEN

DEPT # - 095100

PAGE 31

FROM DATE- 1/09/2023
TO DATE- 1/09/2023

1/04/2023

FUND # - 352 EXPENDITURES

AP375

Part-time Employee Payroll Run Payroll: Wednesday, January 11, 2023

County	
Hunter, Greg	\$2,940.00
Willaford, Harold	\$2,916.67
Santos, Dylan	\$0.00
Boards & Commissions	
Campbell, David	\$50.00
Allen, Barry	\$50.00
Jackson, Comer	\$50.00
Watkins, Milton	\$50.00
Berry, Mark	\$50.00
Coleman, Robert	\$50.00
Fleming, Michael	\$50.00
Richardson, Hunter	\$50.00
Longest, George	\$50.00
Robinson, Plunard	\$50.00
Electoral Board	
South, Melissa	\$203.50
Registrar	
Creech, Kristy	\$1,248.00
Levere, Mary Ann	\$66.00
Nickelson, Robert	\$198.00
Sheriff's Department	
Burton, Melvin	\$1,020.00
Carroll, Laura	\$1,816.00
Jorgenson, Craig	\$779.00
Laufer, Sandra	\$1,044.00
Shackleford, Donald	\$1,260.00
Trent, Darryl	\$765.00
Overtime/Sheriff's Deparment	
Brown, Renee	\$454.50
Davis, Alexis	\$404.00
Davis, Sandra	\$285.04
Hill, Shirley	\$542.40
Ours, Ronnie	\$62.10
Parker, John	\$31.05
Schefflien, Harvey	\$545.28
Taylor, Jessica	\$430.08
Warren, Tammy	\$202.00
Rescue Services	
Bouchyard, Shaun	\$1,491.50
Heller, John	\$252.00

\$19,456.12

Fulltime Payroll - Janaury 2023

Board of Supervisors	
James Burns	\$416.67
R.F. Bailey	\$416.67
Doris Morris	\$416.67
Lawrence Simpkins	\$416.67
Sherrin Alsop	\$416.67
County Administrator/County Attorney	
Tom Swartzwelder	\$6,800.00
Vivain Seay	\$18,750.00
Commissioner of the Revenue	
Kelly Lumpkin	\$6,466.92
Brenda Robinson	\$3,545.06
Mali Klausen	\$2,813.91
Finance	
Tina Ammons	\$6,091.22
Resa Wilson	\$3,063.92
Treasurer	
Irene Longest	\$6,600.17
Stephanie Sears	\$4,276.25
Cheryl Jessie	\$2,813.91
Registrar	
Diane Klausen	\$5,916.66
Clerk of Circuit Court	
Vanessa Porter	\$8,229.17
Patricia Reed	\$3,630.99
Hattie Robinson	\$3,183.00
Commonwealth Attorney	
Meredith Adkins	\$11,536.08
Makaylah Ambrose	\$3,937.50
Sheriff	
John Charboneau	\$6,856.08
Rob Balderson	\$6,096.25
Scott Edleman	\$3,587.50
Barry Radden	\$4,083.33
Ernie Schefflien	\$5,250.00
Paul Hope	\$3,986.50
Desiree Lawson	\$3,986.50
Mitchell Wilson	\$4,979.75
Brian Burr	\$4,333.33
Phillip Cusick	\$4,666.67
Jonathon Mills	\$3,791.67

John Parker	\$3,587.50
Deputy	Vacant
Deputy	Vacant
Ronnie Ours	\$3,587.50
Vladimir Rowe	\$3,587.50
Sandra Davis	\$4,117.08
Tammy Warren	\$2,916.67
Shirley Hill	\$3,916.67
Jessica Taylor	\$3,106.08
Dispatcher	Vacant
Renee Brown	\$2,916.67
Davis, Alexis	\$2,916.67
Vickie Draine	\$3,912.50
Rescue Services	
David Lankford	\$5,521.93
Kevin Mounts	\$5,259.00
Josh Schrum	\$3,944.83
Robert Coggsdale	\$5,060.50
Nicholas Preli	\$3,522.08
Phillip Jewell	\$4,324.17
Gary Breen	\$4,113.83
Jack Meriwether	\$3,702.33
Jacob Hoffmaster	\$3,702.33
Aerrin Ryan	\$3,404.75
Christopher Field	\$3,702.33
Callie Wyde	\$4,036.42
Laura Heller	\$4,036.42
Austin Minor	\$3,522.08
Eric Lovas	\$3,522.08
Danielle Gray	\$3,522.08
Angelia Hazzard	\$3,522.08
Wesley May	\$3,522.08
EMT	Vacant
Austin Hinman	\$3,522.08
Joshua Lucas	\$3,522.08
Donald Butler	\$3,522.08
Curtis Mason, Jr.	\$3,522.08
Building Inspections	
Quentin Mascari	\$5,416.67
Kathy Barrow	\$2,975.00
General Properties	
Michael Barrow	\$4,333.33
Zoning/Community Develo	pment
Donna Sprouse	\$5,628.67
Josh Rellick	\$3,675.00
	4290,000

Shawn Talmadge Chairman VDEM

Hon Kevin W. Hall Sheriff Vice Chairman City of Covington

> Randy McCabe Treasurer Comptroller



COMMONWEALTH of VIRGINIA

Virginia 9-1-1 Services Board

Dorothy Spears-Dean, Ph.D. Deputy State Coordinator VDEM (804) 840-7260

Terry D. Mayo Board Administrative Assistant VDEM (804) 718-9026

September 8, 2022

Mary M. Blowe Chief Financial Officer City of Winchester

Thomas A. Bradshaw Captain Virginia State Police

Gary Critzer Emergency Mgmt/ EMS Dir City of Waynesboro

> Terry Ellis Comcast

R. Scott Garber Fire Chief City of Staunton

Pete Hatcher AT&T

Michelle Painter Lama T Mobile

Matthew Ogburn Verizon Comminications

> Robert Osmond CIO - VITA

Tamara Perez Frederick County

Terry Hall County of York

> Gabe Elias SWIC Advisor

King and Queen PSAP:

This letter is an update to the Virginia 9-1-1 Services Board (the "Board") approval of the County of King and Queen PSAP's NG9-1-1 funding request for costs needed for NG9-1-1 implementation. The amount awarded is based on estimated costs and related information contained in the version of your NG9-1-1 Migration Proposal referenced in your funding request.

The Board has approved an award amendment for the Geo-Diverse 911 system of the project in the amount of \$50,000 to bring the total allowable funding to \$200,000. This amendment increases the total NG9-1-1 funding to \$342,663.52. The total award amount may not reflect the current available funding balance based on reimbursement activity since the original date of award.

If you have any questions, please do not hesitate to contact your Regional Coordinator or me via email.

Sincerely,

Lisa Nicholson

Lisa Nicholson

PSAP Grant Program Manager

PAGE 1	\$\$ PAY \$\$	のじ の4:n	000		967	- 00 0	000	ommor nommo	ሳውው። ተፋቦህ ዕ	ነው። ነውስ	1000 1000	200	000 0 0 44 6	, 1000000000000000000000000000000000000	040000 040000	2 47.60 0 00.00
	INVOICE DATE 	11/12/2022 11/19/2022 11/26/2022 12/10/2022	11/01/2022	11/16/2022	11/28/2022	12/07/2022	8/22/2022	11/13/2022 10/26/2022 12/02/2022	12/07/2022 11/12/2022	11/16/2022	11/30/2022 11/30/2022	11/30/2022	12/07/2022	11/10/2022 11/08/2022 11/07/2022 11/28/2022	11/08/2022 11/22/2022 11/08/2022 11/12/2022	11/12/2022 11/26/2022 12/03/2022
ssroom Instruction **	INVOICE#	INV371891 INV373351 INV375996 INV379270	NOVEMBER2022	£ 22-5345	165879SL 396538SL	1VVD-VIK7-6JKQ	917932145	16CX-G9M6-976F KESLINGMNOV22 HARVEYSDEC22	1FR9-HVTF-CFVR 1KCR-PR9C-313D	ESG142906	0668 DB092627	8201	20176598	469885BO 474815BO INVO00060442 INVO00065742	210242SBO U 421455SBO 47478SBO 1YQK-K913-3YWY	INV371891 INV375996 INV378193
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 061100 ** Class	DESCRIPTION	11122022 11/19/2022 SUBSITUTE 12102022	NOVEMBER	3 PART REFERRAL FORM	ALEJANDROS MEXICA THAI CONTINENTAL	CABINET	PORTABLE BENCH	FAMILY GAME NIGHT FAMILY ENGAGEMENT REIMBURSEMENT	INSTRUCT. MATERIALS EDUC. SUPPLIES	11 MONTH LICENSE	EDUC. SERVICES PI SERVICES	SPEECH SERVICES	WASI FORMS	WALMARI WALMARI LITERACY	REHABMART.COM IMAGINATION PLAYGROU WALMART CLASS SUPPLIES	11122022 SUBSILIUTE 12/03/2022
FROM DAIE-12/12/2022 TO DAIE- 12/12/2022 DAIE- 12/12/2022	CHARGE IO	* Elementary KQES ** PURCHASED SERVICES PURCHASED SERVICES PURCHASED SERVICES PURCHASED SERVICES	Purchased Services	Printing Services	Travel - Title III Travel - Title III	Materials and Supplies	Materials & Supplies CARES Act	Materials & Supplies Materials & Supplies Materials & Supplies	Instructional Materials Instructional Materials	Instructional Materials	Therapy Services Therapy Services	Purchased Services			Materials & Supplies CARES Act Materials & Supplies CARES Act Materials & Supplies CARES Act Materials & Supplies CARES Act	* Elementary LMES ** PURCHASED SERVICES PURCHASED SERVICES PURCHASED SERVICES
12/16/2022 AP375 FUND # - 231	VENDOR NAME	ESS SOUTH CENTRAL, LLC ESS SOUTH CENTRAL, LLC ESS SOUTH CENTRAL, LLC ESS SOUTH CENTRAL, LLC	K12 MANAGEMENT	JOHN HENRY PRINTING, INC.	COMDATA	AMAZON CAPITAL SERVICES	BSN SPORTS, LLC	AMAZON CAPITAL SERVICES MEREDITH KESLING SHANTE HARVEY	AMAZON CAPITAL SERVICES AMAZON CAPITAL SERVICES	ESGI	THERAPY RESOURCES, INC. ALLIED INSTRUCTIONAL	TALK THERAPY	NCS PEARSON	COMDAIA COMDAIA HAND2MIND HAND2MIND	COMDAIA COMDAIA COMDAIA AMAZON CAPITAI SERVICES	ESS SOUTH CENTRAL, LLC ESS SOUTH CENTRAL, LLC ESS SOUTH CENTRAL, LLC

NO OF	/12/2022 /12/2022	NTS PAYABLE LIST & QUEEN SCHOOLS - 061100 ** Class.	Instruction	OICE	PAGE
CHARGE TO		DESCRIPTION	INVOICE#	DATE	\$\$ PAY \$\$
PURCHASED SI	SERVICES	12102022	INV379270	12/10/2022	863.1
Purchased Se	Services	NOVEMBER	NOVEMBER2022	11/01/2022	1000
Printing Service	ices	3 PART REFERRAL FORM	22-5345	11/16/2022	, , , , , , , , , , , , , , , , , , ,
Travel - Title Travel - Title		ALEJANDROS MEXICA THAI CONTINENTAL	165879SL 396538SL	11/28/2022	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00
Materials and	Supplies	WALMARI	91308550	11/16/2022	0.00
Materials & Sup	Supplies CARES Act	PORTABLE BENCH	917932145	8/22/2022	200
Instructional Materia	aterials	TEACHERS PAY TEACHER	236457SL	11/02/2022	000 000 000 000 000 000
Therapy Services	Ŋ	EDUC. SERVICES	0668	11/30/2022	200
		OT SERVICES	0665	8/31/2022	252.64
Purchased Service	v _i	SPEECH SERVICES	8201	11/30/2022	100
		WASI FORMS	20176598	12/07/2022	147.84
		FUNDATIONS PREK CLASS SUPPLIES	1957511 1FV4-1H46-4W16	11/09/2022 11/29/2022	0000
Materials & Supplies Materials & Supplies Materials & Supplies Materials & Supplies	es CARS Act es CARS Act es CARS Act es CARS Act	FIEX SEATING SENSORY ITEMS CLASS SUPPLIES EDUC. SUPPLIES	596367101422 713098111022 1JJF-39RY-G9GT 199N-HNXP-G1NQ	10/12/2022 11/10/2022 11/30/2022 11/14/2022	1, 0,000,000,000,000,000,000,000,000,000
Instructional Materia	ಗೊಡಿತ	SP ADAPTED 4 SPED	169027SBO	11/08/2022	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Secondary CHS ** HMP Benefits		REFUND PREM. R. COX	COXRNOV172022	11/17/2022	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
PURCHASED SERVICES PURCHASED SERVICES PURCHASED SERVICES RURCHASED SERVICES	MOI CALL	11122022 11/19/2022 SUBSILIUTE 12102022	INV371891 INV373351 INV375996 INV379270	11/12/2022 11/19/2022 11/26/2022 12/10/2022	431-55 431-55 6.30
Printing Services		3 PART REFERRAL FORM	22-5345	11/16/2022	
		ALEJANDROS MEXICA THAI CONTINENTAL	165879SL 396538SL	11/28/2022 11/29/2022	າພຸພຸດ
21st Century Grant	nt - Purchases	WALMARI	176674SBO	11/05/2022	5.7 5.7 50 50

ო	S- 1	040	VO.	o ma	0000000	~O	200) ett 5	* *	തരവരവ	יוטוע.	റതാ	ነማውውሥ	٥٢
PAGE	PAY	OWN	ηωι	ومرصو	00000HC	Jáic	100	2000	04.4	*000000	ນ້ອນດ	voic	VL-004.00	יאיכ
ρì	S S S	w <	* .	4m /	ar managan nan n	0.4.	นูญ ถู	ָה קירוי	Heli	- N	יי		H 944	6.1
														н
		/2022	022	022	000000	022	022	022	022	000000	022	022	5555 5555 5555 5555 5555 5555 5555 5555 5555	
	DATE	04/2	1/02/2022	07/2	11/08/2021 12/05/2021 12/03/2021 12/03/2021	1/30/2022	1/30/2022	2/07/2022	1/20/202	11/15/2022 11/16/2022 11/16/2022 11/16/2022 11/16/2022	1/13/202	0/31/2022	1/07/2	
	INVOICE	12/04/	11/	10/	444444	11/	11/	12/	11/	नेतेनेतेने	11/	101	다 다 다 다 다 이 이	ij
*	INVC													TOTAL
tion		W3CT 1X1E		MXTR	1346845BO 4871765BO 10X7-X70W-13KR 1X34-9XGY-9VLK 11JG-D1GK-KX9K 17V9-FKCC-3KHM						9L1V			
Instruction		L3C-HDMP-W3CT	SBO	918592263 19M9-VYWH-MXTR	CONTRO CO			86	SI		HXP-KHJW-911V	94DC	037	
	INVOICE#	3C-B	94121SB	8592 M9-V	2468 2X4176 334-3 34-3 34-3 34-3 34-3	899	201	01765	10909	39972EH 62455EH 62455EH 62456EH 62461EH 8530SBO	XP-K	45894	08303 23876 18715 18793	
ssroom	INVOICE	井는	턴		444444 900X44	90	8	20	21	U44440	1.5	14	0000	
IST IS Class				equipment	H		ζΛ						លល	
S PAYABLE LIST QUEEN SCHOOLS 061100 ** Cla		LIES		EQU:	LRT HOND BALLET S SUPPLIES IG SYSTEMS TG SYSTEMS	ICES	SERVICES			ZZZZ Z	NDER		HELMETS HELMETS	
AYAB EN S	MOIT	SUPPLIES	H	VOLLEYBALL VOLLEYBALLS	SYS	SERVICES		FORMS	Н	EXAM EXAM D EXAM D EXAM D EXAM RGE	CYLINDER	z		
TS P QUE - 06	DESCRIPTION	CLASS	WALMART	YELEY TEEY	WALMART RICHMOND CLASS SUP GAMING SY PAINT CAMERAS	EDUC.	SPEECH	WASI F	WALMARI	NCS GED EX NCS GED EX NCS GED EX NCS GED EX NCS GED EX	CHAIR	EARSON	SPORTS SPORTS FOOTBALL FOOTBALL	
ACCOUNTS KING & QU DEPT # - 0	DES	SA	WA	>> >>	CACCAR	딥	SP	WA	WA	BEZZES	Ö	현	NO PE	
N X X		ស ស ៧ ៧	놙											
		Purchases Purchases	ES Act							មានមានមេខ មានមានមេខ មានមានមេខ				
			CARES	als	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8				als	ISAEP ISAEP ISAEP ISAEP ISAEP ISAEP	als	als	4444 6666 8888	
		벎	lies	Materi Materi	Materials Materials Materials Materials Materials		a) ex	lies	Ή		Materi	Materi	Suppli Suppli Suppli Suppli	
022		Grant Grant	Supplie		TTTTTT	Services	Service	Supplie	Instructional Mater	Services Services Services Services Services				
12/2	0 I	Century Century	ω, rsi	Instructional Instructional	Instructional Instructional Instructional Instructional Instructional	Serv		ις Vi	iona		Instructional	Instructional	s and sand sand sand sand	
122	CHARGE IO		Materials	ruct	222222	Therapy	Purchased	Materials	ruct	Purchased Purchased Purchased Purchased Purchased	ruct	ruct	Materials Materials Materials Materials	
DATE-	H	21st 21st	Mate	Inst	HIDST HIDST	The	Pur	Mate	Inst	HALLI HALI HA	Inst	Inst	Ma Matt	
FROM DAIE-12/12/2022 TO DAIE- 12/12/2022														
		CES		CES	OCC SERVICE SE	INC.					CES			
		SERVICES SERVICES		ERVI	SERVICES SERVICES SERVICES SERVICES						SERVICES			
	NAME			LLC	2222	RESOURCES,							11 11 11 10	
22 231		CAPITAL		RIS,	CAPITAL CAPITAL CAPITAL CAPITAL	RESC	THERAPY	PEARSON			CAPITAL		SPORTS, SPORTS, SPORTS,	
6/20: 375	VENDOR	AMAZON C	COMDATA	BSN SPORTS, LLC AMAZON CAPITAL SERVICES	COMDATA COMDATA AMAZON AMAZON AMAZON AMAZON	THERAPY			COMDATA	COMDATA COMDATA COMDATA COMDATA COMDATA	AMAZON (COMDATA	LOWE'S LOWE'S BSN SPOI	
12/16/2022 AP375 FUND # - 23		AMA	COM	BSN	APAPA PAMPA	THE	TALK	NCS	COM	0000000	AMA	O N	H B B B B B B B B B B B B B B B B B B B	

PAGE 4	SS ZEA SS	1554.04 1554.04 154.04
	INVOICE	11/09/2022 TOTAL
	INVOICE#	214030SBO
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 061210	DESCRIPTION	RAYMOND GEDDES
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	Materials and Supplies
12/16/2022 AP375 FUND # - 231	VENDOR NAME	COMDAIA

PAGE 5	\$\$ PAY \$\$	40.00 62.17 102.17 *	23.75 *	30.00 30.00 30.00	17.75	23.72 *	84.45	676.50	10000 10000 10000 10000	1,017.64
	INVOICE DATE	12/13/2022 11/18/2022 11/15/2022	11/02/2022	12/05/2022	11/15/2022	11/02/2022	12/05/2022	11/15/2022	11/02/2022	TOTAL
	INVOICE#	HERRINGJDEC22 HERRINGJOCT22 466692AJ	350611AK	HARRISJNOV22	466692AJ	350611AK	MARIINSNOV22	466692AJ 1149891	350611AK	C
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEFT # - 061310	DESCRIPTION	REIMBURSEMENT OCTOBER 2022 WALMARI	FOOD LION	REIMBURSEMENT	WALMART	FOOD LION	REIMBURSEMENT	WALMART 40 DIPLOMA COVERS	FOOD FION	
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	Travel Travel Materials and Supplies	Materials and Supplies	Travel	Materials and Supplies	Materials and Supplies	Travel	Materials and Supplies Materials and Supplies	Materials and Supplies	
12/16/2022 AL375 FUND # - 231	VENDOR NAME	JOSEUA HERRING JOSEUA HERRING COMDATA	COMDATA	JESSICA HARRIS	COMDAIA	COMDATA	SHARON MARTIN	COMDATA HERFF JONES, LLC	COMDATA	

PAGE 6	\$\$ PAY \$\$	14788 660 660 744 8 4	4, 46643 4, 46643 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4
	INVOICE DATE	12/02/2022 12/07/2022	12/09/2022 11/23/2022 TOTAL
	INVOICE#	PATEPNOV22 1144-QV1C-6KRX	FAJARDOBNOV22 INV395271-KIN03
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPI # - 061410	DESCRIPTION	REIMBURSEMENT CLASS SUPPLIES	REIMBURSEMENT MILES CHS FURNITURE
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	Travel Materials and Supplies	Travel Materials and Supplies
12/16/2022 AP375 FUND # - 231	VENDOR NAME	PAMELA PATE AMAZON CAPITAL SERVICES	BERNITA FAJARDO WORIHINGION DIRECI, INC.

PAGE 7	S\$ PAY S\$	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	INVOICE DATE 	11/17/2022 11/11/2022 11/11/2022 11/118/2022 11/118/2022 11/18/2022 11/13/2022 11/13/2022 9/26/22
	INVOICE	482865CC 482865CC 657549CC 82783EH 82785EH 82785EH 82786EH 53249 63249 60N 53746
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 062110	DESCRIPTION	TST ABERDEEN BAR MCDONALDS LODGE DINING WOODLANDS WOODLANDS WOODLANDS WOODLANDS Z022 VSBA WORKSHOP Z022 VSBA CONVENTI
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	** Board Services ** Travel Travel Travel Travel Travel Travel Travel
12/16/2022 AP375 FUND # - 231	VENDOR NAME	COMDATA COMDATA COMDATA COMDATA COMDATA COMDATA VSBA VSBA

00	\$ 1	*	*	*	*	- woo o o o o o o	-
PAGE	\$\$ PAY	21044 20004 20004	00	14884 00000 00000	5 44 40 54640 644 540476667		- 2000
	INVOICE DATE	/31/202 /04/202 /25/202	11/30/2022	11/27/2022 11/27/2022 11/27/2022 11/27/2022	10/30/2022 10/30/2022 110/30/2022 111/11/2022 111/11/6/2022 111/11/6/2022	11/07/2022 11/08/2022 11/08/2022 11/18/2022 11/08/2022 12/08/2022	11/13/2022 12/08/2022 11/18/2022
	INVOICE#	7000 000	12051	1930-00004-000 1930-00005-0000 1930-00006-0000 1956-00005-000	24265 368465C 368466C 4824865C 487460C 6577549C 827549C 8577549C	220702AJ 350930AK 388158 48293AJ 630153AK 639733AK ITTK-KMNV-6V44	100860SBO 22-5573 114W-WTW1-DKN9
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 062120	DESCRIPTION	WATER COOLER WATER COOLER 3000205910	NOVEMBER2022	ADV ID 1930 AD ID 1930 AD ID 1930 AD ID 1956	MARRIOIT RICHMOND RICHMOND MARRIOIT RICHMOND MARRIOIT IST ABERDEEN BAR MCDONALDS LODGE DINING WOODLANDS	FOOD LION FOOD LION ANNUAL MEMBERSHIP WALMART DOLLAR GENERAL DOLLAR GENERAL OFFICE DECOR	ADOBE HOLIDAY CARDS CLASS SUPPLIES
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	Executive Administration ** Purchased Services Purchased Services Purchased Services	Legal Services	Advertising Advertising Advertising Advertising	Travel Travel Travel Travel Travel	Miscellaneous Miscellaneous Miscellaneous Miscellaneous Miscellaneous Miscellaneous	Materials and Supplies Materials and Supplies Materials and Supplies
12/16/2022 AP375 FUND # - 231	VENDOR NAME	*	HANEY PHINYOWAITANACHIP PL	wnnt-em wnnt-em wnnt-em wrar	COMDATA COMDATA COMDATA COMDATA COMDATA COMDATA	COMDATA COMDATA COMDATA COMDATA COMDATA COMDATA AMAZON CAPITAL SERVICES	COMDATA JOHN HENRY PRINTING, INC. AMAZON CAPITAL SERVICES

PAGE 9	\$\$ PAY \$\$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	INVOICE DATE 	12/01/2022 12/01/2022 11/30/2022 11/02/2022 10/09/2023 12/13/2022 11/10/2022 11/29/2022
	INVOICE#	CJIS-17823 311197NOV22 33084 33845 620949665 GONZALEZMDEC22 3341335B0 JACKSONJNOV22
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 062140	DESCRIPTION	NOV2022 NOVEMBER RECORDKEEPING ANNUAL DOC ADMIN 716646 REIMBURSEMENT HOTEL MADISON REINBURSEMENT
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	** Fuman Resources ** Purchased Services Purchased Services Purchased Services Purchased Services Purchased Services Personnel Travel Personnel Travel
12/16/2022 AP3/5 FUND # - 231	VENDOR NAME	VIRGINIA STATE POLICE VA DEPT. OF SOCIAL SRVCS. ADMIN PARTNERS, LLC ADP, LLC MONICA GONZALEZ COMDAIA JENNIFER JACKSON

PAGE 10	\$\$ PAY \$\$	41.32	507.100 1007.100 1007.100	548.47
	INVOICE DATE	10/30/2022	11/18/2022	TOTAL
	INVOICE#	24265CC	163598	
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 062160	DESCRIPTION	MARRIOIT RICHMOND	PR & AP CHECKS	
FROM DAIE-12/12/2022 TO DAIE- 12/12/2022	CHARGE TO	** Fiscal Services ** Travel	Materials and Supplies	
12/16/2022 AP375 FUND # - 231	VENDOR NAME	COMDATA	BMS DIRECT, INC.	

PAGE 11	\$\$ PAY \$\$	17.21	14.10.2 2002 2000 2000 1000 1000 1000	
	INVOICE DATE 	11/10/2022	11/05/2022 11/06/2022 11/06/2022	TOTAL
ST.	INVOICE#	1109916	261942AJ T2714SBO EXPRESS 72718SBO	
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 062220	DESCRIPTION	TEST	CHUX HOLIDAY INN EXF HOLIDAY INN EXF	
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	** Health ** Purchased Services	Travel Travel Travel	
12/16/2022 AP375 FUND # - 231	VENDOR NAME	MIDDLESEX HEALTH DEPT.	COMDATA COMDATA COMDATA	

PAGE 12	\$\$ PAY \$\$	5579 5779 579 500 8
	INVOICE DATE 	11/10/2022 TOTAL
₽.	INVOICE#	460389SL
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # ~ 062230	DESCRIPTION	NASP
FROM DAIE-12/12/2022 TO DAIE- 12/12/2022	CHARGE TO	** Psychological ** Mileage
12/16/2022 AP375 FUND # - 231	VENDOR NAME	COMDATA

Prge 13	\$\$ PAY \$\$	# # # # # # # # # # # # # #
	INVOICE DATE 	11/08/2022 FOTAL
	INVOICE#	7368038944-0-1 T
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 063100	DESCRIPTION	PAPER
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	** Management & Direction ** Materials and Supplies
12/16/2022 AP375 FUND # - 231	VENDOR NAME	STAPLES BUSINESS CREDIT

PAGE 14	S\$ PAY S\$	262 652 652 655 655 655	111.3000 130.000 130.000	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
	INVOICE DATE 	11/15/2022 10/20/2022	11/29/2022	11/19/2022	TOTAL
	INVOICE	KA0000750905 16069061	JACKSONJNOV22 NOVEMBER2022	MUSEBNOV22	
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 063200	DESCRIPTION	11152022 DRUG TESTING	REINBURSEMENT IRAVEL EXPENSES	REIMBURSEMENT	
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	<pre>** Vehicle Operation ** Purchased Services 'S Purchased Services</pre>	Private Carriers Private Carriers	Bus Drivers - Physicals	
12/16/2022 AE375 FUND # - 231	VENDOR NAME	** GFL ENVIRONMENTAL CONCENTRA HEALTH SERVICES	JENNIFER JACKSON JOYCE ASHLOCK	BARBARA MUSE	

PAGE 15	\$\$ PAY \$\$			1 1000400000000000000000000000000000000	20 24 420 2440 2440 2420 2420 2420 2420	180
	INVOICE DATE	118/2002 103/2002 103/2002 103/2002 103/2002 103/2002	1/29/202	11111111111111111111111111111111111111	11111111111111111111111111111111111111	TOTAL
	INVOICE#	111111 - 41444 44 44 44 44 44 44 44 44 44 44 44	100	02000000000000000000000000000000000000	8548-1 119888-1 119888-1 119888-1 4224-1834R-1 4224-1834R-1 4224-1834 4224-1834 52922 429117 429117 62922	
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 063400	DESCRIPTION	INSPECTION INSPECTION INSPECTION SOLERA HOLDINGS SEOP SUPPLIES NOVEMBER	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		FUEL CORE RETURN BUS 14 SURGE TANK MOTOR BLOWER PARTS PARTS PARTS PARTS PARTS PARTS PARTS PARTS	
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	A HHHHHHC	•	Vehicle/Equipment Fuel	Vehicle and Powered Equipment Vehicle and Powered Equipment	
12/16/2022 AP375 FUND # - 231	VENDOR NAME	"TIRE TIRE IT TIRE IT TIRE IT TIRE RICHMOND AUTO PARTS GASES	INT ACE HARDWARE	ATKINS PETROLEUM AIKINS RIVER SOLUTIONS JAMES RIVER SOLUTIONS	ATKINS PETROLEUM SONNY MERRYMAN, INC. SONNY MERRYMAN, INC. KINGMOR SUPPLY, INC. PORI RICEMOND AUTO PARTS PORI RICEMOND AUTO PARTS PORI RICHMOND AUTO PARTS PORT RICHMOND AUTO PARTS	

PAGE 16	\$\$ PAY \$\$	000700		223 223 223 24 24 24 25 24 25 25 25 25 25 25 25 25 25 25 25 25 25
	INVOICE DATE 	12/09/2022 12/09/2022 12/13/2022 11/14/2022 11/14/2022 12/05/2022	0 000000000000000000000000000000000000	11/29/ 11/29/ 11/0022 12/0022 12/0022
	INVOICE#	9989764-659 9989764-660 25166 1027	α	99999999999999999999999999999999999999
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 064200	DESCRIPTION	CHS KQES LMES WATER TESTING	NOVEMBER NOVEMBER NOVEMBER NOVEMBER NOVEMBER NOVEMBER NOVEMBER NOVEMBER NOVEMBER FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	MAINTENANCE MAINT PARTS MAINT PARTS MAINT PARTS
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO	Building Services ** Purchased Services Purchased Services Purchased Services Purchased Services Purchased Services Purchased Services	tons frons f	Materials and Supplies Materials and Supplies Materials and Supplies Materials and Supplies
12/16/2022 FROI AP375 FUND # - 231	VENDOR NAME	STANLEY PEST CONTROL, INC. STANLEY PEST CONTROL, INC. STANLEY PEST CONTROL, INC. MID-ATLANTIC INSTALLERS MID-ATLANTIC INSTALLERS PWS OPERATIONS	DOMINION ENERGY VIRGINIA OUARLES PETROLEUM, INC. QUARLES PETROLEUM, INC.	LOWE'S LOWE'S LOWE'S LOWE'S

17	\$	<pre></pre>
PAGE	\$\$ PAY	ц д сминизо ман жи миосмимизо фодомиров миосмимизо миосмими фодомиров миосмими миосмими миосмими миосмими миосмими миосмим миосмим миосмим миосмим миосмим
	INVOICE DATE 	11/22/2002 11/22/2002 11/22/2002 11/22/2002 11/28/20022 12/09/20022 12/09/20022 11/10/20022 11/14/20022 11/14/20022 11/14/20022 11/14/20022 11/14/20022 11/14/20022
	INVOICE	908759 1G9D-K9NY-GXWY 11A6-WH9Q-4FHG 43345/2 435436/2 435436/2 435436/2 43550/2 4813750 4813750 1NV0130597 25167 25167 5261673092
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # ~ 064200	DESCRIPTION	MAINTENANCE WALKIE TALKIES LIGHTS PARTS PARTS BATTERY PARTS CLEANING CLEANING CLEANING CHS BR SINK FITTINGS CHS LAUNDRY ROOM FILTERS 538081
FROM DAIE-12/12/2022 TO DAIE- 12/12/2022	CHARGE TO	Materials and Supplies Capital Outlay-Additions Capital Outlay-Additions CAPITAL OUTLAY - REPLACEMENT
12/16/2022 AP375 FUND # - 231	VENDOR NAME	LOWE'S AMAZON CAPITAL SERVICES AMAZON CAPITAL SERVICES WEST POINT ACE HARDWARE LOCKE SUPLY LOCKE SUPPLY CO. NISUPPLY MID-AILANTIC INSTALLERS MID-AILANTIC INSTALLERS HONEYWELL INTERNATIONAL HONEYWELL INTERNATIONAL

PAGE 18	\$\$ PAY \$\$	* 000000000000000000000000000000000000
	INVOICE DATE	11/25/2022 11/07/2022 12/01/2022 TOTAL
	INVOICE#	59037 954160376 HENCE-DEC2022
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 064300	DESCRIPTION	NOVEMBER RENTAL BOILER CHECK DECEMBER
FROM DAIE-12/12/2022 TO DAIE- 12/12/2022	CHARGE TO	** Grounds Services ** E Purchased Services Purchased Services Purchased Services
12/16/2022 AP375 FUND # - 231	VENDOR NAME	** CHURCHVIEW SEPTIC SERVICE COMMONWEALTH OF VA CARNELL HENCE

PAGE 19	\$\$ PAY \$\$	157.50 400.009 400.009 600.009									
	INVOICE DATE 	11/25/2022 11/25/2022 11/04/2022 11/13/2022 12/02/2022 12/02/2022	11/29/2022 12/07/2022	12/08/2022	12/08/2022	11/15/2022	11/13/2022	12/12/2022	11/18/2022	11/23/2022	TOTAL
ĀĐ	INVOICE#	223292249SL 145863SL 58608SBO 99700SBO 20150170 287480	N 244260SBO 20637793	106772744	BREUNIGDEC22	399810SBO	100860SBO 123418	B16226813	DC951-2	S455172	
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEFT # - 068100 Technology	DESCRIPTION	ZOOM REFUND ZOOM APPLE READY NASV ERATE SCHOOL MESSENGER	WILKES COMMUNICATION HIGH SPEED INTERNET	LEASE	REIMBURSEMENT	VAPSUG POWERSCHOOL	ADOBE IDENTAKID LICENSE	CHROMEBOOKS	AUDITORIUM SOUND	IXI LICENSE	
FROM DAIE-12/12/2022 TO DAIE- 12/12/2022	CHARGE TO	Network & Internet Services Network & Internet Services	Communications		Travel		Software/Online Content(Non VP Software/Online Content(Non VP	VPSA Training/Match	Materials & Supplies CARES Act	SOFIWARE/ONLINE CONTENT - CARE	
12/16/2022 AP375 FUND # - 231	VENDOR NAME	COMDATA COMDATA COMDATA COMDATA SESTITO TECHNOLOGY INTRADO INTERACTIVE SERVIC	COMDATA RIVERSIREET NETWORKS	RICOH USA, INC.	MICHAEL BREUNIG	COMDATA	COMDATA IDENT-A-KID	SHI INTERNATIONAL CORP.	ATTRONICA	IXI LEARNING	

388,594.97

FUND TOTAL

PAGE 20	SS PAY SS		020	70.2
	INVOICE DATE 		0/25/202	1/21/202
Food	INVOICE#	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	9868	26011
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 065100 School	DESCRIPTION	CHS	CHS	KQES
FROM DATE-12/12/2022 TO DATE- 12/12/2022	CHARGE TO		ils & Supplie	
12/16/2022 AP375 FUND # - 232	VENDOR NAME	RIVERSIDE PAPER SUPPLY RICHAND RESTAURANT DORI FOODS COMPANY DEAN FOODS COMPANY RICHMOND RESTAURANT RICHMOND RESTAURANT RICHMOND RESTAURANT RICHMOND RESTAURANT RICHMOND RESTAURANT RICHMOND RESTAURANT	PAPE	RICHMOND RESTAURANT

PAGE 21	\$\$ PRY \$\$	1,22,22,1 E	
	INVOICE DATE	11/23/2022 11/28/2022 11/28/2022 12/05/2022 12/12/2022 12/12/2022 11/15/2022 11/15/2022 12/13/2022 TOTAL TOTAL	1
F Food	INVOICE#	2260482-CM 2260674 2261780 2261784 2261785 2262955 2262955 2262955 1NVE0018487026 INVEO01855602 INVEO01855602 TOTAL	
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 065100 SCHOOL	DESCRIPTION	CREDIT 2260118 KQES LMES LMES LMES LMES LMES LMES	Date
			e e
FROW DATE-12/12/2022 TO DAIE- 12/12/2022	CHARGE IO	Food Supplies Food Supplies Food Supplies Food Supplies Food Supplies Food Supplies Food Supplies Food Supplies Food Supplies	Title
12/16/2022 AP375 FUND # - 232	VENDOR NAME	RICHMOND RESTAURANT HERSHEY'S ICE CREAM HERSHEY'S ICE CREAM	Approved at meeting of .

DECEMBER 2022 AP BATCH 2

PAGE 1	\$\$ PAY \$\$, 200 200 200 4
	INVOICE DATE 	12/16/2022 TOTAL
L.	INVOICE	PATEPDEC2022
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 061410	DESCRIPTION	REIMBURSEMENT
FROM DATE-12/19/2022 IO DATE- 12/19/2022	CHARGE TO	Travel
12/19/2022 AP375 FUND # - 231	VENDOR NAME	PAMELA PATE

PAGE 2	\$\$ PAY \$\$	6 0000 0000 0000 0000	200	2,024 2,024 2,024 2,024 2,02 2,02 2,03 2,03 2,03 2,03 2,03 2,03	12000 12000	#H
	NVOICE DATE	12/02/2022 12/06/2022 12/12/2022	12/13/2022	12/16/2022 12/16/2022	12/12/2022 12/12/2022	TOTAL
	INVOICE#	0148855 0148873 0148923	DECEMBER132022	\$243420-IN \$243536-IN	0148925 0148926	Ð
ACCOUNTS PAYABLE LIST KING & QUEEN SCHOOLS DEPT # - 063400	DESCRIPTION	STATE INSPECTION INSPECTION INSPECTION	HS RADIOS	FUEL FUEL	TIRES	
FROM DAIE-12/19/2022 TO DAIE- 12/19/2022	CHARGE TO	<pre>** Vehicle Maintenance ** Purchased Services Purchased Services Purchased Services</pre>	Test	Vehicle/Equipment Fuel Vehicle/Equipment Fuel	Vehicle and Powered Equipment Vehicle and Powered Equipment	
12/19/2022 AP375 FUND # - 231	VENDOR NAME	AYLETT TIRE AYLETT TIRE AYLETT TIRE	KING AND QUEEN COUNTY	JAMES RIVER SOLUTIONS JAMES RIVER SOLUTIONS	AYLETT TIRE AYLETT TIRE	

യ്ത്	CHARGE TO DESCRIPTION
DECEMBER RENTAL	To Furchased Services Described Services
1 1	On with 1

King and Queen County Public Schools November 30, 2022 Cash Financial Report

Operating Fund

REVENUE

		BUDGET	ACTUAL YTD		ENCUMBERE)	BALANCE	
Revenue:								
County Contribution	\$	4,297,176 \$	3,797,176.00	\$		\$	500,000.00	88.4%
Miscellaneous Local		42,500	10,923.62				31,576.38	25.7%
State Funds		7,726,124	2,989,799.53				4,736,324.47	38.7%
Federal Funds	_	1,122,709	156,515.34			_	966,193.66	13.9%
TOTAL	\$_	13,188,509 \$	6,954,414.49	\$, \$ <u>_</u>	6,234,094.51	52.7%
			EXPE	NDIT	URE			
Category:		BUDGET	A	CTUA	L YTD		BALANCE	
Instruction	\$	9,316,018	3,066,755.90	\$	97,808.61	\$	6,151,453.49	32.9%
Admin./Attend./Health		901,705	369,506.35		6,572.44		525,626.21	41.0%
Transportation		1,151,906	459,838.74		80,656.62		611,410.64	39.9%
Operation and Maintenance		1,133,122	514,907.87		274,822.39		343,391.74	45.4%
Debt Service/Fund Transfer		5,000	0.00		0.00		5,000.00	0.0%
Technology	-	680,758	284,546.76		102,259.74	_	293,951.50	41.8%
TOTAL	\$	13,188,509 \$	4,695,555.62	\$	562,119.80	\$	7,930,833.58	35.6%
Grand Total Operating Fund	\$_	13,188,509 \$	4,695,555.62	\$	562,119.80	\$	7,930,833.58	
			Food Se	rvic	e Fund			
		BUDGET	Δε	CTIIA	L YTD		BALANCE	
Revenue:		DODGEI	~				DALANCE	
Miscellaneous local	Ś	56.848	22,399.21	¢		\$	34,448,79	39.4%
State Funds	7	3,195	22,333.21	7		7	3,195.00	0.0%
Federal Funds		335,000	164,311.09				170,688.91	49.0%
Interest		333,000	7.81				(7.81)	45.070
Transfer from School Fund		5.000	7.01				5,000.00	
Transfer from Sendor Land	-	3,000		-		_	5,000.00	
TOTAL	\$_	400,043	186,718.11	\$_		\$	213,324.89	46.7%
M101		400.040	100 716 70	_			200 225 22	40.00/
Food Services	\$_	400,043	199,716.78	٠,		\$ -	200,326.22	49.9%
November School Food Federa	ıl Rair	nhursement	44,988.55					
November School Food Deposi			253.00					
			45,241.55					
			73,271.33					

AGENDA: January 9, 2023 Regular Meeting

ITEM #7:

Public Comment Period

ACTION REQUESTED:

The Board will receive comments from the public related to items not on the agenda. Have citizens state their name, the district they are from and request that they limit their comments to 3 minutes.

ATTACHMENTS:

None

AGENDA: January 9, 2023 Regular Meeting

ITEM #8:

Adoption of Resolution in Support of Edge Hill School Historical Highway Marker

ACTION REQUESTED:

Need a motion and second to adopt resolution of support of the installation of a Historical Highway marker recognizing Edge Hill School.

ATTACHMENTS:

• Resolution



RESOLUTION IN SUPPORT of EDGE HILL SCHOOL HISTORICAL HIGHWAY MARKER

WHEREAS, for 26 years during the days of segregation, namely from 1937 to 1963, Edge Hill School provided a quality education for Black children in King and Queen County in grades 1-7; and

WHEREAS, the Edge Hill School Alumni Association was formed in part to commemorate and preserve the history of the school and the history of Black education in King and Queen County; and

WHEREAS, in furtherance of the memorialization of Edge Hill School and its dedicated parents, teachers, and students, the Edge Hill School Alumni Association wishes to apply to the Virginia Department of Historic Resources for the placement of a Historical Highway Marker through the historical highway marker program on the site of the school which is no longer standing; and

WHEREAS, for this purpose, the Edge Hill School Alumni Association has secured the necessary funding and has secured the permission of the current landowner; and

WHEREAS, the Edge Hill School Alumni Association now requests the support of the Board of Supervisors of King and Queen County for the placement of a Historical Highway Marker; and

WHEREAS, the Board of Supervisors of King and Queen County, Virginia fully supports the preservation of this history of King and Queen County and the memorialization of the wonderful educational resource that was Edge Hill School.

NOW, THEREFORE, the Board of Supervisors of King and Queen County, Virginia does hereby express its support for the placement of a Historical Highway Marker through the Virginia Department of Historic Resources historical highway marker program at the site of the former Edge Hill School, King and Queen County, Virginia, and does ask the Virginia Department of Historic Resources to approve, construct, and erect in King and Queen County, Virginia an historical highway marker as requested by the Edge Hill School Alumni Association.

ADOPTED this 9th day of January, 2023 by the Board of Supervisors of King and Queen County, Virginia.

Attest:	Chair
Clerk	

AGENDA: January 9, 2023 Regular Meeting

ITEM #9:

Adoption of Resolution petitioning Circuit Court for an order to not hold a special election due to the retirement of Sheriff Charboneau.

ACTION REQUESTED:

Need a motion and second to adopt resolution petitioning Circuit Court.

ATTACHMENTS:

- Resolution
- Petition
- Order

BOARD OF SUPERVISORS OF KING AND QUEEN COUNTY, VIRGINIA RESOLUTION FOR SPECIAL ELECTION

January 9, 2023

	visors of King and Queen County, Virginia, held a 23085, commencing at 7:00 p.m., January 9, 2023
no special election be ordered to fill the vaca	inia request pursuant to Va. Code § 24.2-228.1 that ncy in the office of the sheriff of King and Queer of Sheriff John R. Charboneau effective December
Following presentation of the Resolution, the Resolution according to the votes stated below	e Board of Supervisors adopted and approved the
Present:	Vote:
Doris Morris	
R.F. Bailey, Jr.	
Sherrin C. Alsop	
James Lawrence Simpkins	
James Burns	
Dated: Attested	: Vivian R. Seay, Clerk
	Board of Supervisors of King and Oueen County

- **WHEREAS**, Sheriff John R. Charboneau was elected sheriff of King and Queen County, Virginia for the term expiring December 31, 2023; and
- **WHEREAS**, by letter dated October 24, 2022, the Board of Supervisors of King and Queen County, Virginia (the "**Board**") received notification of the retirement of Sheriff John R. Charboneau effective December 31, 2022; and
- WHEREAS, in accordance with Va. Code § 24.2-228.1, the highest ranking deputy, namely W. R. Balderson, shall be vested with the powers and shall perform all of the duties of the office of sheriff of King and Queen County, Virginia, and shall be entitled to all the privileges and protections afforded by law to elected or appointed constitutional officers, for the remainder of the unexpired term; and
- WHEREAS, in accordance with Va. Code § 24.2-228.1, the vacancy created by the retirement of Sheriff Charboneau shall be filled upon petition of the governing body either by special election or at the next ensuing general election if the vacancy occurs within the 12 months immediately preceding the end of the term of the office vacated; and
- WHEREAS, the Board finds that due to additional workload and the additional cost associated with conducting a special election it is in the best interest of the County and the citizens to petition the Circuit Court of King and Queen County to request that no special election be ordered to fill the vacancy in the office of sheriff.

NOW, THEREFORE, BE IT RESOLVED by the Board of Supervisors of King and Queen County, Virginia, as follows:

- a. In accordance with Va. Code § 24.2-228.1, the Board directs the county attorney to file on its behalf a petition with the King and Queen County Circuit Court to request that no special election be ordered to fill the vacancy in the office of sheriff created by the retirement of Sheriff John R. Charboneau effective December 31, 2022.
- b. The Board understands that in accordance with Va. Code § 24.2-288.1, the highest ranking deputy officer, namely W. R. Balderson, will serve as sheriff for the remainder of the unexpired term of Sheriff John R. Charboneau, or until December 31, 2023, and that the office of sheriff will be filled in the normal course at the general election scheduled for November 7, 2023.
- c. The County Attorney is instructed and authorized to prepare, sign, and file, together with the said petition, any and all other paperwork necessary for this purpose.

VIRGINIA: IN THE CIRCUIT COURT OF KING AND QUEEN COUNTY

RE: VACANCY IN THE OFFICE OF SHERIFF OF KING AND QUEEN COUNTY

Case Number:

PETITION

COMES THIS DAY King and Queen County, Virginia, by and through its county attorney, and petitions the Circuit Court of King and Queen County, Virginia pursuant to Va. Code § 24.2-228.1 to request that no special election be held to fill the vacancy in the office of sheriff of King and Queen County, and in support of this petition states as follows:

- That John R. Charboneau was duly elected as Sheriff of King and Queen County, Virginia, a constitutional office of the Commonwealth of Virginia, for the term ending December 31, 2023.
- 2. That by letter dated October 24, 2022, the aforesaid John R. Charboneau communicated to the Board of Supervisors of King and Queen County, Virginia his retirement as Sheriff of King and Queen County, Virginia effective on the 31st day of December, 2022.
- 3. That pursuant to Va. Code § 24.2-228.1, the vacancy created by the retirement of Sheriff Charboneau must be filled by special election unless the vacancy occurs within the 12 months immediately preceding the end of the term of the office and the governing body petitions the King and Queen County Circuit Court to request that no special election be ordered.
- 4. In accordance with Va. Code § 24.2-228.1, the highest ranking deputy officer, namely W. R. Balderson, shall be vested with the powers and shall perform all of the duties of the office and shall be entitled to all of the privileges and protections afforded by law to elected or

appointed constitutional officers for the remainder of the unexpired term, or December 31, 2023.

- 5. That the Board of Supervisors of King and Queen County, Virginia, at its meeting duly held on the 9th day of January, 2023, adopted a resolution instructing the county attorney to petition the Circuit Court of King and Queen County, Virginia to request that no special election be ordered. A copy of the said resolution is attached hereto as Exhibit A.
- 6. That the general election for the expiring term of the office to which Sheriff John R. Charboneau was elected is scheduled for November 7, 2023.
- 7. That the vacancy in the Office of the sheriff for King and Queen County, Virginia occurring as the result of the retirement of Sheriff John R. Charboneau is exactly 12 months preceding the end of the term of the office to which he was elected.

WHEREFORE, pursuant to the requirements of Va. Code § 24.2-228.1, the Board of Supervisors of King and Queen County, Virginia hereby petitions this honorable Court that no special election be ordered to fill the vacancy in the office of sheriff of King and Queen County, Virginia and respectfully requests that the office of sheriff be filled at the next general election scheduled for November 7, 2023.

County of King and Queen, Virginia By: Counsel

Vivian R. Seay County Attorney for King and Queen County, Virginia Virginia State Bar ID 32951 242 Allen's Circle, Suite L | Post Office Box 177 King and Queen Court House, Virginia 23085 Telephone: 804.785.5990 | Facsimile: 804.785.5999 vseay@kingandqueenco.net

VIRGINIA: IN THE CIRCUIT COURT OF KING AND QUEEN COUNTY

RE: VACANCY IN THE OFFICE OF SHERIFF OF KING AND QUEEN COUNTY

Case Number:	

ORDER

THIS DAY came the County of King and Queen, Virginia, by and through the County Attorney, upon its petition that no special election be ordered by the Circuit Court of King and Queen County to fill the vacancy in the office of sheriff.

And it appearing to the Court the following:

- 1. That John R. Charboneau was duly elected to the office of Sheriff of King and Queen County, Virginia, for the term of office expiring on December 31, 2023.
- 2. That the aforesaid John R. Charboneau has retired as the sheriff of King and Queen County, Virginia effective December 31, 2022, exactly 12 months immediately preceding the end of the term of the constitutional office to which he was elected.
- 3. That, pursuant to Va. Code § 24.2-228.1, the vacancy created upon the retirement of Sheriff John R. Charboneau must be filled by special election unless the vacancy occurs within 12 months immediately preceding the end of the term of the office and Board of Supervisors petitions the Circuit Court of King and Queen County, Virginia to not order a special election.
- 4. That until an election is held, the highest ranking deputy who is qualified to vote for and hold the office, namely W. R. Balderson, shall be, and currently is, vested with the powers and performing all of the duties of the office of sheriff of King and Queen County, Virginia until December 31, 2023.
- 5. That the Board of Supervisors of King and Queen County, Virginia, at its meeting duly held on the 9th day of January, 2023, adopted a resolution authorizing the County Attorney of

King and Queen County, Virginia to submit a petition to the Circuit Court of King and Queen County for this purpose.

- 6. That the general election to be held in King and Queen County, Virginia to fill, in the normal course, the term of office to which Sheriff John R. Charboneau was elected is scheduled for November 7, 2023.
- 7. That pursuant to Va. Code § 24.2-228.1, because King and Queen County, Virginia has petitioned this Court to not order a special election to fill the office of sheriff upon the retirement of Sheriff John R. Charboneau and the vacancy in the office of sheriff created upon the retirement of Sheriff Charboneau occurred exactly 12 months immediately preceding the end of the term of the office to which he was elected, the request that no special election be ordered shall be granted.

It is accordingly **ADJUDGED**, **ORDERED**, and **DECREED** that no special election shall be ordered to fill the vacancy in the office of sheriff of King and Queen County, Virginia and that the office of sheriff of King and Queen County, Virginia for the term beginning January 1, 2024 shall be filled in the normal course at the general scheduled for November 7, 2023.

	Enter this	_day of _	, 2023.	
ask for this:			Benjamin Elliott Bondurant, Judge	
77 D C				

Vivian R. Seay

County Attorney for King and Queen County, Virginia Virginia State Bar ID 32951

242 Allen's Circle, Suite L | Post Office Box 177

King and Queen Court House, Virginia 23085

Telephone: 804.785.5990 | Facsimile: 804.785.5999

vseay@kingandqueenco.net

AGENDA: January 9, 2023 Regular Meeting

ITEM #10:

Adoption of Resolution of Appreciation for John Charboneau

ACTION REQUESTED:

Need a motion and second adoption and presentation of resolution of appreciation for John Charboneau.

ATTACHMENTS:

• Resolution



WHEREAS, King and Queen County Sheriff John R. Charboneau has served the citizens of King and Queen County, Virginia since 1982, spending his entire law enforcement career, spanning over 40 years, in the service of his home King and Queen County; and

WHEREAS, Sheriff Charboneau recently announced his retirement effective December 31, 2022; and

WHEREAS, during his career and prior to his 2012 election, Sheriff John R. Charboneau served King and Queen County in many law enforcement capacities, including as dispatcher, deputy, investigator, and chief deputy; and

WHEREAS, both before and following his election, Sheriff Charboneau has witnessed significant technological advancements and changing law enforcement needs and has played an instrumental role in such notable achievements as the implementation of a regional radio system, a modernization of the dispatch center, the introduction of upgraded capabilities with a computer-aided dispatch system, the implementation of a reports management system to include the first e-ticket system in the area, the oversight of a weapons replacement program for the continued safety of his deputies, and the provision of active attack and active shooter training for law enforcement personnel; and

WHEREAS, beyond the borders of King and Queen County, Sheriff Charboneau has been a member of the Virginia Sheriff's Association for over 40 years and has served on the Board of Directors of the Middle Peninsula Regional Security Center; and

WHEREAS, for his service and achievements, the Board of Supervisors of King and Queen County wishes to acknowledge, recognize, and applaud Sheriff Charboneau's selfless commitment and dedication to King and Queen County and her citizens and to congratulate him on a well-earned retirement.

NOW, THEREFORE, the Board of Supervisors of King and Queen County, Virginia does express its deep respect and appreciation to Sheriff John R. Charboneau for his outstanding service to King and Queen County since 1982; does acknowledge and commend his selfless commitment in service to the protection of his community and fellow citizens; and does express its gratitude for his long-standing loyalty and dedication to us all. The Board of Supervisors of King and Queen County, Virginia wishes Sheriff John R. Charboneau a prosperous and peace-filled retirement.

ADOPTED this 9th day of January, 2023.

The Board of Supervisors of King and Queen County, Virginia

Doris H. Morris	R. F. Bailey, Jr.
Sherrin C. Alsop	James Burns
James Lawrence Simpkins	

AGENDA: January 9, 2023 Regular Meeting

ITEM #11:

Presentation of FY2022 Audit – Taylor Stover, Robinson, Farmer Cox Associates

ACTION REQUESTED:

None

ATTACHMENTS:

• None. Electronic copy also sent with packet. Paper copies will be provided at the meeting.

AGENDA: January 9, 2023 Regular Meeting

ITEM #12:

Public Hearing – Relocation of Voting Precincts

ACTION REQUESTED:

We will now hold a public hearing on the proposed amendment to County Code Chapter 18 to relocate the central absentee voter precinct and multiple polling places.

I ask the County Administrator to provide proof of publication and background information.

Citizens wishing to make comments on proposed amendments, please come forward, state your name and the district you reside in.

Once hearing is closed, action needed to amend ordinance as proposed, amend ordinance as revised, or not approve any amendment.

ATTACHMENTS:

- Notices of public hearing Rappahannock Times, Tidewater Review (December 21, 2022 and December 28, 2022)
- Information from General Registrar regarding recommendations for precinct relocation.
- Proposed ordinance amendment
- Revised Recommendations from General Registrar
- Revised ordinance amendment

King and Queen County

Voter Registration & Elections

Precinct Relocation Requests

REVISED: 11/28/2022

Buena Vista Voting District

Request

Relocate Shacklefords precinct from Lower King & Queen Fire House to Shackelfords Chapel United Methodist Church located at 3727 Buena Vista Rd., Cologne, VA 23156.

Reason

In need of larger facility, larger parking area and better traffic flow in and out of parking lot.

Handicap Accessibility at new location
<u>⊠Ramp</u>
⊠Signage
□Parking slab
What's Needed
 ⊠Message board: Church is located on a blind curve; message board will alert drivers
of cars entering and leaving precinct. (Donated by Curtis Construction)
□Fuel for message board
□Assistance from county maintenance with picking up signs, setting up signs,
□Election day voter directional signage
□Parking Slab for ADA accessibility

Airport as Precinct

We visited the airport on November 17th. The room we were shown does not provide ample space for a precinct. Also, we were told there are 22 parking spots and at least half of those were being used when we were there. We have at least 6 officers of election working on election day so that would leave very few spaces for voters. The parking spaces are the only option for parking.

Update

Leave precinct at Lower K&Q Firehouse. Will use first bay as voting area which will provide increased space for precinct. Size of office, currently used, is: 22' x 5' usable space. Using first bay for precinct is: 35' x 16'.

Parking issues seemed to be resolved at November 2022 election by setting up new enter/exit traffic flow, marking designating parking with enter/exit signs and reconfiguring curbside voting.

What's Needed

 Room dividers to block off rest of building so there is no access beyond dividers to rest of the building.

Estimated Cost

Room dividers: \$285 approx.

Request

Relocate Courthouse precinct from Central High School to King & Queen County Administration Building, Hearing Room

Reason

Concerns related to the polling place at a school:

- Safety concerns for students & faculty. polling place voter entrance doors must remain unlocked during voting hours. The polling place is in the cafeteria, voters use the exterior door to enter directly into the cafeteria.
 - There are doors inside the cafeteria that lead into other parts of the school. School is closed on election day for students; however, some faculty typically work on election.
 - o Summer school or summer programs for students are held at school.
- Dependent upon school employee to meet election day workers on election morning to open school and equipment storage area. Employee must return again after polls close to lock school.
- No access to school on Monday before to allow election day workers to arrange
 precinct. They have to take down tables and set up table arrangement on
 election morning.

Accessibility at new location

⊠Ramp

⊠Signage

⊠Parking slab

Other

The Hearing Room will provide ample space for election-day voting. We use the Hearing Room as a satellite early voting site for Presidential Elections.

What's Needed

New voter cards mailed to each voter in the district.

Estimated Cost

Voter card mailing: \$950 approx.

NOTE

We have communicated with the Sheriff's Department & General District Court; neither have any concerns or issues with using the Hearing Room as a precinct.

Request

Relocate Old Mill precinct from King & Queen Elementary school to Poroporone Church located at 30071 The Trail, Shacklefords, 23156.

Reason

Construction relating to remodel of KQES.

Concerns related to the polling place at a school:

- Safety concerns for students & faculty. Polling place voter entrance doors must remain unlocked during voting hours. The polling place is in the gymnasium, voters use the exterior door to enter directly into the gym.
 - There are doors inside the gym that lead into other parts of the school.
 School is closed on election day for students; however, some faculty typically work on election.
 - o Summer school or summer programs for students are held at school.

Accessibility at new location

- ⊠Ramp
- ⊠Signage
- ⊠Parking slab

What's Needed

- New voter cards mailed to each voter in the district.
- Signage

Estimated Cost

- Voter card mailing: \$900 approx.
- Signage: \$100 approx.

Request

Relocate Central Absentee Precinct (CAP) from K & Q County Administration Building, Hearing Room to K&Q Circuit Court conference room.

Reason

Relocating Courthouse precinct to K&Q County Hearing Room.

Accessibility at new location

□Ramp

⊠Signage

⊠Parking slab

What's Needed

Portable ramp for ADA compliance

Estimated Cost

Portable ramp: \$200 approx.

NOTE

We have communicated with the Circuit Court Clerk & Circuit Court Judge (via Court Clerk); neither have any concerns or issues with using the conference room for the CAP.

TOTAL ESTIMATED COST

Buena Vista: \$ 285

Stevensville: \$ 950

Shanghai: \$1,000

CAP: \$ 200 \$2,435



CENTRAL HIGH SCHOOL

17024 The Trail
King & Queen Court House, VA 23085
804-785-6102 (office) | 804-785-5129 (fax)

November 29th, 2022

Dear Members of the King and Queen County Board of Supervisors,

I am writing this letter in support of changing the voting precinct location from Central High School to another location. In the last few years, the county has used our school cafeteria and/or band room as a voting location. While this hasn't caused issues in the past, our school continues to grow with new programs and an additional grade level. Due to this, we utilize almost every room, every day. We have recently restarted our band program, which means the band room is used constantly. Election day items are stored in one of the band closets, which limits the use of that room for the teacher and students to use the day before, and the band room is accessible through the cafeteria, meaning the teacher would need to cut through the voting area on election day to access his classroom. Furthermore, since our school is the most centrally located, we are often used as a location for division-wide professional development. This past election day, we had all King and Queen schools at Central High School and could have really benefited from using the cafeteria as a space.

If you have any questions or concerns, please feel free to contact me at <u>aedwards@kqps.net</u> or call me at (804)-785-6102.

Sincerely, Ashly R. Edwards

Ashley R. Edwards

Principal, Central High School

Cc: Dr. Carol B Carter, Division Superintendent; King and Queen School Board members



King and Queen County Public Schools

Office of Superintendent

Carol B. Carter, Ed. D., Division Superintendent P.O. Box 97 · King and Queen Courthouse, Virginia 23085 Phone: (804) 785-5981 or (804) 769-5007 Fax: (804) 785-5686 or (804) 769-5007

November 12, 2022

Dear Members of the King and Queen County Board of Supervisors,

I am writing this letter of support to move the voting precinct at Central High School to a different location. On election day most recently, November 8th, we closed school for the students but the teachers and staff had a professional development day. This school year we have started a band at Central High School. The casting of the ballots is held in the band room for the June Primaries. For the November elections, the precinct is located in the cafeteria. Teachers and staff must enter the band room by walking through the cafeteria. Some teachers and staff did enter the band room on election day. The voters need a setting where their privacy can be guaranteed thus creating a better environment for them casting their vote.

I would whole heartedly endorse and support the request to move the voting precinct from Central High School to a different location. If you have any questions please email me at ccarter@kqps.net or call me at (804) 239-6127.

Al I the best,

Carol B. Carter, Ed. D.

Division Superintendent

Cc: Vivian Seay, King & Queen County Administrator, County Attorney, and Board Clerk King and Queen School Board members

Chapter 18 ELECTIONS	1
ARTICLE I. IN GENERAL	
Secs. 18-1—18-30. Reserved	1
ARTICLE II. DISTRICTS AND POLLING PLACES	1
Sec. 18-31. Districts established; populations; boundaries	1
Sec. 18-31.1. Central absentee voter precinct.	4
Sec. 18-32. Precincts and polling places	5
Sec. 18-33. Election of district supervisor.	5

Chapter 18 ELECTIONS¹

ARTICLE I. IN GENERAL

Secs. 18-1—18-30. Reserved.

ARTICLE II. DISTRICTS AND POLLING PLACES²

Sec. 18-31. Districts established; populations; boundaries.

- (a) Pursuant to authority contained in Code of Virginia, § 15.2-1211, the election districts of the county are hereby established as set forth in this section.
- (b) The election districts with populations set forth are as follows:

Election District	Population
Newtown	1329
St. Stephens Church	1302
Stevensville	1283
Shanghai	1313
Buena Vista	1376

(c) The boundaries of the respective election districts are as set forth as follows:

Newtown Election District

Beginning at a point in the center of the Mattaponi River at the mouth of Buckyard Branch following along the center of Buckyard Branch to the intersection of Buckyard Branch with a private dam at an un-named

State law reference(s)—Election of governing body, Code of Virginia, § 15.2-1400; qualifications, Code of Virginia, § 15.2-1522 et seq.; procedure, Code of Virginia, § 24.2-100 et seq.

¹Cross reference(s)—Administration, ch. 2.

²State law reference(s)—Boundaries of districts, Code of Virginia, § 15.2-1211; authority to establish, Code of Virginia, §§ 24.2-306—24.2-310.

road, thence in a northeastern direction to State Route Number 721, thence in a southerly direction along the center of State Route Number 721 to the intersection of State Route Number 721 and State Route Number 619, thence in a northerly direction along the center of State Route Number 619 to the intersection of State Route Number 619 with State Route Number 631, thence in an eastern direction along the center of State Route Number 631 to the intersection of State Route Number 650; thence in a northeasterly direction along State Route 650 to a point on the boundary line between the County of King and Queen and the County of Essex; thence in a northwesterly direction along said boundary line to a point in the center of State Route Number 635 at Beazley; thence in a westerly direction along said boundary line to a point in the center of State Route Number 625 at Byrd's Mill at its intersection with Beverly Creek, the boundary line between the County of King and Queen and the County of Caroline; thence in a southwesterly direction along said Beverly Creek to a point in the center of State Route Number 721, at its intersection with Maracossic Creek; thence in a southerly direction along said Maracossic Creek to its intersection with the northern bank of the Mattaponi River; thence in a southerly direction to a point in the center of the Mattaponi River, the boundary line between the County of King and Queen and the County of King William; thence in a southeasterly direction along said boundary line of the Mattaponi River to the intersection of the Mattaponi River and Buckyard Branch, the point of beginning.

St. Stephens Church Election District

Beginning at a point in the center of the Mattaponi River at the mouth of Buckyard Branch following along the center of Buckyard Branch to the intersection of Buckyard Branch with a private dam at an un-named road, thence in a northeastern direction to State Route Number 721, thence in a southerly direction along the center of State Route Number 721 to the intersection of State Route Number 721 with State Route Number 619, thence in a northerly direction along the center of State Route Number 619 to the intersection of State Route Number 619 with State Route Number 631, thence in an eastern direction along the center of State Route Number 631 to the intersection of State Route Number 650 to a point on the boundary line between the County of King and Queen and the County of Essex; thence in a southeasterly direction along said boundary line to a point on State Route Number 621; thence along the center of State Route Number 621 to the point of intersection with U.S. Route 360; thence in an easterly direction along the center of U.S. Route 360¹ to State Route Number 707, thence in an easterly direction along the center of State Route Number 707 to the intersection of State Route Number 707 and State Route Number 620; thence in a southerly direction on State Route Number 620 to the boundary line between the County of King and Queen and County of Essex; thence in a southwesterly direction along the center of State Route Number 620 to the intersection of State Route Number 620 and State Route Number 631; thence in a northwesterly direction along the center of State Route Number 631 to the intersection of State Route Number 631 and State Route Number 14; thence in a southerly direction along the center of State Route Number 14 to the intersection of State Route Number 14 with State Route Number 636; thence in a westerly direction along the center of State Route Number 636 to the intersection of State Route Number 636 and Clark Swamp; thence in a southern direction along Clark Swamp to the intersection of State Route Number 633; thence in a southerly direction along the center of Clark Swamp to the intersection of an un-named private road and said swamp near the headwaters of Walkerton Mill Pond; thence in a southerly direction along the center of the private road to the intersection with State Route Number 629; thence in a southwesterly direction along the center of State Route Number 629 to the intersection of State Route Number 629 and the center of the Mattaponi River in a northwesterly direction along the boundary line between the County of King and Queen and the County of King William, to the point in the Mattaponi River at the intersection of Buckyard Branch, the point of beginning.

Explanatory Footnote¹- At the time of adoption, U.S. Route 360 included old Route 360 at the Essex County line along behind properties known as presently Millers Tavern Imports and Seth Gayle Printing Company.

Old Route 360 was confirmed by Virginia Department of Transportation as being the county line, as well as Essex County Zoning Administrator, Jeff Hodges.

Stevensville Election District

Beginning at a point in the Mattaponi River on the boundary line between the County of King and Queen and the County of King William, at the intersection of State Route Number 629, thence in a northeasterly direction along the center of State Route Number 629 a distance of 1.23 miles to the intersection with State Route Number 629 and an un-named private road, thence in a northerly direction along the center of Clark Swamp to the intersection of Clark Swamp and State Route Number 633, thence in a northeasterly direction along the center of Clark Swamp to the intersection of State Route Number 636, thence in a easterly direction along the center of State Route Number 636 to the intersection of State Route Number 14; thence in a northerly direction along State Route Number 14 to the intersection of State Route Number 14 and State Route Number 631; thence in an easterly direction along the center of State Route Number 631 to the intersection of State Route Number 620; thence in an northeasterly direction along the center of State Route Number 620 to the county boundary between County of King & Queen and County of Essex along the center of the Dragon Swamp; thence in a southerly direction along the center of the Dragon Swamp being the boundary line between the County of King & Queen and County of Essex; thence in a southeasterly direction along said boundary line and swamp to a point in the center of the swamp at the intersection of said swamp and State Route Number 610, Piedmont Road; thence in a southwesterly direction along the center of State Route Number 610 to the intersection of State Route Number 610 and State Route Number 613; thence in a southwesterly direction along the center of State Route Number 613 to the intersection of State Route Number 613 and State Route Number 614; thence in a southerly direction along the center of State Route Number 614 to the intersection of State Route Number 614 and State Route Number 14 at Little Plymouth; thence in a northwesterly direction along the center of State Route Number 14 to the intersection of State Route Number 14 and Plymouth Swamp; thence in a westerly direction along the center of Plymouth Swamp to a point in the center of the Mattaponi River being the boundary line between the County of King and Queen and the County of King William; thence in a northwesterly direction along the center of the Mattaponi River being the boundary line to the point at the intersection of the Mattaponi River and State Route Number 629, the point of beginning.

Shanghai Election District

Beginning at a point in the Dragon Swamp at the intersection with State Route Number 610, Piedmont Road; thence in a southwesterly direction along the center of State Route Number 610 to the intersection of State Route Number 610 and State Route Number 613; thence in a southwesterly direction along the center of State Route Number 613 to the intersection of State Route Number 613 and State Route Number 614; thence in a southerly direction along the center of State Route Number 614 to the intersection of State Route Number 614 and State Route Number 14 at Little Plymouth; thence in a northwesterly direction along the center of State Route Number 14 to the intersection of State Route Number 14 and Plymouth Swamp; thence in a westerly direction along the center of Plymouth Swamp to a point in the center of the Mattaponi River being the boundary line between the County of King and Queen and the County of King William; thence in a southeasterly direction along the said boundary line and river to a point at the intersection of said river and State Route Number 605; thence in an easterly direction along the center of State Route Number 605 to the intersection of State Route Number 605 and State Route Number 33; thence in an easterly direction along the center of State Route Number 33 a distance of 1.11 miles to the intersection of said road and an un-named private road; thence in a southerly direction along the center of said un-named road to the intersection of Goalders Creek; thence in an easterly direction along Goalders Creek to the intersection of Goalders Creek and State Route Number 14; thence in a northerly direction along the center of State Route Number 14 to the intersection of State Route Number 14 and State Route Number 33; thence in an easterly direction along the center of State Route Number 33 to the intersection of State Route Number 33 and State

Route Number 609 which forms the boundary line between the County of King and Queen and the County of Gloucester; thence in a northerly direction along the center of State Route Number 609 to a point where the boundary line between the County of King and Queen and the County of Gloucester; thence in a northerly direction along the said boundary line to the center of the Dragon Swamp; thence in a northwesterly direction along the Dragon Swamp being the boundary line between the County of King and Queen and the County of Middlesex, to the intersection of said swamp and State Route Number 610, Piedmont Road, the point of beginning.

Buena Vista Election District

Beginning at a point in the Mattaponi River at the intersection of said river and State Route Number 605; thence in an easterly direction along the center of State Route Number 605 to the intersection of State Route Number 605 and State Route Number 33; thence in an easterly direction along the center of State Route Number 33 a distance of 1.11 miles to the intersection of said road and an un-named private road; thence in a southerly direction along the center of said un-named road to the intersection of Goalders Creek; thence in an easterly direction along the center of Goalders Creek to the intersection of Goalders Creek and State Route Number 14; thence in a northerly direction along the center of State Route Number 14 to the intersection of State Route Number 14 and State Route Number 33; thence in an easterly direction along the center of State Route Number 33 to the intersection of State Route Number 33 and State Route Number 609 which forms the boundary line between the County of King and Queen and the County of Gloucester; thence in a southerly direction along said boundary line to a point in the center of the Poropotank River, with said river forming the boundary line between the County of King and Queen and the County of Gloucester; thence along the center of said river and boundary line to a point in the center of the York River being the boundary line between the County of King and Queen and the County of James City; thence in a northerly direction along the centerline of said river to a point where the boundary line is between the County of King and Queen and the County of New Kent; thence along the center of said river and boundary line to a point where said river branches and becomes the Mattaponi River; thence along said river in a northerly direction being the boundary line between the County of King and Queen and the County of King William, to a point at the intersection of said river and State Route Number 605, being the point of beginning.

(Ord. of 6-10-1991, § 3; Ord. No. 11-01, § 3, 11-8-2001; Amend. of 4-11-2011; Ord. of 4-11-2022)

Sec. 18-31.1. Central absentee voter precinct.

- (a) The central absentee voter precinct is hereby established for the purpose of receiving, counting and recording absentee ballots properly cast within King and Queen County. The central absentee voter precinct shall receive, count, and record all such ballots in accordance with state and federal law. The Central Absentee Voter Precinct shall be located in the King and Queen County Circuit Court conference room 234 Allens Circle, King and Queen Court House, Virginia 23085. This precinct is to be used for all elections.
- (b) In addition to the office of the general registrar, the King and Queen County Circuit Court conference room 234 Allen's Circle, King and Queen Court House, Virginia 23085 has been approved by the board of supervisors and is established as a satellite absentee voting location. This additional location will be open on the following days:
 - (1) Prior to each November Presidential Election, beginning with the November 3, 2020 election. The additional location will be open seven days prior to the election, from Saturday through Saturday during the week immediately preceding the election, excluding Sundays.

(Ord. of 8-10-2020)

Sec. 18-32. Precincts and polling places.

The county is divided into five precincts. The precincts for each election district and the polling place for each precinct are set forth as follows:

Election District	Precinct	Polling Place
Newtown	Owenton	Upper King & Queen Fire Department, 8982 Newtown Road, St. Stephens Church, Virginia 23148
St. Stephen's Church	Clark's	Pamunkey Regional Library, King & Queen County Branch, Old Marriott School 396 Newtown Road, St. Stephens Church, Virginia 23148
Stevensville	Court House	Room 124 in the King and Queen Courts and Administrative Building, 242 Allen's Circle, King and Queen Court House, Virginia 23085
Shanghai	Old Mill	Poroporone Church, 30071 The Trail, Shacklefords, Virginia 23156
Buena Vista	Shackleford's	Lower King & Queen Fire Department, 4764 York River Road, Shacklefords, Virginia 23156
CAP (Central Absentee Precinct)		King & Queen County Circuit Court conference room, 234 Allen's Circle, King & Queen Court House, Virginia 23085

(Ord. No. 13-01, § 1, 11-8-2001; Amend. of 4-11-2011; Ord. of 3-9-2015; Ord. of 2-2-2018)

Sec. 18-33. Election of district supervisor.

One supervisor shall be elected from each election district created in section 18-31. (Ord. of 6-10-1991, \S 4)



Office of the Electoral Board and General Registrar County of King and Queen 232 Allens Circle, P. O. Box 56 King and Queen Court House, VA 23085

Stuart Swilley, Electoral Board Linda Culbreth, Electoral Board Martha Hart, Electoral Board Secretary Diane C. Klausen, General Registrar dklausen@kingandqueenco.net (804)785-5980

January 4, 2023

Board of Supervisors King & Queen County, VA

Today I met with Dr. Carter and Central High School principal, Ashely Edwards, at the school to review options for the location of the voting precinct. Ultimately, we decided to leave the precinct in the cafeteria at the school. Dr. Carter graciously worked with us on the school calendar ensuring there will not be any students in the building on election days. Additionally, if faculty or staff need to enter the band room on election days, they will use the outside entrance to do so.

We are withdrawing our request to relocate the Stevensville voting district precinct to the County Administration building. As a result of this, the request for relocating the CAP to the Circuit Court is also withdrawn.

Thank you for your patience and understanding as we worked through this process.

Sincerely,

Diane Klausen

General Registrar

Dignel Klausen

Chap	hapter 18 ELECTIONS					
•	ARTICLE I. IN GENERAL					
	Secs. 18-1—18-30. Reserved	1				
	ARTICLE II. DISTRICTS AND POLLING PLACES	1				
	Sec. 18-31. Districts established; populations; boundaries	1				
	Sec. 18-31.1. Central absentee voter precinct.	4				
	Sec. 18-32. Precincts and polling places	5				
	Sec. 18-33. Election of district supervisor.	5				

Chapter 18 ELECTIONS¹

ARTICLE I. IN GENERAL

Secs. 18-1—18-30. Reserved.

ARTICLE II. DISTRICTS AND POLLING PLACES²

Sec. 18-31. Districts established; populations; boundaries.

- (a) Pursuant to authority contained in Code of Virginia, § 15.2-1211, the election districts of the county are hereby established as set forth in this section.
- (b) The election districts with populations set forth are as follows:

Election District	Population
Newtown	1329
St. Stephens Church	1302
Stevensville	1283
Shanghai	1313
Buena Vista	1376

(c) The boundaries of the respective election districts are as set forth as follows:

Newtown Election District

Beginning at a point in the center of the Mattaponi River at the mouth of Buckyard Branch following along the center of Buckyard Branch to the intersection of Buckyard Branch with a private dam at an un-named

State law reference(s)—Election of governing body, Code of Virginia, § 15.2-1400; qualifications, Code of Virginia, § 15.2-1522 et seq.; procedure, Code of Virginia, § 24.2-100 et seq.

¹Cross reference(s)—Administration, ch. 2.

²State law reference(s)—Boundaries of districts, Code of Virginia, § 15.2-1211; authority to establish, Code of Virginia, §§ 24.2-306—24.2-310.

road, thence in a northeastern direction to State Route Number 721, thence in a southerly direction along the center of State Route Number 721 to the intersection of State Route Number 721 and State Route Number 619, thence in a northerly direction along the center of State Route Number 619 to the intersection of State Route Number 619 with State Route Number 631, thence in an eastern direction along the center of State Route Number 631 to the intersection of State Route Number 650; thence in a northeasterly direction along State Route 650 to a point on the boundary line between the County of King and Queen and the County of Essex; thence in a northwesterly direction along said boundary line to a point in the center of State Route Number 635 at Beazley; thence in a westerly direction along said boundary line to a point in the center of State Route Number 625 at Byrd's Mill at its intersection with Beverly Creek, the boundary line between the County of King and Queen and the County of Caroline; thence in a southwesterly direction along said Beverly Creek to a point in the center of State Route Number 721, at its intersection with Maracossic Creek; thence in a southerly direction along said Maracossic Creek to its intersection with the northern bank of the Mattaponi River; thence in a southerly direction to a point in the center of the Mattaponi River, the boundary line between the County of King and Queen and the County of King William; thence in a southeasterly direction along said boundary line of the Mattaponi River to the intersection of the Mattaponi River and Buckyard Branch, the point of beginning.

St. Stephens Church Election District

Beginning at a point in the center of the Mattaponi River at the mouth of Buckyard Branch following along the center of Buckyard Branch to the intersection of Buckyard Branch with a private dam at an un-named road, thence in a northeastern direction to State Route Number 721, thence in a southerly direction along the center of State Route Number 721 to the intersection of State Route Number 721 with State Route Number 619, thence in a northerly direction along the center of State Route Number 619 to the intersection of State Route Number 619 with State Route Number 631, thence in an eastern direction along the center of State Route Number 631 to the intersection of State Route Number 650 to a point on the boundary line between the County of King and Queen and the County of Essex; thence in a southeasterly direction along said boundary line to a point on State Route Number 621; thence along the center of State Route Number 621 to the point of intersection with U.S. Route 360; thence in an easterly direction along the center of U.S. Route 360¹ to State Route Number 707, thence in an easterly direction along the center of State Route Number 707 to the intersection of State Route Number 707 and State Route Number 620; thence in a southerly direction on State Route Number 620 to the boundary line between the County of King and Queen and County of Essex; thence in a southwesterly direction along the center of State Route Number 620 to the intersection of State Route Number 620 and State Route Number 631; thence in a northwesterly direction along the center of State Route Number 631 to the intersection of State Route Number 631 and State Route Number 14; thence in a southerly direction along the center of State Route Number 14 to the intersection of State Route Number 14 with State Route Number 636; thence in a westerly direction along the center of State Route Number 636 to the intersection of State Route Number 636 and Clark Swamp; thence in a southern direction along Clark Swamp to the intersection of State Route Number 633; thence in a southerly direction along the center of Clark Swamp to the intersection of an un-named private road and said swamp near the headwaters of Walkerton Mill Pond; thence in a southerly direction along the center of the private road to the intersection with State Route Number 629; thence in a southwesterly direction along the center of State Route Number 629 to the intersection of State Route Number 629 and the center of the Mattaponi River in a northwesterly direction along the boundary line between the County of King and Queen and the County of King William, to the point in the Mattaponi River at the intersection of Buckyard Branch, the point of beginning.

Explanatory Footnote¹- At the time of adoption, U.S. Route 360 included old Route 360 at the Essex County line along behind properties known as presently Millers Tavern Imports and Seth Gayle Printing Company.

Old Route 360 was confirmed by Virginia Department of Transportation as being the county line, as well as Essex County Zoning Administrator, Jeff Hodges.

Stevensville Election District

Beginning at a point in the Mattaponi River on the boundary line between the County of King and Queen and the County of King William, at the intersection of State Route Number 629, thence in a northeasterly direction along the center of State Route Number 629 a distance of 1.23 miles to the intersection with State Route Number 629 and an un-named private road, thence in a northerly direction along the center of Clark Swamp to the intersection of Clark Swamp and State Route Number 633, thence in a northeasterly direction along the center of Clark Swamp to the intersection of State Route Number 636, thence in a easterly direction along the center of State Route Number 636 to the intersection of State Route Number 14; thence in a northerly direction along State Route Number 14 to the intersection of State Route Number 14 and State Route Number 631; thence in an easterly direction along the center of State Route Number 631 to the intersection of State Route Number 620; thence in an northeasterly direction along the center of State Route Number 620 to the county boundary between County of King & Queen and County of Essex along the center of the Dragon Swamp; thence in a southerly direction along the center of the Dragon Swamp being the boundary line between the County of King & Queen and County of Essex; thence in a southeasterly direction along said boundary line and swamp to a point in the center of the swamp at the intersection of said swamp and State Route Number 610, Piedmont Road; thence in a southwesterly direction along the center of State Route Number 610 to the intersection of State Route Number 610 and State Route Number 613; thence in a southwesterly direction along the center of State Route Number 613 to the intersection of State Route Number 613 and State Route Number 614; thence in a southerly direction along the center of State Route Number 614 to the intersection of State Route Number 614 and State Route Number 14 at Little Plymouth; thence in a northwesterly direction along the center of State Route Number 14 to the intersection of State Route Number 14 and Plymouth Swamp; thence in a westerly direction along the center of Plymouth Swamp to a point in the center of the Mattaponi River being the boundary line between the County of King and Queen and the County of King William; thence in a northwesterly direction along the center of the Mattaponi River being the boundary line to the point at the intersection of the Mattaponi River and State Route Number 629, the point of beginning.

Shanghai Election District

Beginning at a point in the Dragon Swamp at the intersection with State Route Number 610, Piedmont Road; thence in a southwesterly direction along the center of State Route Number 610 to the intersection of State Route Number 610 and State Route Number 613; thence in a southwesterly direction along the center of State Route Number 613 to the intersection of State Route Number 613 and State Route Number 614; thence in a southerly direction along the center of State Route Number 614 to the intersection of State Route Number 614 and State Route Number 14 at Little Plymouth; thence in a northwesterly direction along the center of State Route Number 14 to the intersection of State Route Number 14 and Plymouth Swamp; thence in a westerly direction along the center of Plymouth Swamp to a point in the center of the Mattaponi River being the boundary line between the County of King and Queen and the County of King William; thence in a southeasterly direction along the said boundary line and river to a point at the intersection of said river and State Route Number 605; thence in an easterly direction along the center of State Route Number 605 to the intersection of State Route Number 605 and State Route Number 33; thence in an easterly direction along the center of State Route Number 33 a distance of 1.11 miles to the intersection of said road and an un-named private road; thence in a southerly direction along the center of said un-named road to the intersection of Goalders Creek; thence in an easterly direction along Goalders Creek to the intersection of Goalders Creek and State Route Number 14; thence in a northerly direction along the center of State Route Number 14 to the intersection of State Route Number 14 and State Route Number 33; thence in an easterly direction along the center of State Route Number 33 to the intersection of State Route Number 33 and State

Route Number 609 which forms the boundary line between the County of King and Queen and the County of Gloucester; thence in a northerly direction along the center of State Route Number 609 to a point where the boundary line between the County of King and Queen and the County of Gloucester; thence in a northerly direction along the said boundary line to the center of the Dragon Swamp; thence in a northwesterly direction along the Dragon Swamp being the boundary line between the County of King and Queen and the County of Middlesex, to the intersection of said swamp and State Route Number 610, Piedmont Road, the point of beginning.

Buena Vista Election District

Beginning at a point in the Mattaponi River at the intersection of said river and State Route Number 605; thence in an easterly direction along the center of State Route Number 605 to the intersection of State Route Number 605 and State Route Number 33; thence in an easterly direction along the center of State Route Number 33 a distance of 1.11 miles to the intersection of said road and an un-named private road; thence in a southerly direction along the center of said un-named road to the intersection of Goalders Creek; thence in an easterly direction along the center of Goalders Creek to the intersection of Goalders Creek and State Route Number 14; thence in a northerly direction along the center of State Route Number 14 to the intersection of State Route Number 14 and State Route Number 33; thence in an easterly direction along the center of State Route Number 33 to the intersection of State Route Number 33 and State Route Number 609 which forms the boundary line between the County of King and Queen and the County of Gloucester; thence in a southerly direction along said boundary line to a point in the center of the Poropotank River, with said river forming the boundary line between the County of King and Queen and the County of Gloucester; thence along the center of said river and boundary line to a point in the center of the York River being the boundary line between the County of King and Queen and the County of James City; thence in a northerly direction along the centerline of said river to a point where the boundary line is between the County of King and Queen and the County of New Kent; thence along the center of said river and boundary line to a point where said river branches and becomes the Mattaponi River; thence along said river in a northerly direction being the boundary line between the County of King and Queen and the County of King William, to a point at the intersection of said river and State Route Number 605, being the point of beginning.

(Ord. of 6-10-1991, § 3; Ord. No. 11-01, § 3, 11-8-2001; Amend. of 4-11-2011; Ord. of 4-11-2022)

Sec. 18-31.1. Central absentee voter precinct.

- (a) The central absentee voter precinct is hereby established for the purpose of receiving, counting and recording absentee ballots properly cast within King and Queen County. The central absentee voter precinct shall receive, count, and record all such ballots in accordance with state and federal law. The Central Absentee Voter Precinct shall be located at King and Queen County Courts and Administrative Building, Room 124 Hearing Room, 242 Allens Circle, King and Queen Court House, Virginia 23085. This precinct is to be used for all elections.
- (b) In addition to the office of the general registrar, the hearing room located within the King and Queen County Administration Building Room 124 Hearing Room, 242 Allens Circle, King and Queen Court House, Virginia 23085 has been approved by the board of supervisors and is established as a satellite absentee voting location. This additional location will be open on the following days:
 - (1) Prior to each November Presidential Election, beginning with the November 3, 2020 election. The additional location will be open seven days prior to the election, from Saturday through Saturday during the week immediately preceding the election, excluding Sundays.

(Ord. of 8-10-2020)

Sec. 18-32. Precincts and polling places.

The county is divided into five precincts. The precincts for each election district and the polling place for each precinct are set forth as follows:

Election District	Precinct	Polling Place
Newtown	Owenton	Upper King & Queen Fire Department, 8982 Newtown Road, St. Stephens Church, Virginia 23148
St. Stephen's Church	Clark's	Pamunkey Regional Library, King & Queen County Branch, Old Marriott School 396 Newtown Road, St. Stephens Church, Virginia 23148
Stevensville	Court House	Central High School, 17024 The Trail, King & Queen Court House, Virginia 23085
Shanghai	Old Mill	Poroporone Baptist Church, 30071 The Trail, Shacklefords, Virginia 23156
Buena Vista	Shackleford's	Lower King & Queen Fire Department, 4764 York River Road, Shacklefords, Virginia 23156
CAP (Central Absentee Precinct)		King & Queen County Courts & Administrative Building, Room 124 Hearing Room, 242 Allens Circle, King & Queen CourtHouse, Virginia 23085

(Ord. No. 13-01, § 1, 11-8-2001; Amend. of 4-11-2011; Ord. of 3-9-2015; Ord. of 2-2-2018)

Sec. 18-33. Election of district supervisor.

One supervisor shall be elected from each election district created in section 18-31. (Ord. of 6-10-1991, \S 4)



Sold To: King and Queen County - CU00573348 242 Allens Cir, P.O. Box98 King And Queen Court House, VA 23085-2007

Bill To: King and Queen County - CU00573348 242 Allens Cir, P.O. Box98 King And Queen Court House, VA23085-2007

Affidavit of Publication

State of Illinois County of Cook

Order Number: 7346540

Purchase Order: Public Hearing Notice - Move P

This day, Jeremy Gates appeared before me and, after being duly sworn, made oath that:

- 1) He/she is affidavit clerk of Tidewater Review, a newspaper published by Daily Press, LLC in the city of West Point and the state of Virginia
- 2) That the advertisement hereto annexed has been published in said newspaper on the dates stated below
- 3) The advertisement has been produced on the websites classifieds.pilotonline.com and https://www.publicnoticevirginia.com

Published on: Dec 21, 2022; Dec 28, 2022.

Jeremy Gates

Subscribed and sworn to before me in my city and state on the day and year aforesaid this 29 day of December, 2022

My commission expires July 6, 2025

Notary Signature

must

MARIA JOE Official Seal Notary Public - State of Illinois My Commission Expires Jul 6, 2025

Notary Stamp



KING AND QUEEN COUNTY

NOTICE OF PUBLIC HEARINGS

The King and Queen County Board of Supervisors has set the following matters for public hearing on Monday, January 9, 2023, beginning at 7:00 p.m., or as soon thereafter as the matters may be heard, in the King and Queen Courts and Administrative Building located at 242 Allen's Circle, General District Court Room, King and Queen Court House, Virginia:

Amend Chapter 18, Elections, of the Code of the County of King and Queen, Virginia, to relocate the following precincts: (1) relocate the Court House precinct from Central High School to Room 124 at the King and Queen County Courts and Administrative Building, (2) relocate the Old Mill precinct from the King and Queen Elementary School to the Poroporone Baptist Church, and (3) relocate the Central Absentee Precinct from Room 124 at the King and Queen County Courts and Administrative Building to the King and Queen County Circuit Court conference room.

Complete copies of the proposed Ordinance may be reviewed in the Office of the County Administrator, Monday — Friday, 9 a.m. to 5 p.m. Interested parties are encouraged to attend the hearing and express their views. Any person requiring assistance or accommodation in order to participate in the public hearing is asked to contact the county administrator's office at 804-785-5975 in advance of the hearing.

Vivian R. Seay County Administrator

Rappahannock Times

CLASSIFIEDS

Blakey L. Fauntleroy by Deed recorded as Instrument No. 070001663, and as shown on the front of the building housing the Circuit Court of Essex County, located at 305 Prince risk of loss or damage to the property passes to the purchaser immediately upon conclusion of the Substitute Trustee's sale. Purchaser to pay all closing costs, including cost of Trustee's Deed. Sale subject to lender confirmation. Trustee will file IRS Form 8300 and Picture Identification Card. Additional terms may be announced at sale. James A. Evans, Attorney At Law, PLC, Substitute Trustee FOR INFORMATION CONTACT: James A. Ev-The sale is subject to all liens, encumbrances, conditions, easements and restrictions, if CLS, dated January 8, 2007, of record in the Clerk's Office of the Circuit Court of Essex ments thereon will be sold "AS IS" and without representation or warranties of any kind. fifteen days of sale, the deposit shall be retained by the Trustee as liquidated damages. LESS AND EXCEPT that parcel containing 1.5 acres, more or less, being conveyed to ng within fifteen (15) days of sale. If the payment of the balance does not occur within that plat of survey entitled "Survey for Blakey L. Fauntieroy" made by Michael A. Wind, or to adjourn the bidding prior to the completion of sale. The property and the improveany, superior to the mentioned deed of trust and lawfully affecting the property. Terms: referenced deed of trust. The sale will take place on January 6, 2023, AT 2:00 P.M., at A deposit in the form of CERTIFIED FUNDS in the amount of \$9,500.00 or 10% of the ans, Attorney At Law, PLC, Substitute Trustee, 2101 Parks Avenue, Suite 301, Virginia County, Virginia in Plat Book 31, Page 153, and as more particularly described in the successful bid, whichever is lower, is required of any bidder at the time of sale. Clos-St., Tappahannock, VA. The undersigned reserves the right to suspend bidding and/ Time is of the essence. Trustee has no duty to obtain possession for purchaser. The a successful bidder shall provide all required information and produce a Government Clerk's Office of the Circuit Court of Essex County, Virginia in Plat Book 5, Page 131 plat prepared by T.H. Warner, S.C.S., dated November 5, 1949, and recorded in the Beach, VA 23451. 17574379500 (2200492)

Zoning Administrator Robert Hodges

NOTICE OF PUBLIC HEARING KING AND QUEEN COUNTY

The King and Queen County Board of Supervisors has set the following matters for public hearing on Monday, January 9, 2023, beginning at 7:00 p.m., or as soon thereafter as the matters may be heard, in the King and Queen Courts and Administrative Building located at 242 Allen's Circle, General District Court Room, King and Queen Court House, Virginia: Amend Chapter 18, Elections, of the Code of the County of King and Queen, Virginia, to relocate the following precincts: (1) relocate the Court House precinct from Central High School to Room 124 at the King and Queen County Courts and Administrative Building, (2) relocate the Old Mill precinct from the King and Queen Elementary School to the Poroporone Baptist Church, and (3) relocate the Central Absentee Precinct from Room 124 at the King and Queen County Courts and Administrative Building to the King and Queen County Circuit Court conference room. Complete copies of the proposed Ordinance may be reviewed in the Office of the County Administrator, Monday - Friday, 9 a.m. to 5 p.m. Interested parties are encouraged to attend the hearing and express their views. Any person requiring assistance or accommodation in order to participate in the public hearing is asked to contact the county administrator's office at 804-785-5975 in advance of the hearing..

County Administrator Vivian R. Seay



paper today to get started. Virginia readers for only \$300 weekly. Contact this

Only \$275 buys a 25-word classified ad over 88 newspapers across Virginia. Call your Rappahannock Times - (804) 443-2200 to place voir ad in the STATEWINE CI ASSIFIED

Offer - \$500 Discount + Additional 10% off install (for military, health workers & 1st responders.) Call Erie Metal Roofs: 1-844-

Bath & Shower. Many options available. Quality materials & The bathroom of your dreams for as little as \$149/month! BC! Limited Time Offer - FREE virtual in-home consultation now and professional installation. Senior & Military Discounts Available. SAVE 15%! Call Today! 1-844-945-1631

Safe Step. North America's #1 Walk-In Tub. Comprehensive lifetime warranty. Ton-of-the-line installation and cervine. Now

AGENDA: January 9, 2023 Regular Meeting

ITEM #13:

Public Hearings – Zoning Items

ACTION REQUESTED:

We will now hold a public hearing on applications CUP22-01 and SP22-03/Ahmed Sallem/Discount Auto

I ask the Director of Community Development to provide proof of publication and background information.

Citizens wishing to make comments on proposed amendments, please come forward, state your name and the district you reside in.

Once hearing is closed, action needed to accept or not accept the recommendation for approval by the Planning Commission.

ATTACHMENTS:

- Notices of public hearing Rappahannock Times, Tidewater Review (December 21, 2022 and December 28, 2022)
- CUP and SP application packet from Director of Community Development. Site Plans attached separately and paper copies will be provided at the meeting.

ACTION REQUESTED:

We will now hold a public hearing on applications RZ22-01/C. Scott Mitchell

I ask the Director of Community Development to provide proof of publication and background information.

Citizens wishing to make comments on proposed amendments, please come forward, state your name and the district you reside in.

Once hearing is closed, action needed to accept or not accept the recommendation for approval by the Planning Commission.

ATTACHMENTS:

- Notices of public hearing Rappahannock Times, Tidewater Review (December 21, 2022 and December 28, 2022)
- Rezoning application packet from Director of Community Development. Site Plans attached separately and paper copies will be provided at the meeting.

CONDITIONAL USE PERMIT, CUP22-01 LEVEL 3 SITE PLAN, SP22-03

Ahmed Sallam – Applicant/Property Owner

Jonathan Blair Wilson - Agent

BACKGROUND

The Planning and Zoning Department received an application on July 21, 2022, from Wilson Engineers, LLC on behalf of Ahmed Sallam, requesting approval of a new Conditional Use and Level 3 Site Plan to construct and operate an auto repair/service/sales shop with office space and outside storage of vehicles/equipment.

GENERAL INFORMATION

Location

The subject property is located at the intersection of Lewis B Puller Mem. Hwy. and Centerville Road, in the Buena Vista Magisterial District, further identified as County Tax Map Parcel No. 161623-135X-182L.

Proposal

Ahmed Sallam is requesting approval of a conditional use and level 3 site plan to construct and operate an auto repair/service/sales shop with office space and outside storage of vehicles/equipment.

Zoning

The property currently is zoned General Business (GB).

PUBLIC AGENCY COMMENTS

Stormwater & Erosion

Stormwater and Erosion & Sediment (E&S) Control elements of the plan were reviewed by Joshua Rellick, Environmental Codes Compliance Officer. Mr. Rellick determined that the plans Stormwater and E&S measures were acceptable and either meets or exceeds minimum standards.

A Forest/Open Space Maintenance Agreement will be executed and recorded among the land records, if/once approved. (Included in your packet from the engineer)

Health Department

King & Queen Environmental Health Specialist, Kate Jones, has reviewed the proposal and determined that the existing septic system was designed for 450 gpd. Based on the information provided in the wastewater characterization report, the facility will use 100 gpd, which is less than the approved residential strength waste. Per the wastewater characterization and inspection report completed by Churchview Septic Services, the current system appears to be sized appropriately for the new proposed use.

Transportation

VDOT has issued approval of the site plan only as it relates to the entrance design for the proposed project. Prior to start of operations/construction, a VDOT entrance permit must be obtained, inspected and approved by Virginia Department of Transportation. (Copy included in your packet from the engineer)

Planning Department

According to Article 4, Permitted Uses, Table 4.1, Permitted Use Table, Auto body, painting and repair within an enclosed building, with outside storage of vehicles, is allowed in the GB2, LI and I zoning districts with the approval of a conditional use permit and level 3 site plan. Special conditions are as follows: Outside storage may be permitted if screened from view of all adjacent properties. Automobile sales is a permitted by right use in the GB1 and GB2 zoning districts, provided that no storage or display of any kind may be within the front 50', measured from the edge of the road, or within 50' to a residential use lot with an approved fence or vegetative buffer and 15' to a commercial use lot.

Pre-existing parcels that are identified as General Business (GB) zoning districts, have the option to utilize all uses as permitted in the GB1 and GB2 zoning district either as a by-right use or approved Conditional Use Permit (CUP).

Conditions

Please see the attached requested/proposed conditions within the applicant's narrative detail in your packet. Note that the included conditions are conditions as amended during the review process among County staff and the property owner's agent.

Staff Recommendation

Staff recommends approval of the level 3 site plan contingent upon obtaining all federal, state, and local approvals/permits prior to start of operation/construction. Staff also recommends approval of the proposed conditional use permit, provided that the conditions are approved as presented.

Planning Commission Recommendation

During the December 5, 2022, Planning Commission meeting, the Planning Commission held a public hearing to consider the following...

CUP22-01 & SP22-03, Ahmed Sallam/Discount Auto Repair - Requesting approval of a Conditional Use Permit and Level 3 Site Plan for an auto service repair shop and auto sales with outside storage. The subject property is identified as County Tax Map Parcel #1623-135X-182L, located at the intersection of Rt. 678, Centerville Road and Rt. 33, Lewis B. Puller Mem. Hwy., in the Buena Vista Magisterial District.

A motion was made by Mr. Fleming to recommend approval of CUP22-01 and SP22-03 as presented. Mr. Flemming's motion for approval was seconded by Mr. Jackson.

Voting For: Campbell, Fleming, Richardson, Jackson, Watkins, Coleman, Berry, Allen

Voting Against: None

Abstain: None

I, Ahmed Sallam, as owner of the property, request approval of a Conditional Use Permit to allow automobile body, automobile painting and automobile repair within an enclosed building, with outside storage of vehicles on Tax Parcel 1623-135X-182L. The Conditional Use Permit will allow for the body repair, painting and mechanical repair of any type of motorized or electric vehicle within the enclosed building including but not limited to passenger vehicles, automobiles, trucks, recreational vehicles, boats, personal watercraft, tractors, lawn and garden equipment, farm equipment, trailers and motorcycles. Outside storage of vehicles of any type shall be contained within an area secured with fencing and screened from public view. Screening of the secured vehicle storage area shall be sufficient to prevent viewing of the contents of the secured vehicle storage area from adjacent properties and the public right-of-ways.

Conditions:

- 1. All operations and activities at the property shall comply with local, state and federal regulations, codes and laws.
- 2. The secured vehicle storage area shall be screened from view and maintained at all times, as shown on the approved site plan as prepared by Wilson Engineering, dated July 1, 2022, revised September 26, 2022.
- 3. Any vehicle stored on the property for a period exceeding 24-hours shall be contained within the secured vehicle storage area as shown on the approved site plan for the property. Business customers may temporarily park their vehicles in the parking stalls shown on the site plan outside of the secured vehicle storage area when delivering the vehicle for next day service.
- 4. The operation of a vehicle salvage, dismantling or vehicle graveyard on the property is prohibited. Storage of wrecked or damaged vehicles intended to be repaired and returned to service shall not be prohibited. Storage of wrecked or damaged vehicles intended to be repaired and returned to service shall be contained within the building or secured vehicle storage area.
- 5. New or used tires shall be stored inside the building as permitted by Section 3409 of the 2018 Virginia Statewide Fire Prevention Code. New or used tires shall not be stored outside of the building.
- 6. The bulk storage of more than 55-gallons of petroleum fuel in any single container on the premises, excluding vehicle fuel tanks and excluding liquid propane tanks which provide fuel storage for the building's heating system, is prohibited. Storage of up to 500 gallons of waste oil for recycling or for reuse as fuel for the building's heating system is permitted. Any waste oil container situated on the property shall either be a double walled containment vessel designed to prohibit leakage and spills or shall be surrounded by an approved containment dike and base support pad constructed of materials that are considered impermeable or otherwise acceptable to prevent leakage and contamination of the ground or groundwater. Any waste oil container will be covered with a permanent roof structure intended to divert rainfall runoff from entering the containment vessel or containment dike and base support pad area; or shall be of a double wall tank design that prohibits the intrusion of rainfall runoff from entering the tank.

- 7. Vehicles may be offered for sale and displayed on the property as permitted by Article 4 Table 4.1 of the County Code. Any vehicle displayed for sale on the property shall be located within one or more of the designated parking stalls identified on the site plan for displaying vehicles for sale. No vehicle displayed for sale shall be located within 50-feet of a paved public road or within 50-feet of an adjacent property being used for residential purposes.
- 8. Permanent outdoor lighting shall be limited to the security and parking area lighting shown on the approved site plan, and as required by code for points of ingress and egress from the building. All outdoor lighting shall comply with the Code of King and Queen County, Article 22-Outdoor Lighting.
- 9. No outdoor speaker or paging systems shall be used on this site.
- 10. The commercial entrance to the property as shown on the approved site plan shall be constructed and maintained according to Virginia Department of Transportation requirements.
- 11. The runoff reduction compliance open space shall be maintained in an open space manner until such time that an amended stormwater plan is approved by the VSMP Authority. The conserved open space shall be protected by an Open Space Maintenance Agreement and recorded among the land records of King & Queen County.
- 12. All federal, state and county approvals shall be obtained prior to any site construction activity or issuance of any required King and Queen County permits.

Ahmed Sallam, Owner	Date	_
	, a Notary Public, do certify that the persons v	
County of	given under my hand this	day o
	, 20	
My commission expires		_
Notary	No.	_

REZONING, RZ22-01

C. Scott Mitchell - Owner/Applicant

BACKGROUND

The Planning and Zoning Department received an application on October 18, 2022 from C. Scott Mitchell, requesting approval of a rezoning application. The applicant requests to rezone a 2.06-acre parcel, identified as County Tax Map Parcel No. 1632-52X-130 from Limited Business (LB) to General Business 2 (GB2). The owners wish to apply for rezoning to allow for a proposed marine maintenance shop. The owner understands that before a business and/or structure is constructed, a level 3 site plan is required which includes approval from appropriate state/local agencies. This request is only for the rezoning of the 2.06-acre parcel and is not an approval of any use or site plan at this time.

GENERAL INFORMATION

Location

The subject property is located on State Route 629, Walkerton Landing Road, in the Newtown Magisterial District, County Tax Map Parcel No. 1632-52X-130. Addressable structures on the property includes Scott's Store, addressed as 2940 Walkerton Landing Road and Walkerton Post Office, addressed as 2954 Walkerton Landing Road. Other surrounding land uses include residential single-family zoning/homes, General Business and Limited Business zoning. *Please see zoning map attached to this Narrative.

Existing Use/Proposal

The attached plat depicts the current location of existing structures on the site, as well as the total acreage of the parcel presently. The property in question originally consisted of two separate 1-acre parcels. The property owner has recently vacated the property line between the two parcels in order to provide more open land area for his future proposal to have a marine maintenance shop.

Zoning

King & Queen County Zoning Ordinance, Article 3, Section 3-68 E states, "The purpose of the limited business "LB" district is to provide for small businesses that will serve nearby residential districts. The character of development should be compatible with residential surroundings. Traffic and parking congestion should be held to a minimum to protect the public safety while preserving neighborhood character and property values in the surrounding residential districts. This district may serve as a buffer between more intensive commercial development and residential or agricultural uses. The intent of the Limited Business district is to encourage the orderly development of administrative, non-retail businesses, and professional offices and supporting uses. Its secondary function is to serve as a transitional district between intensely developed business areas and less developed areas, particularly within the county's primary highway corridors. It is the expressed purpose of this district to foster campus like or business park development which displays features such as shared access, consistent architectural themes, and perimeter and interior landscaping."

"The purpose of the "GB-2" district is to encourage a wide variety of retail, service, and general business uses within concentrated areas at or near intersections along major

thoroughfares in order to facilitate direct and convenient access to shopping and services by county residents and the motoring public. The "GB-2" district is intended to accommodate the primary business areas of the county, to promote orderly growth of commercial activities. The regulations of the district are intended to enable maximum flexibility of uses and development of business sites, while affording reasonable protection for adjacent residential and agricultural areas from potential adverse effects of the more intensive business uses."

Further, King & Queen Zoning Ordinance, Article 5, Section 3-101E states, "Limited business (L-B). Lots without public water supply and sewage system shall have a minimum lot area of 1.5 acres and a road frontage of not less than 150 feet and water frontage of not less than 150 feet. Lots with public water supply and sewage system shall have a minimum lot area of one acre and a road frontage on not less than one hundred fifty (150) feet and water frontage of not less than one hundred fifty (150) feet."

Article 5, Section 3-101G states, "General business (G-B2) district. (1) For uses permitted in the G-B2 District, the minimum lot area shall be two acres and the road frontage shall be not less than 200 feet and water frontage of not less than 200 feet."

Article 4, Table 4.1, Permitted Uses notes the following: Automobile fueling stations are permitted by right in the GB1 and GB2 zoning district. Boat Sales and Service uses are permitted by right in the GB1 and GB2 zoning district. A Mini Supermarket/Convenience Store with gas pumps or hours exceeding 6 a.m. to 10 p.m. is permitted by CUP in GB1 and by right in GB2 zoning districts. Mailing service centers are by right in LB, GB1 and GB2 zoning districts.

Article 5, Table 5.1, Table of Minimum Dimensional Regulations for Primary Zoning Districts, notes the following: The minimum setbacks for a structure in the LB zoning district is 75' from the front property line, 15', provided that side and rear setbacks adjacent to properties in any zoning district which permits residential uses shall not be less than 50 feet. The minimum setbacks for a structure in the GB zoning district is 100' from the front property line, 15', provided that side and rear setbacks adjacent to properties in any zoning district which permits residential uses shall not be less than 50 feet.

RECOMMENDATIONS

Staff Recommendation

The subject property is currently zoned (LB) and is considered a pre-existing non-conforming parcel. The current business/property use as a mini supermarket/convenience store with gas pumps is not a permitted use in our current ordinance in the LB zoning district, which therefore creates a pre-existing non-conforming use in its self. Rezoning the subject parcel to GB2 will actually create a less non-conforming parcel regarding the current use of the property. The subject property is still considered a pre-existing non-conforming parcel regardless if the rezoning request is approved or not as it pertains to the existing structures and their setbacks off of the front and side property lines. Setbacks, permitted uses, and other site plan requirements/conditions will be addressed prior to the operation/construction of a new business or change of business.

It is in staff's recommendation that the rezoning request be approved.

Planning Commission Recommendation

During the December 5, 2022, Planning Commission meeting, the Planning Commission held a public hearing to consider the following...

• RZ22-01, C. Scott Mitchell - Requesting approval to rezone property identified as County Tax Map Parcel #1632-52X-130 from LB (Limited Business) to GB2 (General Business 2) to allow for a proposed marine maintenance shop. The subject property is a 2.06-acre parcel and is located at 2940 Walkerton Landing Road, in the Newtown Magisterial District.

A motion was made by Mr. Jackson to recommend approval of RZ22-01 in the name of C. Scott Mitchell. Mr. Jackson's motion for approval was seconded by Mr. Coleman.

Voting For: Campbell, Fleming, Richardson, Jackson, Watkins, Coleman, Berry, Allen

Voting Against: None

Abstain: None



Sold To: King & Queen County-EDA - CU00449849 PO Box 177 King And Queen Court House, VA 23085-0177

Bill To: King & Queen County-EDA - CU00449849 PO Box 177 King And Queen Court House, VA23085-0177

Affidavit of Publication

State of Illinois County of Cook

Order Number: 7345038 Purchase Order:

This day, Jeremy Gates appeared before me and, after being duly sworn, made oath that:

- 1) He/she is affidavit clerk of Tidewater Review, a newspaper published by Daily Press, LLC in the city of West Point and the state of Virginia
- 2) That the advertisement hereto annexed has been published in said newspaper on the dates stated below
- 3) The advertisement has been produced on the websites classifieds.pilotonline.com and https://www.publicnoticevirginia.com

Published on: Dec 21, 2022; Dec 28, 2022.

Jeremy Gates

Subscribed and sworn to before me in my city and state on the day and year aforesaid this 29 day of December, 2022

My commission expires July 6, 2025

Notary Signature

must

MARIA JOE Official Seal Notary Public - State of Illinois My Commission Expires Jul 6, 2025

Notary Stamp



KING & QUEEN COUNTY NOTICE OF PUBLIC HEARING

Pursuant to Section 15.2-2204 of the Code of Virginia, the King & Queen Board of Supervisors will hold a public hearing on Monday, January 9, 2023, at 7:00 p.m., in the King & Queen Courts and Administration Building, King & Queen Court House, Virginia, to consider the following:

CUP22-01 & SP22-03, Ahmed Sallam/Discount Auto Repair – Requesting approval of a Conditional Use Permit and Level 3 Site Plan for an auto service repair shop and auto sales with outside storage. The subject property is identified as County Tax Map Parcel #1623-135X-182L, located at the intersection of Rt. 678, Centerville Road and Rt. 33, Lewis B. Puller Mem. Hwy., in the Buena Vista Magisterial District.

RZ22-01, C. Scott Mitchell – Requesting approval to rezone property identified as County Tax Map Parcel #1632-52X-130 from LB (Limited Business) to GB2 (General Business 2) to allow for a proposed marine maintenance shop. The subject property is a 2.06-acre parcel and is located at 2940 Walkerton Landing Road, in the Newtown Magisterial District.

A complete copy of each application may be reviewed in the Office of the Zoning Administrator, King & Queen County Courts and Administration Building, King & Queen Court House, Virginia, Monday through Friday, from 9:00 a.m. to 5:00 p.m.

Local Advertising

I hat Works as Hard as You Do



Board and Commission Positions Opening

Essex County, Virginia

and Commission openings: Essex County is currently accepting applications for the following volunteer Board

- **Essex County Board of Zoning Appeals**
- **Essex County Parks and Recreation Advisory** Commission
- **Board of Building Appeals**

The Board of Supervisors encourages all interested Essex County residents to

Board and Commission applications are available at the Essex County Adminis-Contact Essex County Administration at 804-443-4331 for additional informatration Office or via the web at https://essexva.seamlessdocs.com/f/30P3zr

PUBLIC HEARING NOTICE COUNTY OF ESSEX

public hearing is to consider the following: Building, 109 Cross Street, Tappahannock, VA, at 7:00 P.M. The purpose of the meeting will be held in the meeting room at the Essex County School Board Office hearing during the regular Board meeting on Tuesday, January 10, 2023. The ginia, the Board of Supervisors of the County of Essex, Virginia will hold a public Notice is hereby given that, in accordance with §15.2 - 2507 of the Code of Vir-

receiving additional state and federal funding during the fiscal year. The additional FY2021-2022 BUDGET AMENDMENT - Proposal to amend the Fiscal Year 2021 2022 budget for Essex County by appropriating \$2,990,345 due to the school



Board and Commission Positions Opening

Essex County, Virginia

Essex County is currently accepting applications for the following volunteer Board and Commission openings:

Wetlands Board

Contact Essex County Administration at 804-443-4331 for additional information. Board and Commission applications are available at the Essex County Administration Office or via the web at https://essexva.seamlessdocs.com/f/30P3zz The Board of Supervisors encourages all interested Essex County residents to apply.

NOTICE OF PUBLIC HEARING KING AND QUEEN COUNTY

Pursuant to Section 15.2-2204 of the Code of Virginia, the King & Queen Board of Supervisors will hold a public hearing on Monday, January 9, 2023, at 7:00 p.m., in Virginia, to consider the following: the King & Queen Courts and Administration Building, King & Queen Court House,

Road and Rt. 33, Lewis B. Puller Mem. Hwy., in the Buena Vista Magisterial District. shop and auto sales with outside storage. The subject property is identified as County CUP22-01 & SP22-03, Ahmed Sallam/Discount Auto Repair - Requesting ap-Tax Map Parcel #1623-135X-182L, located at the intersection of Rt. 678, Centerville proval of a Conditional Use Permit and Level 3 Site Plan for an auto service repair

Newtown Magisterial District. eral Business 2) to allow for a proposed marine maintenance shop. The subject property is a 2.06-acre parcel and is located at 2940 Walkerton Landing Road, in the County Tax Map Parcel #1632-52X-130 from LB (Limited Business) to GB2 (Gen-RZ22-01, C. Scott Mitchell - Requesting approval to rezone property identified as

A complete copy of the application may be reviewed in the Office of the Zoning Interested parties may attend the hearing and express their opinion Queen Court House, Virginia, Monday through Friday, from 9:00 a.m. to 5:00 p.m. Administrator, King & Queen County Courts and Administration Building, King &

NOTICE OF PUBLIC HEARING ESSEX COUNTY

THE BOOK STILLING

AGENDA: January 9, 2023 Regular Meeting

ITEM #14:

Approval of Purchase of New Rescue Vehicle

ACTION REQUESTED:

The Emergency Services Coordinator has requested authorization to purchase the next ambulance in the replacement schedule. Due to supply chain issues, the lead time for delivery is estimated at 33 months and a price increase is expected this month.

ATTACHMENTS:

- Email from Greg Hunter
- Ambulance quote and specifications

Tina Ammons

From:

Greg Hunter

Sent:

Wednesday, November 9, 2022 9:11 PM

To:

Tina Ammons; Vivian Seay

Subject:

Fwd: Ambulance Update - 11/2

For planning purposes, the ambulance currently on order is slated for delivery July 2023, still roughly on track and should be a FY24 purchase.

More concerning is the now 33 month order lead time and current expected price increase.

The identical price today for an order is roughly \$60,000 more than when we placed the order for this truck. So we did save \$\$ by ordering last year and the increases were as pedicured at the time of order.

However, another significant cost increase is forecast for January. Other vendors are reporting similar timelines and increases.

I'm going to recommend to make an ask to go the board to place another order as we did last year so we are in line with an expected delivery in FY26. This timeline already exceeds my recommended 2 year replacement plan and If these delays continue we may be in a very bad place with ambulances in 2 years given our mileage and wear.

Greg Hunter Emergency Services Chief Chief Fire Marshal

Begin forwarded message:

From: Jeff Hawkins < jhawkins@atlanticemergency.com>

Date: November 2, 2022 at 4:47:43 PM EDT

To: Harold Willaford <hwillaford@kingandqueenco.net>

Cc: Greg Hunter <ghunter@kingandqueenco.net>

Subject: Ambulance Update - 11/2

Monty -

It was good chatting with you this afternoon and thank you for the phone call. As promised, below is a recap of the information I shared with you on the new medic unit currently on order. As I also mentioned, our current lead time is now 33 months from order to completion. Just an FYI for future planning purposes.

Body Fabrication Start – February 8, 2023 Estimated Completion – July 17, 2023

Jeff Hawkins

Regional Account Manager - Ambulance Division



13051 Redwater Drive Chester, Virginia 23836

Cell: 804-366-9814

<u>ihawkins@atlanticemergency.com</u> <u>www.atlanticemergency.com</u>

Confidentiality Notice: The information contained in this electronic mail message is confidential information and intended only for the use of the individual or entity named above, and may be privileged. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this transmission in error, please contact the sender immediately, delete this material from your computer and destroy all related paper media.





December 16, 2022

Mr. Greg Hunter, Chief King and Queen County Emergency Services 242 Allens Circle King and Queen Courthouse, VA 23085

Re: Road Rescue Ambulance Proposal

Chief Hunter,

Atlantic Emergency Solutions, the authorized dealer in Virginia for Road Rescue Emergency Vehicles, is pleased to present you with this proposal for one (1) Road Rescue Ultramedic Type 1 ambulance built on a 2024 Ford F-550 4x4 chassis. This purchase will utilize the HGACBuy cooperative purchasing program of which King and Queen County is a registered end user.

The pricing listed within this proposal shall be valid until January 31, 2023.

2024 Ford F-550 4x4 / Road Rescue Ultramedic Type 1 Ambulance: \$373,310.00 Styrker #6390 Power-LOAD: \$30,000.00 Stryker #6507 Power-PRO 2 Stretcher: \$31,000.00

TOTAL: \$434,310.00

Build Time: 33 months from the date of order

Factory Pickup and Transportation

The completed ambulance shall be shipped via flatbed from Road Rescue to Atlantic's Richmond Regional Service Center upon completion.

Dealer Pre-Delivery Inspection and Delivery

Our Richmond Regional Service Center will perform a pre-delivery inspection after delivery from the Road Rescue factory. The ambulance shall be delivered to King and Queen County upon completion of the pre-delivery inspection. 100% of the outstanding balance shall be paid in full prior to the ambulance being delivered to King and Queen County.

Fuel, Tags, and State Inspection

Atlantic Emergency Solutions will ensure that the ambulance has a full tank of fuel, temporary 30-day tags, and a valid Virginia State Inspection.















Factory Inspection Trip

The costs for one (1) final inspection trip to the Road Rescue factory in Winter Park, Florida to include two (2) King and Queen County Emergency Services personnel are included in the proposal price. This includes commercial airline travel, lodging, meals, and a rental vehicle.

At Atlantic Emergency Solutions, we have built an internal and external infrastructure capable of meeting the diverse needs of our customers. With five (5) service centers and one (1) collision center located throughout Virginia our service is unmatched. It is our mission to not only make the duration of your emergency vehicle a pleasant experience, but to assist in any way possible.

Atlantic Emergency Solutions has invested heavily in providing warranty, routine and emergency service to its customers in Virginia. Atlantic Emergency Solutions views the acquisition of custom ambulances by one of our customers not merely a purchase but an investment. This investment needs to be protected with best in local service!

Should you have any additional questions regarding any information in this proposal, please do not hesitate to call or e-mail at the below contact information.

Respectfully submitted,

Jeff Hawkins

Regional Account Manager Ambulance Division

Harefus













QUOTATION

King & Queen County Emergency Services Greg Hunter 242 Allens Circle King & Queen Courthouse, VA 23085 804-785-5975, Ext 5 ghunter@kingandqueenco.net Atlantic Emergency Solutions
Jeff Hawkins
13051 Redwater Drive
Chester, VA 23836
804-366-9814
jhawkins@atlanticemergency.com

Exp. Date: 12/03/2022 Quote No: 10062-0009 UM-170: UM1010

UM-170: UM1010 RR- Ultramedic Type 1 - 170" Module INFO: SPEC TERMS RR-Road Rescue Boilerplate T1 - 170: UM-1168 RR- Type 1 - UM 170" Module

EMS EQUIP: EMS-LOOSE Factory Ship Loose - EMS Equipment

11/09/2022 21:58:52

Page 1

DADT NO		DESCRIPTION	OTV	rayeı
PART NO	S	DESCRIPTION	QTY	ID
		== RR-Road Rescue Boilerplate - 1.043 10/28/22 ==		REV
		ÖRDER COORDINATOR		REV
00-00-0015		Order Coordinator - Factory to assign	1	REV
00 00 00 10		INFORMATION		REV
00-01-0999		RR, Information - Scope, Purpose and Classification	1	REV
		Manufacturer Certified ISO 9001	1	REV
00-01-4117			1	
		WARRANTY		REV
00-02-8100		RR, Warranty, Documentation	1	REV
00-02-8200		RR, Warranty, Module Structural	1	REV
00-02-8300		RR, Warranty, Electrical, Standard System	1	REV
00-02-8400		RR, Warranty, Paint	1	REV
00-02-8500		RR, Warranty, Conversion	1	REV
00-02-0300		== RR- Type 1 - UM 170" Module - 1.043 10/28/22 ==		REV
00 00 0047	<	******** OUTSIDE GRAPHICS- 24/7 ******		
00-00-0247	<		1	REV
		HAVE PICTURES TAKEN PRIOR TO THE UNIT ENTERING THE FINAL LINE F	OR	
		GRAPHICS		
00-05-0103	<	RR, This unit built in accordance with KKK-A-1822F CN 10 Cabinet	1	REV
		Requirements	-	
		This unit as specified meets all requirements of KKK-A1822-F Change notice 10.		
		This drift as specified meets all requirements of NNN-A 1022-1 Change holice 10.		
		All actions at about the labeled as to their constitutions.		
		All cabinets shall be labeled as to their capacity Rating.		
		01- CHASSIS REQUIREMENTS		REV
		FORD CHASSIS		REV
01-01-2514	S <>	RR, 2024 Ford F550, XLT 4X4, 193"W/B, 18,000 GVWR (Special Order) 2022-8	1	REV
		Auto throttle OEM Ford		
		Dual Alternators OEM Ford		
		Mirrors, OEM, Heated/Remote		
		Cab seats OEM 40/20/40 split bench (Center removed)		
		New for 2020- Sync 3		
		Enhanced voice recognition communication and entertainment system		
		8" LCD Capacitive Touch screen in center stack w/swipe Capability		
		Pinch to Zoom capability		
		AppLink		
		911 assist		
		Apple carPlay and Android Auto		
		Smart-charging USB-C Ports (2)		
		other oranging oob-or ord (2)		
01-02-0100		Domestic Chassis	1	REV
01-02-0100			ı	
		CHASSIS OPTIONS		REV
04.00 ::		ALTERNATORS		REV
01-03-1001		Alternator - Standard OEM	1	REV

11/09/2022 21:5			DESCRIPTION	QTY	,	Page 2
PART NO	S		SUSPENSION	QI	4	ID REV
01-07-0120			RR, Front Suspension, Ford F-Series (4x4)		1	REV
01-07-1009			RR, Front Sway Bar, OEM		1	REV
01-07-8006		<	RR, Rear Suspension, Liquid Spring- 2017+ F550		1	REV
			Dump feature to be activated by the left rear entry door being opened.		-	
			, , , , , ,			
			The rear suspension shall only lower the module when the vehicle is in neutra	or		
			park and the parking brake is set.			
				_		
			NOTE: THE LIQUID SPRING CONTROLLER WILL BE COILED UP AN	D		
			LOCATED INSIDE THE FRONT CONSOLE.	A		
			THIS WILL ASSIST IN THE ACCIDENTAL REPROGRAMMING OF THE SYSTEM	1.		
01-07-9000		< >	RR, Rear Suspension Dump, Override Switch, (1), Momentary		1	REV
			Dump feature to be activated by the left rear entry door. Override switch to be	on		
			right rear entry door			
			HIGH IDLE			REV
04 47 7504			FRONT END ALIGNMENT			REV
01-17-7501			Front End Alignment, None- QC Check -Standard		1	REV
01-19-0002		<	CAB EXTERIOR OPTIONS RR, Road Rescue Stainless Grille Logo, with Diamond grade Blue reflective		1	REV REV
01-19-0002		`	backin		1	KEV
			Blue Diamond grade Reflective behind cut out.			
			Blac Blamona grade Relicotive Berlind out out.			
01-19-SR01	U	<	Bumper/Brush Guard, Buckstop Classic II, Black		1	
			SR#			
			Buckstop Classic II Bumper/Grille Guard Black Hammertone- Semi Gloss, (2) squ			
			holes for the FedSig #ES100 siren speakers per drawing. To include license p	late		
			holder in the center.			
			This ention does not include airon encekers			
			This option does not include siren speakers.			
			OUTSIDE REAR VIEW MIRRORS			REV
01-20-0100			RR, Mirrors, OEM Standard		1	REV
			RR-CAB INTERIOR OPTIONS			REV
01-21-3500			RR, Insulation, Cab, Thinsulate in Cab Ceiling (STANDARD)		1	REV
			RR-SAFETY OPTIONS			REV
04.00.4400			RR-TIRES / WHEELS			REV
01-23-4100		< >	RR, Spare Tire Bracket, Delete		1	REV
			Spare tire will be shipped loose.			
			WHEEL COVERS			REV
01-24-2003			RR, Wheel Covers, Phoenix w/ Lug Nut covers, F-Series		1	REV
			BASE CONVERSION			REV
01-45-0608			RR, Conversion, Ultramedic, Type 1, 170 Module, Ford 22-3		1	REV
			02 - MODULE REQUIREMENTS			REV
02-01-1008		< >	RR, Ultramedic, 170"L x 96"W Type 1 Module		1	REV
			Ultramedic I - 170"L x 96"W Type I Aisle width to be 46". The interior headroom	shall		
			be 72"			
02-01-2100			RR, Interior Headroom, 72"		1	REV
02-01-9622		>	RR, Aisle Space, 46" , Ultramedic I		1	REV
			MATERIALS			REV
02-02-0070			RR, Sub floor Materials,		1	REV
02-02-0120			RR, Type I & Type III, Interior Materials		1	REV
02-02-1000			RR, Type I & Type III, Materials		1	REV
			03 - MODULE EXTERIOR			REV
03-02-0200			UNDERCOATING RR, Undercoating Module (STANDARD)		1	REV REV
00-02-0200			Tax, originologing module (orangement)		1	1 \∟ V
L						

11/09/2022 21:58:52			Page 3
PART NO S		QTY	ID
00 00 0005	EXTERIOR MODULE CONSTRUCTION		REV
03-03-0005	RR, Exterior Module Construction Specifications	1	REV
03-03-1400	> RR, Module Roof Radius, 3" High (STANDARD)	1	REV
03-03-1500	> RR, Extreme Bonding Tape (STANDARD)	1	REV
03-03-1600	> RR, Sub-floor Gusset Supports (STANDARD)	1	REV
03-03-1700	> RR, One Piece Side Body Panels (STANDARD)	1	REV
03-03-1800	> RR, Reinforce Rear Header (STANDARD)	1	REV
03-03-1900	> RR, Single Sheet Module Roof Sheet (STANDARD)	1	REV
02 02 2040	DROP SKIRTS	4	REV
03-03-2010	< > RR, Drop Curbside Fwd Body Skirt, 5", Add Double Step, Light Duty Chassis		REV
	Drop Curbside Forward Body Skirt, Add Double Step ahead of the Curbside When		
	well - Drop curbside forward body skirt a total of 5 Inches lower than the rearward	ra	
	skirt and Incorporate a Double Step in the Side Entry Step well.		
03-03-2110	> DD Dran Street aids Euro Body Skirt E" Light Duty Chassis	1	REV
03-03-2110	> RR, Drop Street side Fwd Body Skirt, 5", Light Duty Chassis	- 1	
02 02 0005	FUEL FILLS & SPLASH PLATE	4	REV
03-03-8005	RR, Housing Fuel Fill, Pocket, Square	1	REV
03-03-8305	< RR, Fuel Fill Splash Plate, Stainless Steel, Type 1	1	REV
	Fuel Fill Splash Protection Plate		
	- Stainless Steel fuel fill splash protection plate installed below Cast Products fue	t fill	
	bezel.		
	Sikaflex adhesive/sealant shall be used to mount the plate and to seal plate edges.		
	DEF EN L'HOUGING AND ODI AGUI DI ATE		DE\/
00 00 0400	DEF FILL HOUSING AND SPLASH PLATE		REV
03-03-8402	RR, DEF Fill, Housing, For Ford F series	1	REV
03-03-8510	< > RR, DEF Fill Splash Plate, Stainless Steel	1	REV
	DEF Fill Splash Protection Plate		
	- Stainless Steel DEF fill splash protection plate installed below Cast Products fue	el fill	
	bezel.		
	Sikaflex adhesive/sealant shall be used to mount the plate and to seal plate edges.		
	OUD ELOOD OVOTEM		DE\/
02 04 0440	SUB-FLOOR SYSTEM	4	REV
03-04-0140	RR, 1 Inch Composite Floor Pan	1	REV
03-04-0160	RR, Composite Floor Material RR, Sub-Floor Assembly, Installation	1	REV
03-04-1700		1	REV
03-04-1800	RR, Sub-Floor Assembly, 1/8" PVC	1	REV
00.05.0400	MODULE ENTRANCE		REV
03-05-0100	> RR, Module Access, CS Door standard location	1	REV
03-06-0100	< RR, Entry Doors, Hidden Hinge, Seal on Door ,W/Push Button Fail Safe Latching	1	REV
	This includes the Fail Safe Latching mechanisms on all three entrance doors.		
00 00 0700	DD Hald On an Dana Dana Daliahad Onat Aluminum. Bin 9 Olat Otala		DE\
03-06-0700	RR, Hold Open Rear Door, Polished Cast Aluminum, Pin & Slot Style	1	REV
03-06-0800	< RR, Hold Open, Curb Side Entry Door, Heavy Duty Gas Spring	1	REV
	Curbside Door Restraint - Heavy Duty gas spring hold opens Attached by 1/4"		
	20 SS Machine Screws with 1/4" x 20 Nut Inserts into Corner Gusset in Door Sig	le	
	entrance door to open to 90+ degrees. (STANDARD)		
02.00.4042	DD Entry Dear Handles Trimork Logo Chromo /Dlack /Interiors Logotal toward		DEV.
03-06-1013	< RR, Entry Door Handles, Trimark Logo Chrome/Black (Interiors Located top of	1	REV
	door)		
	Relocate the Standard Interior Side and Rear Entrance Door Paddle Handles and	a	
	Lock Boxes to the TOP of the doors.		
	With Push button Emergency Release top and bottom of each door.		
02.00.4050	DD Cofoty Wolly Crip on Exterior Door Doddle Lately -		DE\/
03-06-1059	RR, Safety Walk Grip on Exterior Door Paddle Latches.	1	REV
03-06-1700	< RR, Door Lubrication, Paddle Handles and Latches (STANDARD)	. 1	REV
	Lubricate all Door Hardware - All paddle handles, latches, rods and springs shall	pe	
	lubricated prior to delivery.		
00 00 0004	DD. Marmatia Finter, Danie Cristalia a (OTANDADD)		רבי י
03-06-2201	RR , Magnetic Entry Door Switches (STANDARD)	1	REV
03-06-2202	RR, Door Panel Mounting Screws (STANDARD)	1	REV

1 RR-Coll Cords for Electrical Circuits (STANDARD) 1 REV	11/09/2022 21:58:52			Page 4
03-06-6005 S RR, Power Door Locks, Module Entry Doors, WHidden Switch Install power door locks in side and rear entrance doors. Includes (2) lock/unlock switches, one at side door and one at rear door. Also includes (1) hidden switch in rear license frame for unlock function only. System will be tied to DEM chassis power locks so that both systems operate as one. Does not include wireless remote. 03-06-6105 RR, Intermotive Door Lock Module for F series. OEM to operate Mod Locks 1 REV 03-06-6100 RR, Intermotive CAN module for 2020 F Ford F-series 1 REV 03-06-6100 RR, Intermotive CAN module for 2020 F Ford F-series 1 REV 03-06-8010 RR, Intermotive CAN module for 2020 F Ford F-series 1 REV 03-06-8010 RR, Intermotive CAN module for 2020 F Ford F-series 1 REV 03-06-8010 RR, Lock Boxes, White Diamond Grade 1 REV 03-08-2000 RR, Dual Side Entry Step Well, Lorensead Depth, Lower Grip, Upper Diamond 1 REV 03-08-2010 RR, Upid, Side Entry Step Well, LED, Whelen OS Mini, Clear 1 REV 03-09-0030 RR, Module Window Requirements 1 REV	PART NO S	DESCRIPTION	QTY	ID
Install power door locks in side and rear entrance doors. Includes (2) lock/um/bck switches, one at side door and one at rear door. Also includes (1) hidden switch in rear license frame for unlock function only. System will be tied to OEM chassis power locks so that both systems operate as one. Does not include wireless remote. 03-06-6106	03-06-4200	RR, Coil Cords for Electrical Circuits (STANDARD)	1	REV
switches, on at side door and one at rear door. Also includes (1) hidden switch in rear license frame for unlock function only. System will be tied to CBM chassis power locks so that both systems operate as one. Does not include wireless remote. Comment	03-06-6065	< > RR, Power Door Locks, Module Entry Doors,w/Hidden Switch	1	REV
switches, on at side door and one at rear door. Also includes (1) hidden switch in rear license frame for unlock function only. System will be tied to CBM chassis power locks so that both systems operate as one. Does not include wireless remote. Comment		Install power door locks in side and rear entrance doors. Includes (2) lock/unl	ock	
rear license frame for unlock function only. System will be tied to OEM chassis power locks so that both systems operate as one. Does not include wireless remote. 03-06-6105 > RR, Intermotive Door Lock Module for F series, OEM to operate Mod Locks 1 REV 30-06-6810 RR, Intermotive CAN module for 20/20+ Ford F-series 1 REV 30-06-6810 RR, Intermotive CAN module for 20/20+ Ford F-series 1 REV 30-06-6810 RR, Intermotive CAN module for 20/20+ Ford F-series 1 REV 30-06-6810 RR, Incer Door Panel - Stainless Steel, Two Piece (STANDARD) REV 30-06-6810 RR, Lock Boxes, White Diamond Grade REV 30-08-2000 RR, Lock Boxes, White Diamond Grade REV 30-08-2000 RR, Usih, Side Entry Step well, LED, Whelen OS Mini, Clear REV 30-08-3010 RR, Module Window Requirements WINDOWS RR, Window, Side Entry Door 18X18, Silder - Limo Tint REV 30-09-1130 RR, Window, Side Entry Door, 18X18, Silder - Limo Tint REV 30-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) RR 20-11-2000 RR, Module to chassis mounting system, Additional Duty Type 1 (12) RR 20-11-2000 RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR 20-11-2000 RR, Rear Dumper Recessed 9* Pocket, Flip-up RR 20-11-2000 RR, Rear Dumper, Recessed 9* Pocket, Flip-up RR 20-11-2000 RR, Rear Dumper, Black Rubber, 2.5* Tx 16*W REV 30-12-25*010 RR, Rear Dumper, Black Rubber, 2.5* Tx 16*W RR 20-12-25*010 RR Rear Dumper, Black Rubber, 2.5* Tx 16*W RR 20-12-25*010 RR Rear Dumper, Black Rubber, 2.5* Tx 16*W RR 20-12-25*010 RR 20-12-25*010				
locks so that both systems operate as one. Does not include wireless remote. 03-06-6105 > RR, Intermotive Door Lock Module for F series, OEM to operate Mod Locks 1 RE, Vol. 196-6106 RR, Intermotive CAN module for 2020+ Ford F-series 1 RE Vol. 196-6106 RR, Intermotive CAN module for 2020+ Ford F-series 1 RE Vol. 196-6106 RR, Intermotive CAN module for 2020+ Ford F-series 1 RE Vol. 196-6106 RR, Lock Boxes, White Diamond Grade 1 RE Vol. 196-6107 RR Lock Boxes, White Diamond Grade 1 RE Vol. 196-6107 RR Lock Boxes, White Diamond Grade 1 RE Vol. 196-6107 RR Lock Boxes, White Diamond Grade 1 RE Vol. 196-6107 RR Lock Boxes, White Diamond Grade 1 RE Vol. 196-6107 RR Lock Boxes, White Diamond Grade 1 RE Vol. 196-6107 RR Lock Boxes, White Diamond Grade 1 Re Vol. 196-6107 RR Lock Boxes, White				
3-06-6105 > RR, Intermotive Door Lock Module for F series, OEM to operate Mod Locks 3-06-6106 > RR, Intermotive CAN module for 2020+ Ford F-series 3-06-6010 RR, Inner Door Panel - Stainless Steel , Two Piece (STANDARD) 1 REV 3-06-8011 RR, Lock Boxes, White Diamond Grade 1 REV 3-06-8010 RR, Dual Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond Plate 3-08-2000 RR, Dual Side Entry Step Well, LED, Whelen OS Mini, Clear RR, Light, Side Entry Step Well, LED, Whelen OS Mini, Clear RR, Light, Side Entry Step Well, LED, Whelen OS Mini, Clear RR, Light, Side Entry Step Well, LED, Whelen OS Mini, Clear RR, Light, Side Entry Doors RR, Windows Requirements WINDOWS 3-09-09-09-09-09-09-09-09-09-09-09-09-09-				
03-06-6106 SR, Intermotive CAN module for 2020+ Ford F-series 1 REV 03-06-8011 RR, Inter Door Panel - Stainless Steel , Two Pices (STANDARD) 1 REV 03-06-8011 RR, Lock Boxes, White Diamond Grade 1 REV SIDE DOOR STEP RR, Dual Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond 1 REV RRV 03-08-2010 RR, Light, Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond 1 REV RRV 03-09-0030 RR, Module Window Requirements WINDOWS RR, Window, Side Entry Door RR, Window, Side Entry Door, 18X18, Sider - Limo Tint REV RRV 03-09-1130 RR, Window, Rear Entry, Doors, (2) 18 x 24, Fixed, Limo Tint 1 REV RRV 03-09-1230 RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint 1 REV RRV 03-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) 1 REV RRV 03-11-1200 RR, Bellows, Connecting, Type 1 RRV RRV 03-11-23120 RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV 03-12-3120 RR, Rear Dook Bumpers, Black Rubber, 2.5TH x 16"W 1 REV RRV 03-12-3120 RR, Rear Dook Bumpers, Black Rubber, 2.5TH x 16"W 1 REV RRV 03-12-2210 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV RRV 03-12-2210 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV RRV 03-12-23120 RR pumper Black Rubber, 2.5TH x 16"W 1 REV RRV		ionic de marzen ejernic ejernic de ener Dece nermonado imenero remete.		
03-06-6106 SR, Intermotive CAN module for 2020+ Ford F-series 1 REV 03-06-8011 RR, Inter Door Panel - Stainless Steel , Two Pices (STANDARD) 1 REV 03-06-8011 RR, Lock Boxes, White Diamond Grade 1 REV SIDE DOOR STEP RR, Dual Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond 1 REV RRV 03-08-2010 RR, Light, Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond 1 REV RRV 03-09-0030 RR, Module Window Requirements WINDOWS RR, Window, Side Entry Door RR, Window, Side Entry Door, 18X18, Sider - Limo Tint REV RRV 03-09-1130 RR, Window, Rear Entry, Doors, (2) 18 x 24, Fixed, Limo Tint 1 REV RRV 03-09-1230 RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint 1 REV RRV 03-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) 1 REV RRV 03-11-1200 RR, Bellows, Connecting, Type 1 RRV RRV 03-11-23120 RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV 03-12-3120 RR, Rear Dook Bumpers, Black Rubber, 2.5TH x 16"W 1 REV RRV 03-12-3120 RR, Rear Dook Bumpers, Black Rubber, 2.5TH x 16"W 1 REV RRV 03-12-2210 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV RRV 03-12-2210 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV RRV 03-12-23120 RR pumper Black Rubber, 2.5TH x 16"W 1 REV RRV				
03-06-6106 SR, Intermotive CAN module for 2020+ Ford F-series 1 REV 03-06-8011 RR, Inter Door Panel - Stainless Steel , Two Pices (STANDARD) 1 REV 03-06-8011 RR, Lock Boxes, White Diamond Grade 1 REV SIDE DOOR STEP RR, Dual Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond 1 REV RRV 03-08-2010 RR, Light, Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond 1 REV RRV 03-09-0030 RR, Module Window Requirements WINDOWS RR, Window, Side Entry Door RR, Window, Side Entry Door, 18X18, Sider - Limo Tint REV RRV 03-09-1130 RR, Window, Rear Entry, Doors, (2) 18 x 24, Fixed, Limo Tint 1 REV RRV 03-09-1230 RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint 1 REV RRV 03-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) 1 REV RRV 03-11-1200 RR, Bellows, Connecting, Type 1 RRV RRV 03-11-23120 RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV 03-12-3120 RR, Rear Dook Bumpers, Black Rubber, 2.5TH x 16"W 1 REV RRV 03-12-3120 RR, Rear Dook Bumpers, Black Rubber, 2.5TH x 16"W 1 REV RRV 03-12-2210 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV RRV 03-12-2210 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV RRV 03-12-23120 RR pumper Black Rubber, 2.5TH x 16"W 1 REV RRV	03-06-6105	> RR. Intermotive Door Lock Module for F series. OFM to operate Mod Locks	1	RFV
03-06-8010 RR, Inner Door Panel - Stainless Steel, Two Piece (STANDARD) 1 REV SIGE JOOR STEP 1 REV SIGE DOOR STEP 2 REV SIGE DOOR STEP 3 REV SIGE STEP			1	
3-06-8.8011 SR, Look Boxes, White Diamond Grade SIDE DOOR STEP REV			1	
SIDE DOOR STEP 03-08-2000 RR, Dual Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond Plate 03-08-3010 RR, Light, Side Entry Step well, LED, Whelen OS Mini, Clear WINDOWS 03-09-0030 RR, Module Window Requirements 1 REV REV 03-09-1130 RR, Window, Side Entry Door, 18X18, Silder - Limo Tint 03-09-1230 RR, Window, Rear Entry Door, 18X18, Silder - Limo Tint 1 REV REV 03-09-1230 RR, Window, Rear Entry Door, 18X18, Silder - Limo Tint 1 REV REV 03-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) 1 RR, Bellows, Connecting, Type 1 RR, Bellows, Connecting, Type 1 RR, Bellows, Connecting, Type 1 RR, Rear Bumper, Recessed 9' Pocket, Flip-up 03-12-25010 RR, Rear Bumper, Recessed 9' Pocket, Flip-up 03-12-5010 RR, Rear Dock Bumpers, Black Rubber, 2.5"H x 16"W 03-13-2220 SR, Rymper Pode, NPPA Diamond Plate (UM & UM-150) 1 RR, Rear Dock Bumpers, Black Rubber, 2.5"H x 16"W 03-13-2220 SR, Rymper Quiet, Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet, Sound Dampening/Thermal Insulation Package, ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3 M brand acoustical Thinsulate installed over all exterior compartments and whele wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1M polystyrene block feam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam issulation installed under 3M brand acoustical Thinsulat			1	
03-08-2000 RR, Dual Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond Plate 03-08-3010 RR, Light, Side Entry Step well, LED, Whelen OS Mini, Clear WINDOWS 03-09-0030 RR, Module Window Requirements WINDOW Side Entry Door 03-09-1130 RR, Window, Side Entry Door, 18X18, Silder - Limo Tint WINDOW - Rear Entry Doors 03-09-1230 RR, Window, Rear Entry Doors (2) 18 x 24, Fixed, Limo Tint WINDOW - Rear Entry Doors 03-09-1230 RR, Module to chassis mounting system, Additional Duty Type 1 (12) RR, Bellows, Connecting, Type RR, Rear Bumper, Recessed 9° Pocket, Flip-up 03-11-2000 RR, Rear Dook Bumpers, Black Rubber, 2.5°H x 16°W 03-12-3102 RR, Bumper Pooks, NFPA Diamond Plate (UM & UM-150) 3-12-35010 RR, Rear Dook Bumpers, Black Rubber, 2.5°H x 16°W 03-13-2220 RR, Whisper Quiet - Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package (UM REV NESS AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in, thick, self-extinguishing polystyrene foam insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in, thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1° polystyrene block foam insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16° foil waxped two sides radiant barrier foam style insulation to enhance the intermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with 5/16° foil waxped two sides radiant barrier foam style insulation on an the underside of the module floor will be coated with expanding foam s	00 00 0011	, ,		
Plate 03-08-83010 RR, Light, Side Entry Step well, LED, Whelen OS Mini, Clear WINDOWS 1 RR, Module Window Requirements 1 REV WINDOW-Side Entry Door 03-09-1130 RR, Window, Side Entry Door, 18X18, Silder - Limo Tint 1 REV 03-09-1230 RR, Window, Rear Entry Doors 03-10-1100 RR, Module to chassis mounting system, Additional Dulty Type 1 (12) 1 REV 03-11-2000 RR, Module to chassis mounting system, Additional Dulty Type 1 (12) 1 REAR BUMPER AND REAR STEP CONSTRUCTION 1 RR, Rear Bumper, Recessed 9' Pocket, Flip-up 03-12-1800 RR, Rear Bumper, Recessed 9' Pocket, Flip-up 03-12-5010 RR, Rear Dock Bumpers, Black Rubber, 2 S'H x 16'W 03-12-5010 RR, Rear Dock Bumpers, Black Rubber, 2 S'H x 16'W 03-13-2220 RR, Ryper Pock, NPPA Diamond Plate (UM & UM-150) 1 RR, Rear Dock Bumpers, Black Rubber, 2 S'H x 16'W 03-13-2220 TR, Ryper Quiet, Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet, Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulated with 1M brand acoustical Thinsulate insulation. The patient compartment entrance doors and the exterior compartment and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment and wheel wells of the module shall be insulated with 1M brand acoustical Thinsulate insulation. The patient compartment insulation. The Wheel well and interior compartment wall areas shall be wrap	03-08-2000		1	
03-08-3010 RR, Light, Side Entry Step well, LED, Whelen OS Mini, Clear WINDOWS 03-09-0030 RR, Module Window Requirements WINDOW-Side Entry Door 03-09-1130 RR, Window, Side Entry Door, 18X18, Slider - Limo Tint 03-09-1230 RR, Window, Rear Entry Doors, 18X18, Slider - Limo Tint 03-09-1230 RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint 03-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) RR, Bellows, Connecting, Type 1 03-11-2000 RR, Bellows, Connecting, Type 1 03-12-1200 RR, Rear Bumper, Recessed 9' Pocket, Flip-up 1 03-12-1200 RR, Rear Dock Bumpers, Black Rubber, 2.5°H x 16°W 1 03-12-5010 RR, Rear Dock Bumpers, Black Rubber, 2.5°H x 16°W 1 03-12-220 SR, Ryper Quiet, Sound Dampening/Thermal Insulation Package (UM) 1 03-13-2220 SR, Whisper Quiet - Sound Dampening/Thermal Insulation Package, (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartment and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Well areas that are loo irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. Th	00 00 2000			112
WINDOWS RR, Module Window Requirements WINDOW-Side Entry Door 3-09-1130 RR, Window, Side Entry Door, 18x18, Sider - Limo Tint WINDOW-Rear Entry Doors RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint 3-09-1230 RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint MODULE TO CHASSIS MOUNTING SYSTEM RR, Module to chassis mounting system, Additional Duly Type 1 (12) RR, Bellows, Connecting, Type 1 3-11-2000 RR, Rear Bumper, Recessed 9' Pocket, Flip-up 3-12-21800 RR, Rear Bumper, Recessed 9' Pocket, Flip-up 3-12-2100 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Dounger, Recessed 9' Pocket, Flip-up 3-12-2100 RR, Rear Dounger, Recessed 9' Pocket, Flip-up 3-12-2100 RR, Rear Dounger, Black Rubber, 2-5"H x 16"W 1 REV NSULATION 3-13-2220 SR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The celling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block feam insulation installed between the extruded structural framing. Wall areas that are loo irregular for 1" block foam insulation, after the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with 5/16" foil wrapped two sid	03-08-3010		1	RE\/
1 REV WINDOW- SIde Entry Door 18/18, Slider - Limo Tint 1 REV REV WINDOW- RETERITY DOORS 18/18, Slider - Limo Tint 1 REV REV WINDOW- RETERITY DOORS 18/18, Slider - Limo Tint 1 REV REV WINDOW- RETERITY DOORS 18/14, Limo Tint 1 REV RE	03-00-3010			
WINDOW. Side Entry Door, 18x18, Slider - Limo Tint 1 1 REV WINDOW. Rear Entry Doors (18x18, Slider - Limo Tint 1 1 REV WINDOW. Rear Entry Doors (2) 18 x 24, Fixed, Limo Tint 1 1 REV WINDOW. Rear Entry Doors (2) 18 x 24, Fixed, Limo Tint 1 1 REV WINDOW. Rear Entry Doors (2) 18 x 24, Fixed, Limo Tint 1 1 REV WINDOW. Rear Entry Doors (2) 18 x 24, Fixed, Limo Tint 1 1 REV WINDOW. RR, Module to chassis mounting system, Additional Duty Type 1 (12) 1 REV REV RR, Bellows, Connecting, Type 1 REAR BUMPER AND REAR STEP CONSTRUCTION 1 RR, Rear Bumper, Recessed 9° Pocket, Flip-up 1 REV	03 00 0030		1	
03-09-1130 RR, Window, Side Entry Doors, 18X18, Silder - Limo Tint WINDOW - Rear Entry Doors 03-09-1230 RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint 1 REV 03-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) 1 RR, Bellows, Connecting, Type 1 03-11-2000 RR, Bellows, Connecting, Type 1 03-11-2000 RR, Bellows, Connecting, Type 1 03-12-1800 RR, Rear Bumper, Recessed 9' Pocket, Flip-up 1 REV REV 03-12-100 RR, Rear Dock Bumpers, Black Rubber, 2:5'H x 16'W 1 REV 03-12-5010 RR, Rear Dock Bumpers, Black Rubber, 2:5'H x 16'W 1 REV 03-13-2220 SR, Whisper Quiet - Sound Dampening/Thermal Insulation Package (UM) 1 Whisper Quiet - Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior entering the module. The celling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. The wall of the modular and the outlets and wire chases, are to be insulated with 3M brand acoustical properties of the modular wint. The Wheel well and interior compartment wall areas shall be wrapped with 5A/16" foil wrapped two sides radiant barrier foam style insulation in enhance the thermal and acoustical properties of the modular wint. The Wheel well and interior compartment wall areas shall be wrapped goan spray in place acoustical/thermal polyurethane insu	03-09-0030			
MINDOW - Rear Entry Doors OR RR, Window, Rear Entry Doors (2) 18 x 24, Fixed, Limo Tint OR RR, Module to chassis mounting system, Additional Duty Type 1 (12) OR RR, Bellows, Connecting, Type 1 OR RR, Bellows, Connecting, Type 1 REAR BUMPER AND REAR STEP CONSTRUCTION RR, Ber Bumper, Recessed 9' Pocket, Flip-up OR RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) OR RR, Rear Douber, Black Rubber, 2.5" H x 16"W OR RR, Rear Douber, Black Rubber, 2.5" H x 16"W OR RR, Rear Douber, Black Rubber, 2.5" H x 16"W OR RR, Rear Douber, Black Rubber, 2.5" H x 16"W OR RR, Rear Douber, Black Rubber, 2.5" H x 16"W OR RR, Rear Douber, Black Rubber, 2.5" H x 16"W OR RR, Rear Douber, Black Rubber, 2.5" H x 16"W OR REV REV REV REV REV REV REV REV	02 00 1120	PD Window Side Entry Door 19719 Slider Lime Tint	1	
03-09-1230 RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint MODULE TO CHASSIS MOUNTING SYSTEM 03-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) 1 REV 03-11-2000 RR, Bellows, Connecting, Type 1 3-11-2000 RR, Bellows, Connecting, Type 1 REAR BUMPER AND REAR STEP CONSTRUCTION RR, Bear Bumper, Recessed 9° Pocket, Flip-up 03-12-3100 RR, Rear Bumper, Bods, NFPA Diamond Plate (UM & UM-150) RR, Rear Dock Bumpers, Black Rubber, 2:5°H x 16°W NSULATION 03-13-2220 - RR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package, (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The celling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartment and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1° polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are loo irregular for 1° block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Trinisulate insulation and the underside of the module floor will be coated with sepanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Pockage: A. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Pockage: A. Reflective Barrier-Low-E-Foil Wrapped Ins	03-09-1130			
MODULE TO CHASSIS MOUNTING SYSTEM O3-10-1100 RR, Module to chassis mounting system, Additional Duty Type 1 (12) RR, Bellows, Connecting, Type 1 RRAR Bulmper, Recessed 9" Pocket, Flip-up O3-12-1800 RR, Rear Bumper, Recessed 9" Pocket, Flip-up RR, Rear Bumper, Recessed 9" Pocket, Flip-up RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Bumper, Recessed 9" Pocket, Flip-up In Rev	02 00 1220		1	
03-10-100 RR, Bellows, Connecting, Type I 03-11-2000 RR, Bellows, Connecting, Type I REAR BUMPER AND REAR STEP CONSTRUCTION RR, Rear Bumper, Recessed 9" Pocket, Flip-up RR, Rear Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Dock Bumpers, Black Rubber, 2.5" H x 16"W NSULATION RR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM) NWhisper Quiet - Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartment and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block feam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical misulation package; A Reflective Barrier/Barymat/Spray Foam Thermal Insulation System - The module walls to be insula	03-09-1230		ı	
RR, Bellows, Connecting, Type 1 REAR BUMPER AND REAR STEP CONSTRUCTION RRAR BUMPER AND REAR STEP CONSTRUCTION RR, Rear Bumper, Recessed 9" Pocket, Flip-up RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Dock Bumpers, Black Rubber, 2.5"Hx 16"W RR, Rear Dock Bumpers, Black Rubber, 2.5"Hx 16"W REV RSULATION 3-13-2220	02 10 1100		1	
REAR BÜMPËR AND REAR STEP CONSTRUCTION RR, Rear Bumper, Recessed 9" Pocket, Flip-up 33-12-3120 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) RR, Rear Dock Bumpers, Black Rubber, 2:5"H x 16"W INSULATION 33-13-2220 SR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5f/6" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal/acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflect			1	
03-12-1800 RR, Rear Bumper, Recessed 9" Pocket, Flip-up 03-12-3120 RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150) 1 REV 03-12-5010 RR, Rear Dock Bumpers, Black Rubber, 2.5"H x 16"W INSULATION 03-13-2220 SR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation installed may be a made of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam.	03-11-2000		1	
03-12-5010 RR, Bumper Pods, NFPA Diamond Plate (ÚM & UM-150) RR, Rear Dock Bumpers, Black Rubber, 2.5"H x 16"W INSULATION 03-13-2220 SR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation be insulated with with the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. Reflec	00.40.4000			
03-13-2220 SR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation.			1	
O3-13-2220 SRR, Whisper Quiet - Sound Dampening/Thermal Insulation Package (UM) Whisper Quiet - Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foa			1	
Variable	03-12-5010		1	
Whisper Quiet - Sound Dampening/Thermal Insulation Package. (ULTRAMEDIC AND PROMEDIC) The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing, Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barry sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulated with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.	03-13-2220	< > RR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM)		REV
The module interior walls, roof and doors shall be insulated to enhance the interior environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the units shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier/Barymat/Spray Foam Thermal Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.)IC	
environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier/Barymat/Spray Foam Thermal Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		AND PROMEDIC)		
environment and minimize the conduction of heat, cold and external noise from entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier/Barymat/Spray Foam Thermal Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
entering the module. The ceiling insulation shall be a non-settling, 2 inch thick, self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16 foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
self-extinguishing polystyrene foam planking. 3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
3M brand acoustical Thinsulate installed over all exterior compartments and wheel wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.			nick,	
wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		self-extinguishing polystyrene foam planking.		
wells for added acoustical/thermal insulation. The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
The patient compartment entrance doors and the exterior compartment doors shall have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		3M brand acoustical Thinsulate installed over all exterior compartments and when the same are same as the same are sa	ieel	
have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		wells for added acoustical/thermal insulation.		
have 2 in. thick, self-extinguishing polystyrene foam insulation. The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
The interior walls of the module shall be insulated with 1" polystyrene block foam insulation installed between the extruded structural framing. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.			nall	
insulation installed between the extruded structural framing. Wall areas that are irregular for 1" block foam insulation, or where the block foam will interfere with outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		have 2 in. thick, self-extinguishing polystyrene foam insulation.		
insulation installed between the extruded structural framing. Wall areas that are irregular for 1" block foam insulation, or where the block foam will interfere with outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
irregular for 1" block foam insulation, or where the block foam will interfere with outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
outlets and wire chases, are to be insulated with 3M brand acoustical Thinsulate insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		irregular for 1" block foam insulation, or where the block foam will interfere with	wall	
insulation. After the foam is installed, the entire interior of the unit shall be wrapped with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance the thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		outlets and wire chases, are to be insulated with 3M brand acoustical Thinsu	ate	
with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance thermal and acoustical properties of the modular unit. The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		insulation. After the foam is installed, the entire interior of the unit shall be wrat	ped	
The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		with 5/16" foil wrapped two sides radiant barrier foam style insulation to enhance	the	
The Wheel well and interior compartment wall areas shall be wrapped with Barymat sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
sound proofing material installed under 3M brand acoustical Thinsulate insulation and the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
the underside of the module floor will be coated with expanding foam spray in place acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		sound proofing material installed under 3M brand acoustical Thinsulate insulation	and	
acoustical/thermal polyurethane insulation. This package provides an enhanced thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
thermal/acoustical insulation package designed to provide an extremely quiet, environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		acoustical/thermal polyurethane insulation. This package provides an enhance	ed	
environmentally efficient patient compartment. Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		thermal/acoustical insulation package designed to provide an extremely qu		
Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package: A. Reflective Barrier - Low-E Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
A. Reflective Barrier - Low-É Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
A. Reflective Barrier - Low-É Foil Wrapped Insulation System - The module walls to be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.		Reflective Barrier/Barymat/Spray Foam Thermal Insulation Package:		
be insulated with high density 1" block foam. Wall areas that are too irregular for 1" block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.			s to	
block foam insulation, or where the block foam will interfere with wall outlets and wire chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
chases, are to be insulated with 3M brand thermal/acoustical Thinsulate insulation.				
		Then the entire interior of the module shall be wrapped with 5/16" Low-E foil wrap		

11/09/2022 21:58:52					Page 5
PART NO S		DESCRIPTION radiant barrier foam style insulation.	QT	Y	ID
		B. This radiant barrier material will cover the following: - Full ceiling and wrapping over the corner radius and down the sidewall - Front and rear walls from the top of the wall to the lowest possible point along	the		
		side, front and rear walls - Seams to be taped with silver / foil ducting tape to secure seams.			
		C. Barymat sound deadening insulation over wheel wells and interior side of exterior compartment walls. (Installed under 3M brand acoustical Thinsulate insulation).	rior		
		D. Spray foam underbody insulation prior to undercoat application, full sub fl coverage where applicable. Includes curbside step well area.	oor		
		ELECTROLYSIS PREVENTION			REV
03-14-4000	<	RR, Electrolysis Prevention, Fluid Film Fluid Film is used at Every Point Where the Mounting Process has the Propensit Break Paint (STANDARD)	y to	1	REV
03-15-6500 03-15-7030		COMBINATION RUB RAIL AND FENDER RING RR, Rub Rail, Skirt Line, Extruded Anodized 3" C Channel ILO Rubber RR, Fender Flare, Polished Alum, Hidden Flange, Fits up to 19.5"		1	REV REV REV
		Polished Aluminum Fender Rings with Hidden Flange ILOS E350, E450, F3 Chevy CG	50,		
		SPLASH GUARDS AND RUNNING BOARDS			REV
03-16-1526	<	RR, Running Board w/ 7" Grip Strut Inserts, 2017+ F series Type I This feature includes a mud flap at the forward end of the running boards to prot the grip strut insert from wheel splash	ect	1	REV
03-16-1800	<	RR, Mud Flaps, Rear, Black w/ Road Rescue Logo Heavy Duty Rubber Mud Flaps w/ RR Logo - Heavy Duty Rubber Mud Flaps to be bolted to the wheel liner behind the rear du	ale	1	REV
		with 1/4" x 20 Stainless Steel bolts, washer and nylon locknut for ease maintenance and repair (STANDARD)			
03-17-1000	<	RR, Drip Rails Polished Aluminum Drip Rails - Above All Doors, Entry and Compartm (Standard)	ent	1	REV
03-18-1000	<	RR, Wheel well liners Aluminum Wheel well Liners - Extending to Bottom of Skirt (Standard)		1	REV
		CAB TO MODULE ACCESS			REV
		CAB TO MODULE ACCESS			REV
03-19-1116 03-19-1121	> <	RR, Crawl Thru, Opening (Cab Height), Type I		1	REV REV
03-19-1121		RR, Cab to Module, Fluid Dam Cab to Module Fluid Dam - A formed fluid dam, 4" tall to be installed below the cab.	ab to	1	REV
		module walk through door to prevent fluids from contaminating the cab. The floor fluid dam to be fully sealed. (STANDARD)			
03-19-1123		RR, Cab to Module, Crawl Through Door LICENSE PLATE HOLDER		1	REV REV
03-20-0550		RR, Rear License Holder Location, Center Recessed in Bumper Pocket EXTERIOR COMPARTMENT CONSTRUCTION		1	REV REV
04-01-0100 04-01-3000	<	RR, Exterior Compartment Construction, Heavy Duty RR, Door Sill Protection, Stainless Steel.		1	REV REV
04-01-3000		Door Sill Protection - Install Stainless Steel sill protector on lower edge of all frames to prevent paint damage. (STANDARD)	door	•	NEV
		EXTERIOR COMPARTMENT SUPPLIMENTAL VENTING			REV
04-01-6100	<	RR, Seadog Stainless Steel Transom Vent (1) Specify Location (1) vent on each door of Cabinet U8.		2	REV

11/09/2022 21:5			PERCENTION	0=		Page 6
PART NO	S		DESCRIPTION	QT	Υ	ID
04.00.0400			EXTERIOR COMPARTMENT DOORS		4	REV
04-02-0100			RR, Compartment Door, Hidden Hinge, Seal on Door (UM)		1	REV
04-02-0715		< >	RR, Compartment Handles, Exterior, TriMark Logo Chrome/Black (UM)		1	REV
			TriMark Two-Point Cast w/Polished Chrome Paddle Handle and Housing, Lock			
			and Non-Locking, with floating cam - Mounted in CNC Cut Opening in Ea	cn		
			Compartment Door Skin w/OEM Clamp Assembly.			
			(STANDARD ULTRAMEDIC)			
04-02-0741		_ \	RR, Compartment Handle, TriMark Logo Chrome/Black, Paddle, Street side,		3	REV
04-02-0741		` _	locking		3	I\L V
			For single doors or Leading doors on Compartments #1,#2 and #4.			
			To single doors of Leading doors on Compartments #1,#2 and #4.			
04-02-0746		< >	RR, Compartment Handle, TriMark Logo Chrome/Black, Paddle, Street side,		1	REV
0.020.10			Non-Lock		•	
			For Trailing doors on the street side. Compartments #2 or #4.			
			To Framing desire on the substitute. Comparational #2 of #1.			
04-02-0751		< >	RR, Compartment Handle, TriMark Logo Chrome/Black, Paddle, Curbside,		2	REV
			locking			
			For single doors or Leading doors on the curbside Compartments #6 & #8			
04-02-0850		<	RR, Compartment Door Locks, 2015 TriMark		1	REV
			Compartment Door Handle Manual Locks All doors shall incorporate double	cut,		
			non-directional tumbler assemblies that are keyed alike (STANDARD)			
04-02-0900			RR, Compartment Rotary Latches		1	REV
04-02-1000			RR, Compartment Door Nader Pin		1	REV
04-02-1200			RR, Compartment Door Lubrication, Door Handles and Latches		1	REV
04-02-1300			RR, Compartment Door Reflectors		1	REV
04-02-1500			RR, Compartment Door Switches, Magnetic		1	REV
04-02-2010			RR, Compartment Door Panel, Inner, Diamond Plate		1	REV
04-02-2500			RR, Compartment Door, Panel Mounting Screws		1	REV
04-02-5999		>	RR, Power Door Locks, Exterior Compartments		1	REV
04-02-6010			RR, Exterior Compartment #'s 1, 2, 4, 6 & 8, Only		1	REV
04-02-7801			RR, Compartment Door, Gas Struts		1	REV
04-03-2400		< >	RR, All Standard Compartment Lights, LED, Flexible Strip		1	REV
			Two (2) Vertical strips in each exterior compartment installed, one (1) on each significant the control of the			
			the opening. The compartment #1 lights will be also wired to Oxygen light switch	n in		
			action area.			
04-03-33SR	U	_	Placard with Frame, 12" x 12", Painted		2	
04-03-33311	U		SR#		_	
			OIV#			
			(1) Comp #1- between the door Handle and the bottom of the louvers			
			(1) comp #1- between the door Handle and the bottom of the louvers			
			(1) Just above Comp #8 door			
			(1) base above semp no deer			
			Painted White			
			EXTERIOR COMPARTMENT INTERIOR			REV
04-04-1000		<	RR, Exterior Compartment, Interior Finish, Polyurethane Coated		1	REV
			Exterior Compartment Interior Polyurethane Rubberized Liner Color Choice.			
			Rubberized polyurethane coating applied to the surfaces of ALL exter			
			compartment walls and dividers. Does not include slide out battery tray or moun			
			angles. Battery Tray to be raw aluminum.			
			NOTE: If there is not a slide out battery compartment in the order the #8.5 external	rior		
			compartment area will be Polyurethane lined.			

11/09/2022 21:58:52			Page 7
PART NO S	DESCRIPTION	QTY	ID
04-04-1002 04-04-2000 <	RR, Color, Light Gray RR, Exterior Compartment, Floor Matting "Turtle Tile" Includes exterior compartment shelves. NOTE: This option does not include the acabinet.	1 1 ALS	REV REV
04-04-2001	RR, Color, Black EXTERIOR COMPARTMENT SHELVING	1	REV REV
04-05-0001 <		of a ves	
04-05-1000 <	RR, Compartment Shelving, Diamond Plate Diamond Plate Exterior Compartment Shelving. (STANDARD)	1	REV
	COMPARTMENT #1 - STREETSIDE FWD		REV
04-06-0001 04-06-0010 <	,	ı 'J'	REV REV
04-06-0020	RR, Compartment #1, Full Height, Standard Configuration (UM) COMPARTMENT #2 - STREETSIDE FWD WHEELWELL	1	REV REV
04-07-0010 04-07-0600 S <	RR, Compartment #2, EXTERIOR RR, Compartment #2, Custom Configuration, (UM) SR #	1	REV REV
	Reduce the height of the #2 compartment to approximately 28".		
	#2 Compartment to be directly behind the #1 compartment and below the interaction area shelf on the street side of the module. Includes (1) adjustable shelf Unistrut track. (STANDARD Ultramedic)		
04-07-2610 <	RR, Compartment #2, Shelf Adjustable, First Shelf Standard (Ultramedic).	1	REV
	COMPARTMENT #4 - STREETSIDE AFT		REV
04-09-0001 04-09-3000 <	RR, Compartment #4, EXTERIOR RR, Compartment #4, 3/4 Height, Standard Configuration 3/4 #4 Compartment street side rear of module with Interior Upper left #4 Cabine #4 Compartment to be to the bottom of upper left #4 cabinet.	1 2t -	REV REV
04-09-4505 <	RR, Compartment #4, Shelf Adjustable, First Shelf Height of shelves to be above SCBA brackets	1	REV
04-09-4520 <	> RR, Compartment #4, Shelf Adjustable, Additional, Each Must pick quantity if more than one is needed. Location:	1	REV
04-09-SR01 U <	Corner Bracket Mounting Plate for SCBA Bracket SR #	1	
	Corner bracket mounting plate for SCBA bracket. Install (1) on the forward corne the #4 (1) on the rear corner of the #4 compartment at floor level. A removable ar bracket to allow customer to bolt SCBA Zico brackets and tanks.		
	The brackets shall be removable to allow the SCBA		

11/09/2022 21:58:52				Page 8
PART NO S		DESCRIPTION	QTY	ID
		brackets to be bolted to the aluminum.		
		Weld into place unistrut tracking, then bolt the aluminum angle to the unistrut.		
		Plates to be scorpion coated same color as compartment.		
		Unistrut to be full height so that the angled bracket can be adjusted up or down.		
		COMPARTMENT #6 - CURBSIDE AFT		REV
04-11-0084		RR, Compartment #6, EXTERIOR	1	REV
04-11-0600		RR, Compartment #6, Standard Configuration (UM)	1	REV
04-11-2060	< >	RR, Compartment #6, Divider, Fixed (UM) 10 inches from front wall #3	1	REV
		10 inches from front waii #3		
04-11-4510	<	RR, Compartment #6, Shelf Adjustable, First shelf	1	REV
		Above stair chair area- divider to wall #3		
04-11-4600	<	RR, Compartment #6, Dividers, Adjustable (2) Backboard Storage, 24"H x 10"D	1	REV
01111000		to the rear of divider		
04-11-4625	<	RR, Compartment #6, Safety Bar across for Backboards	1	REV
04-11-4023		68" from floor height, Wall #1 to fixed divider		I VL V
		Scorpion coated to match compartment.		
		RR, Compartment #8, EXTERIOR		REV
04-14-1525	_	RR, Compartment #8, Reduced Height Door, 20" Drug Cabinet	1	REV
	<	INTERIOR TRIM AND FEATURES	/A.I	REV
		New Interior Trim - All cabinet and wall panel aluminum trim to be Gray anodized.		
		Black trim to be used). All protective corner trim will be Opaque and will include matching domed end cap. (STANDARD)	ae a	
		matering defice one dap. (OTANDAND)		
		INTERIOR ADJUSTABLE SHELVES		REV
05 05 1000		INTERIOR TRIM RR, Interior Trim, Standard	1	REV
05-05-1000		HEADLINER	1	REV REV
05-06-1100		RR-Ceiling Medical Device Rail (UM & UM-150)	1	REV
05-06-1610		RR, Headliner, PVC, White	1	REV
05-06-1802		RR, Ceiling Medical Device Rail. White LED Strip Lights,(UM & UM-150)	1	REV
05-06-1902		RR, Ceiling Medical Device Rail, Red/Amber LED Turn/Brake Strip Lights (UM	1	REV
		& UM-		
05 07 4000		FLOORING PD. Flooring Alternity on Flooring (STANDARD)		REV
05-07-1000 05-07-1405		RR, Flooring, Aluminum Floor/Wall Cove Molding (STANDARD) RR, Flooring, .063 Aluminum Rear Threshold, 45 Degree Chamfered, BLACK	1 1	REV REV
05-07-1405		Coated	1	KEV
05-07-3000		RR, Flooring - Lonplate II Choice	1	REV
05-07-3003		RR, Color - 424 Gunmetal	1	REV
05-07-9894		RR, Floor, Curbside .063 Aluminum, 4"wide, Black Polyeurea Coating	1	REV
		HEAD BUMPERS		REV
		BACKRESTS		REV
05-10-1301	<	Rear Entry Door Grab Handles RR, Rear Entry Door Grab Handles, "L" Bars, 16" Anti-Microbial	1	REV REV
03-10-1301	_	"L" Bars - 16" Anti-Microbial. 1.25" Diameter stainless steel "L" Bars mounted to	1 each	KEV
		rear door. Approximately 16" wide by 26" high. Clear Anti-Microbial finish.	Jacii	
05.40.4404		Side Entry Door Grab Handle		REV
05-10-1401	<	RR, Side Entry Door Grab Handle, "L" Bar - 19" Anti-Microbial	1	REV
		"L" Bar - 19" Anti-Microbial. 1.25" Diameter stainless steel "L" Bars mounted to entry door. Approximately 19" wide by 24" high. Clear Anti-Microbial finish.	side	
		only door. Approximatory to wide by 24 high. Globi Anti-Microbial liftion.		
		Ceiling Grab Rail - Center		REV
05-10-1903		RR, Ceiling Grab Rail, Center 108" Anti-Microbial	1	REV
05-10-2201		RR, Ceiling Grab Rail, Curbside over Squad Bench 72" Anti-Microbial	1	REV
05-10-7300	_	RR, Grab Bar, Additional 18", Anti microbial	1	REV
05-10-7302	<	RR, Grab Bars (2) 18", Anti microbial (specify locations) (1) Streetside adjacent to rear entry doors	1	REV
		(1) Streetside adjacent to rear entry doors (1) Curbside adjacent to rear entry doors		
		(1) Ourboide adjacent to real entry doors		

11/09/2022 21:58:		DECORPTION	OT		Page 9
PART NO	S	DESCRIPTION IV FLUID HANGERS	QT	Y	ID REV
05-11-4000		RR, IV Hangers, CPI #IV2008 (STANDARD)		1	REV
05-11-4000		RR, IV Hangers, Quantity (2)		1	REV
00 11 4002		LEFT STACK AND BULKHEAD AREA #1		•	REV
05-12-0010		RR, Interior Street side #1 - Left Stack and Bulkhead		1	REV
05-12-0200	<	> RR, Upper Bulkhead Cabinet, Double Doors		1	
		Upper Bulkhead Electrical Cabinet, Double Doors			
		- Install double hinged Kydex Thermoplastic or multi-spec (picked in the pro			
		section of work order) doors with locking latch on the right hand door and cen	ter		
		mullion on the left hand door on the standard upper bulkhead electrical cabinet.			
		(OTANDARD)			
		(STANDARD)			
05-12-1610	_	RR, Left Stack, Storage Area #1, 45 Deg Angled, CN 10 Certified		1	REV
03-12-1010		A two section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the section vertical cabinet shall be provided behind the attendant seat on the section vertical cabinet shall be provided behind the section of the section vertical cabinet shall be provided behind the section vertical cabinet shall be provided behind the section vertical cabinet shall be provided behind the section of the section vertical cabinet shall be provided behind the section of the section vertical cabinet shall be provided behind the section vertical cabinet shall be s	the	'	IXL V
		street side forward corner on a 45 degree bevel that includes the access doors to the			
		cabinet. The lower cabinet door shall be aluminum with plastic laminate and			
		upper cabinet shall be a hinged Poly carbonate door with full perimeter extrud			
		aluminum frame and integral latching handles.			
05-12-1810	<	RR, Shelf Adjustable, Left Stack, First Shelf		1	REV
		Cabinet C1			
		A OTION WALL AREA #0			DE\/
05 12 0010		ACTION WALL AREA #2 RR - INTERIOR STREETSIDE #2 - ACTION AREA		1	REV REV
05-13-0010 05-13-0700		RR, Action Wall Area #2, Medical Device Rail		1	REV
05-13-1202		RR, Cab, UL2 & UL2.5 Comb- Single Restock Cabinet w/Split Interior,NOT CN		1	REV
03-13-1202		10 Cer		'	I \L V
		The UL2 and UL2.5 cabinets shall share a single door with sliding doors a	nd		
		restocking feature. The interior of the cabinet shall be split into (2) sections with			
		adjustable shelf in each. The attendant switch panel and environmental controls st			
		be built into a separate 6" high section below the restocking door and tilted slig	htly		
		down for ease of accessibility to the attendant.	-		
05 40 4705		DD Ook in at Additional Contant of CO. Forward Astion Countan NOT ON 40			DE\/
05-13-1725	<	RR, Cabinet, Additional, Center Left C2, Forward Action Counter, NOT CN 10		1	REV
		Cert Cabinet shall be 16 in Wx 22.50 in. H x 7 in. D.			
		Cabinet Shall be 10 iii wx 22.50 iii. Ii x 7 iii. D.			
05-13-2300		> RR, Countertop, Forward Action Area Only		1	REV
05-13-2305		RR, Avonite Black Ice, K3-7100		1	REV
05-13-2610	S <	Cabinet - Lower Left L2, 12"H x 50"W, Sliding		1	REV
		SR#			
		Cabinet L2 with sliding polycarbonate doors and integral latching handles below	WC		
		action area counter.			
		40111 F01114/ 4011 D			
		12" H x 50" W x 18" D.			
		RR-Interior Street side #3 - CPR Seat			REV
05-14-0500	s <	Streetside - CPR Seat, Widened Configuration		1	REV
00 11 0000	_	SR#		•	- _ \
		SIX II			
		CPR seat to be 37" wide ILOS per drawings.			
		The CPR seat shall include a flip up seat equipped with a gas strut hold open dev	/ice		
		and positive latch for securing the lid when closed. The CPR seat shall include			
		foam seat and backrest, the upper and lower sections will be padded on both sid	es		
		for added protection.			
05 14 0000		DD CDD Soot Lid Hold Down		4	REV
05-14-0900	<		0.0	1	KEV
		CPR Seat Lid Hold-down - Install a Black Tri Mark recessed paddle latch, Include tri-mark retention mounting bracket (1) under CPR seat lid.	e a		
		urmant retention mounting practice (1) under OF It Seat IIu.			

11/09/2022 21:58:52		PERCENTION	O=\/	Page 10
PART NO S 05-14-2560	<	RR, CPR Seat, Seat Belt, 4 Point (Per4Max) Black, Change Notice 8- Compliant Above Lid mounted	QTY 1	ID REV
05-14-3906	<	RR, CPR Seat, "U" Barrier Bar, Padded, 1.5" SS, Black Mounted at the front of the CPR side seat vertically in line with the Padded hea cushion on the "U2" cabinets.		REV
05-14-4105		RR, CPR Seat, RR Backrest and Head Cushion, RR Logo, (1) Set, Black RR, INTERIOR STREETSIDE #4 - REAR AREA	1	REV REV
05-15-1001	<	RR, Cabinet, Upper Left U4, Standard Configuration- CN 10 Certified Upper left U4 cabinet with sliding poly carbonate doors with spring loaded latchin handles, restocking feature with spring loaded exterior integral latch and (1 adjustable shelf.		REV
05-16-0010		SQUAD BENCH AREA RR, INTERIOR CABINETS - SQUAD BENCH AREA	1	REV REV
05-16-0144		RR, Squad Bench, Curbside, Two Piece Hinged Lid	1	REV
05-16-0150 05-16-0151		RR, Squad Bench, Restraint Belts RR, Squad Bench, Medical Device Rail	1	REV REV
05-16-0152	<	RR, Squad Bench, Latches, Lids, Tri Mark,	1	REV
		Include a tri-mark retention mounting brackets		
05-16-0158	<	RR, Squad Bench, Seat Belts, Two 4-Point belts (Per4Max) Black, CN-8 Above the Lid Mounted	1	REV
05-16-0175 05-16-1323	<	RR, Squad Bench, RR Backrest and Head Cushion, RR Logo, (1) Set, Black RR, Head of Squad Bench, Storage, Recessed (2) O2 Brackets, Open There shall be a recessed cabinet for (2) Zico QR-D-2 portable oxygen bottle brackets at the forward end of squad bench. The cabinet shall be located to the left of the side entry door step well and below the squad bench lid. The cabinet shall be open access with no doors.	ft	REV REV
05-16-8400	< >	RR, Upper Squad Bench, Cabinet, 9"H, 72" Headroom ONLY There shall be a cabinet located above the squad bench. The cabinet will be approximately 9"H x 8-1/2"D and will be the same length as the squad bench. Th cabinet shall be divided into two (2) separate sections by a fixed center divider. Easection will have 3/8" Lexan lift up doors with restocking feature and locking latched Does not include shelves. The distance between the top of the squad bench cushion to the bottom of the cabinet cushion shall be a minimum of 43" in compliant with KKK-A-1822F requirements for head clearance.	e ch s.	REV
		Must use M1 latches for CN 10 certification		
05-16-9915	<	KKK Compliancy Regarding Overhead Cabinetry The inclusion of a cabinet over the squad bench or CPR seat on a unit with less tha 72" headroom will result in the unit not meeting KKK specification requirements. The end user has been informed of the KKK requirements and this cabinet has been added at the request of, and according to the specifications of, the end user.	n ne	REV
		BIOHAZARD-		REV
05-17-0300	<>	RR, INTERIOR - BIOHAZARD RR, Squad Bench "A" Bar 18", Anti-Microbial, Waste/Sharps for F. W. 521 Install 18" Anti-microbial A-Bar with built in holders for a 5 quart Sharps Container and an quart Waste Container. Includes 5 quart Sharps Container and an 8 quart Waste Container. A-Bar shall be mounted at the head of the squad bench and shall be 18 wide to accommodate storage options in the head of the squad bench. A-Bar may be pivoted or removed to access storage options.	e 8"	REV REV
05-17-2000		RR, Glove Butler(s)	1	REV
05-17-2100	< >	RR, Glove Butler (3) Total, Over Curbside Entry, Drop down Door (3) Glove Butler II glove boxes installed above the side module entrance door inside a cabinet with drop down door and (2) locking latches. Door to be Kydex		REV

11/09/2022 21:58:52	DECORPTION	OTV	Page 11
PART NO S	Thermoplastic or multi-spec covered and bottom hinged to tip out for restocking Access holes to be cut in door for glove removal.	QTY ng.	ID
	Must use M1 latches for CN 10 certification.		
	NOTE: Install a total of two (2) restraints - (1) at each end of the glove butler.		
05-17-2210 S <>	RR, Glove Butler (3) Total, Over Rear Entry,Recessed in Header Cushion SR #	1	REV
	(3) Glove Butler II glove boxes installed above the rear module entrance door These boxes to be recessed in the rear header cushion and positioned towards the outboard ends of the cushion. Each glove butler to be attached to a drop down do with a locking latch. Door to be bottom hinged to tip out for restocking. Access he to be cut in door for glove removal.	ne or	
	Must use M1 latches for CN 10 certification		
05-18-0010 05-18-0600 05-18-0800 05-18-1099 S 05-18-5131 <>	CURBSIDE RIGHT STACK STORAGE #8 RR, INTERIOR CURBSIDE - RIGHT STACK STORAGE #8 RR, RF ALS, Upper Heater, A/C Unit, Standard Configuration (UM & UM-150) RR, RF ALS, Hidden Air Intake (STANDARD) RR, RF ALS, "A" Style Custom Configuration (UM & UM-150) (Special Request) RR, U8, Drug Cabinet, Increase 20" Dual Aluminum Doors, Interior To include (1) adjustable shelf	1 1 1 1	REV REV REV REV REV
05-18-5215 05-18-5326	RR, C8, Cabinet, None RR, L8, Cabinet, ALS Gen III, OHO Poly carbonate Doors,(2) Adj Shelves, I/O CN10	1 1	
05-19-0500 > 05-19-0505	ATTENDANT SEAT RR, Attendant's Seat, EVS 1880, Child safety, Comfort, Per4Max Belt-Black RR, Color - Black RR, Attendant's Seat Base, EVS Swivel 2 Pos RR-INTERIOR COLORS RR, Thermoplastic, Anti-microbial, Interior Finish RR, Thermoplastic, Anti-microbial, Sterile Linen, Cabinet finish	1 1 1	REV REV REV REV
05-20-5300 <	Part Number #KD18800 RR, Upper Band Vinyl Color, Cabinets and Stitched Cushions Upper Band Vinyl Color Choice for cabinets and stitched cushions.	1	REV
05-20-5312 05-20-5500 05-20-5512 05-20-9850 05-20-9852	RR, Color, Black DA300 RR, Lower Band Vinyl Color, Vacuum Formed Cushions RR, Color, Black DA300 RR, Poly carbonate Color Choice RR, Poly carbonate, Clear 1/4" poly carbonate	1 1 1 1	REV REV REV REV REV
05-21-2001 <	RR-MISC. INTERIOR OPTIONS RR, Adjustable Divider, (1) Interior Cabinet (1) Cabinet U4 - Below adjustable shelf	1	REV REV
05-21-5004 05-21-8500 05-21-SR01 U <	RR, Squad Bench & Lower Left, Full Height Brushed Stainless Kick panels RR, Cabinet Latch, Southco 2" Round, Stainless Locking, CN 10-Rated 10lb Simplex 900 Series Combination Lock SR #	1 16 1	REV REV
	Simplex 900 Series P/N 9040000-26D-41 teardrop style combination lock install on right door of Cabinet U8.	ed	
06-01-0100 06-06-1601 06-06-1700 <	RR, General Wiring, General Harness RR-COMMUNICATION RR, Two Way Radio Routing Path Cab to Module (STANDARD) RR, Two Way Radio Pre wire, 12VDC Power & Ground (STANDARD) #8 gauge Red power and Black ground wiring will be labeled appropriately for future installation by a radio technician. The Black ground wire to be connected to a new connected to a		REV REV REV REV

11/09/2022 21:58:52	<u> </u>				Page 12
PART NO S		ground point, the Red power wire to be left unconnected near a direct to battle connection point inside the power distribution cabinet. Both wires to route to lower section of the Left Stack/Radio Cabinet and be of sufficient length to all routing to the Cab Console as an alternate radio installation location. Wires to labeled at both ends.	the ow		ID
06-06-1900	<	RR, Antenna UHF/VHF, (2) Pre wire, two RG58AU low loss cables installed from the two-way radio cabinet to the ceiling the module. Accessible be removing an interior light in the patient compartment ceiling. The interior light shall include an etched plastic label identifying the plate the antenna access point. The cables shall route from the module roof to the low section of the left stack/radio cabinet and be of sufficient length to allow routing to cab console as an alternate radio installation location.	ent e as ver	1	REV
06-06-5100	<	RR, Antenna UHF/VHF, Pre wire (1) Additional Antenna port location: Cab roof Coax termination: Behind driver's seat		1	REV
06-06-6100	<	RR, Radio Power, (2) 8 Gauge 12VDC Power/Ground (2) additional #8 gauge power and ground wire pair. The Black ground wire to be connected to a main ground point, the Red power wire to be left unconnected near direct to battery connection point inside the power distribution cabinet. Run wiring to:	be	1	REV
		(1) Cab console (1) Action area			
06-07-7400		RADIO AND CLOCKS RR, Speakers, Mounted in Ceiling w/Volume Control in Action Wall		1	
07-00-0121 07-01-0010	<	07 - ELECTRICAL 12 VOLT DC RR, Electrical System 12V, PC System, Type 1 RR, Crct Pwr Accs.,lgn/Shrline,1-20 amp 12VDC to 2 locs,W/O,PD9130 chrgr (1) 10 amp lead shall be coiled up behind the A./A panel for future use. (1) 10 amp lead shall be coiled up behind the drivers seat in the cab, for future use. Note: This code will be used when and additional battery charger has already be installed, the PD9130 will not be used with this option.		1	REV REV REV
07-02-1000 07-02-1100 07-03-1000 07-03-SR01 U	<	RR, Voltmeter - Standard RR, Alarm,Low Voltage,With Buzzer and Indicator,in cab console RR, Ammeter - for PC System 12-Volt Power Blocks SR #		1 1 1 2	REV REV REV
		12-volt power Terminal blocks for future use - (1) in Compartment #2 and (1) in Compartment #4. The Black ground wire to be connected to a main ground point, the Red power with to be left unconnected near a direct to battery connection point inside the powdistribution cabinet. Wires to be labeled at Power distribution cabinet end.			
07-04-5305 07-05-0800	<	RR, Ignition Battery Shut off Timer, 5 minute, RR, Batteries, Type I UM/UM-150, Ford or Ram, (2) OEM Batteries under hood Include (2) OEM battery under the hood.		1	REV REV REV
07-07-0400 07-08-0100 07-09-6000 07-10-1000	<	RR, Module Disconnect, PC System RR-Battery Ground RR, Battery Charger, Pre wire only, 12V RR, Power Outlets 12V, (2) Power Point Style, On with Ignition (1) outlet shall be mounted in the action area medical rail.		1 1 1	REV REV REV REV

11/09/2022 21:58:53	PERCEIPTION	OTV	Page 13
PART NO S	DESCRIPTION	QTY	ID
	(1) outlet shall be mounted above the top shelf in Cabinet L8.		
07-10-7230 <	RR, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, 091-219-5 Located in the cab switch panel per Electrical Engineering ignition hot standard	1	REV
07-10-7260 <	RR, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, 091-219-5 (1) Cab switch panel - for total of (2) in cab switch panel (1) Action area	2	REV
08-01-1605 08-01-3200 08-01-4200 08-01-6210 08-02-1150 08-02-1153 08-02-5515	FRONT CONSOLE RR, Console, Drivers Switch & Radio, VMUX, CN11 RR, Console Face Plates, Utilize Nut-Certs to Fasten all RR, Cup Holder, (2) Position Aluminum in the Cab, (Cups No Handles) RR, Clipboard/Map box, (3) Dividers RR, Driver's Control Panel, V-Mux, Touch Screen RR, Console Mount with bezel & USB Programing Port RR, Door Open Indicators (VMUX) Door Open Indicators, - Magnetic Proximity Switches located at the top of the obetween the jamb and the door frame will activate a door open indicator on driver's control panel. The Vista display screen will include a digital layout with open indicators for each module door and activate the corresponding Inter compartment light. NOTE- OPEN CAB DOOR WILL NOT BE SHOWN ODISPLAY.	he door ior	REV REV REV REV REV REV REV
	(STANDARD)		
08-02-9500 <	RR, Cab Dome Light, Weldon 8081 Push Button Split Red/White LED Light in Cab The vehicle cab shall be furnished with a Weldon 8080/8081 series push button s Red/White LED with surface mount bezel in the cab ceiling offset to the passeng side.		REV
08-03-0500 <	ATTENDANT CONTROL PANEL RR, Attendant's Control Panel, Carbon Fiber Graphics, Carling Includes Carling rocker switches	1	REV REV
08-04-3904	RR, Power Distribution, PC Board Electrical System 2015+ (UM & UM-150)	1	
09-03-0020	09 - EMERGENCY Systems- Sirens, Speakers and Air Horns RR, Warning Audible - Siren, Speakers, Air Horns- F-Series	1	REV REV
09-03-1040	SIREN ELECTRONIC - CONTROL HEADS / AMPS RR, Siren Electronic, Whelen 295HFSC9, Dual Tone, Non Remote SIREN SPEAKERS	1	REV REV REV
09-03-2035 <	RR, Speakers, (2) ES100, Through-The-Bumper" w/ESFMT-EF With ESFMT-EF stainless steel Electric "F" grille	1	REV
09-05-0210	RR, Backup Alarm, No Cutoff	1	REV
09-06-0200	RR, Emergency Sequencer/Load Manager FRONT WARNING LIGHT CONFIGURATION	1	REV REV
09-50-1333 <	RR, Visual Warning Front Upper - (5) "Cool Bar" (2) Front Wall Configuration Must pick proper lighting from menu.	1	REV
09-80-2110 < >	AUXILLARY EMERGENCY LIGHTS RR, Warning Light Flasher, Vanner 9860GCPE, PC System Only Vanner 9860GCPE Halogen/LED electronic flasher to power specified lights. F flash Patterns avail.(Alternate flash, Triple burst, Quad burst, double burst.)	1 our	REV REV
	Standard will be dual Burst Flash unless otherwise noted.		
09-80-2110 < >	RR, Warning Light Flasher, Vanner 9860GCPE, PC System Only Vanner 9860GCPE Halogen/LED electronic flasher to power specified lights. F flash Patterns avail.(Alternate flash, Triple burst, Quad burst, double burst.)	1 our	REV

11/09/2022 21:58		RECORDED	OT		Page 14
PART NO	S	DESCRIPTION Standard will be dual Burst Flash unless otherwise noted.	QTY	Y .	ID
09-80-3200	< >	RR, Emergency Flashers Set to, Custom Flash Pattern All Whelen M Series warning lights shall switch to "dim" power mode when the transmission is placed in Park.		1	REV
		(NOTE: 'Wire warning flashers to go to low intensity (SO.WARN.R331022) Flashers that are capable of low intensity shall be reduced to Low intensity through an on/off switch on the front console. Per discussions with Whelen Engineering, will not wire the M series LED lights to automatically reduce to "LOW" power with transmission is placed in "Park". This is a liability issue when reducing the performing daylight hours. We will provide a "Momentary" switch to reduce to "LO power. The switch will reset when the Master Emergency Switch is turned Off at their turned back On. You must notify your customer Road Rescue and Whelen Engineering STRONGLY urge your customer not to reduce power during daylight hours. This only be done with lights capable of low intensity. IATS)	hen ower W" and		
09-80-SR01	U <	White Light Cut Out Switch SR # All Whelen M Series warning lights shall switch to "dim" power mode when	the	1	
		transmission is placed in Park.			
09-95-1504	<	WARNING LIGHTS RR, Whelen M9 LED, w/Chrome Flange LED - WHITE (Internal Flasher) (1) Cool Bar, center position Internally Flashed - DoubleFlash 120 Solid			REV REV
		(2) Cool Bar, (1) each side on angled sections Internally FLashed - DoubleFlash 120 Sol			
09-95-1505	<	RR, Whelen M9 LED, w/Chrome Flange - RED / Clear Lens (Internal Flasher) (2) front of body - (1) in each upper corner (2) L/S of body - (1) in each upper corner (2) R/S of body - (1) in each upper corner Internally Flashed - DoubleFlash 120 Solid	1	0	REV
		(2) Rear of body - (1) in each upper corner On Vanner 9860 flasher			
09-95-1507	<	RR, Whelen M9 LED, w/Chrome Flange - AMBER / Clear Lens (Internal Flasher) (1) Rear of body - centered over rear entry doors Internally Flashed - DoubleFlash 120 Solid		1	REV
09-95-1508	<	RR, Whelen M9 LED, w/Chrome Flange - RED/AMBER Split Clear Lens (Internal Flash (2) Rear of body - (1) each side at window level Amber to the inside.		2	REV
		Internally Flashed - RED DoubleFlash 75 Phase 1 AMBER Double Flash 75 Phase 2			
09-95-2405	<	LED Series - M7 (Flange included RR) RR, Light, Whelen M7 LED, w/Chrome Flange, Red, Clear Lens (Internal Flasher) (2) upper grille (2) front intersection lights (2) rear intersection lights			REV REV
09-95-4208 09-95-9237	>	Whelen 500 Series Super-LED® (Flange Separate) RR, Whelen 500 LIN6 Super LED - Red w/ CLear Lens RR, Housings, Cast, 15 degree angled, M7, Intersection, 2017+ F-series, Pair		2	REV REV REV

11/09/2022 21:)	RECORDITION	ОТ	V	Page 15
PART NO 09-95-SR02	S	<	Whelen ION LED - Red/White, w/Chrome Flange,Clear Lens SR #	QT	10	ID
			(10) Whelen ION Super-LED split red/white lights mounted in the "C" channel rails w/chrome flange - (5) each side per drawing.	rub		
			Three forward of rear wheel and two aft of rear wheel each side. To alternately f red/white with warning lights on in Primary and secondary mode.	ash		
09-95-SR03	U	<	Rub Rail Warning Light Programming SR #		1	
			All Whelen ION LED warning lights in rub rails to be wired so that the white part o light is steady burn when a compartment door in each respective rub rail section opened.			
			le. Comp 1 & 2 control the three lights in the street side front rub rail. Comp #4 co the lights in the street side rear rub rail. Comp 8 and CS access control the front side lights in rub rail and comp #6 control the curbside rear lights in rub rail.			
			EXTERIOR AUTOMOTIVE LIGHTING			REV
10-01-0002		>	> RR, Tail Lights, Brake/Turn, Whelen M6-Series LED, Pair		1	REV
10-01-0007			> RR, Back-up Lights, Whelen M6, LED Rear, Pair		1	REV
			ICC/MARKER LIGHTS			REV
10-01-2010			RR, Marker/Clearance Lights, Front, Whelen OS Mini LED, Amber		1	REV
10-01-2110			RR, Marker/Clearance Lights, Side and Rear, Whelen OS Mini LED, Red/Amber		1	REV
10-01-3002			RR, Chrome Flange, (1) Whelen M6		6	REV
10-01-5020			RR, Outboard Rear Flashers, Wired to OEM Brake Lights		1	REV
10-01-8010		>	RR, Relocate Brake/Tail & Backup Lights to rear Diamond Plate, Amber Turns		1	REV
			above			
40.00.404=			FLOOD AND LOAD SYSTEMS			REV
10-02-1047			RR, Scene Lighting, (2) Whelen Dual Panel PFH2, Pioneer Flood Lights		1	REV
10-02-2020			RR, Rear Load Lights, (2) Whelen M9 Series Super LED		1	REV
10-02-3010			RR, Lighting Operation, Side Scene, Rear Load & Back-Up Lights		1	REV
10-02-4311		<	Scene Lighting, Additional - Front of Body		1	REV REV
10-02-4311		`	RR, Scene, Additional, (1) Whelen Dual Panel PFH2 Pioneer Flood Light, Recess		ı	KEV
			There shall be (1) Whelen Pioneer PFH2 Dual Panel LED scene light installed	n a		
			PBH203 recessed mount fixture and centered on the front wall of the module			
			separate switch shall be mounted in the front console to turn on flood light.			
			-			
			(1) front of body, centered under the Cool Bar			
			Cab Entry - Lighting			REV
10-02-8020			RR, Light, Cab Entry, 4" Whelen LED Courtesy Lighting		1	REV
10-02-9020			RR, Ground Effect, 4" Round LED, Bracket Mtd (1)		6	REV
10-02-90SR	U	<			1	
			SR#			
			Wire (6) LED under body lights to automatically turn on when transmission is pla	ced		
			in reverse.			
			11 - INTERIOR LIGHTING			REV
11-01-1201		<	RR, Dome Lights - Whelen 8", White Flange, LED,(11),No Visible Fasteners		1	
11-01-1201			The interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of (11) Whelen 8" round dual intensity of the interior lighting system shall consist of the intensity of the intensi	white	1	IXL V
			diode super-LED lights with white flange in the following configuration:	VIIICE		
			(3) Cot lights In the medical device rail over the primary cot			
			(2) Bench lights over the squad bench			
			(3) Dome lights Street side			
			(1) Dome light Curbside over head of squad bench			
			(1) Dome light Curbside ever riead of squad bench (1) Dome light Curbside rear			
			(1) Dome Light over the walkway			
			(.,g.,			
			The four outside corner lights and the (1) light over the CPR seat area and the	(1)		
				· /		

11/09/2022 21:5		ı				Page 16
PART NO	S		DESCRIPTION	QTY	1	ID
			over the walkway shall be designated module dome lights and be activated when t			
			side or rear module entrance doors are opened or by a three-way circuit allowing	าg		
			these lights to be turned on and off from cab or module. The lights over the prin			
			cot and squad bench shall have switches in the module that will allow independent	ent		
			high/low/off control. The lights shall produce at least 35 foot candles of light o			
			ninety percent of the cot surface area in the high setting. These lights will not	be		
			installed with mechanical fasteners, they will be fastened with a spring clip.			
			NOTE: NO VISABLE FASTENERS OR HOLES.			
			NOTE. NO VIOLBLE L'AGTENERO OR FIGLEO.			
11-01-9000			RR, Timer -15 minute- Restocking		1	REV
			SPOTLIGHTS / HANDHELD LIGHTS			REV
11-02-1000			RR, Handheld Spotlight - Sho-Me 200,000 CP			REV
11-02-8100			RR, Streamlight Survivor, DIV2			REV
11-02-8101		< >	RR, Orange Division 2- #90503, Each		2	REV
			(2) mounted on bottom shelf forward in Compartment #4			
11-02-8500	U	<	Streamlight Fire Vulcan, Blue Tail Lights		1	
11-02-0300	U	`	(1) Side of right front cabinet wall above crawl through door per drawing.		'	
			(1) Side of right from Cabinet wall above crawl through door per drawing.			
11-02-85SR	U		(1) Fire Vulcan LED - #44450		1	
11-02-9101		<	RR, Wiring For Flashlight - 12V Direct to Battery		4	REV
			Must pick quantity and give exact locations, also a wiring code must be picked	for		
			each light or for each pre-wire.			
11-02-SR01	U	<	Streamlight Stinger DS LED Flashlight		1	
			SR#			
			Madal # 75000			
			Model # 75866 mounted on passenger front of console, vertically.			
			ATTENDANT LIGHT			REV
11-03-1010		<	RR, Attendant Light - 6" x 14" Diffusion Plate Light		1	REV
11 00 1010			The cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will have a sweep out cover panel over the wiring on the cabinet above the light will be cabled a		•	- _ \
			floor of the cabinet if the switch panel is not part of the design of the upper 2 cabinet			
			SHORELINE INLET			REV
12-01-5400		<	RR, Shoreline Inlet, Kussmaul Super Auto-Eject, 20A		1	REV
			Shore Inlet, 20 AMP, Auto Eject ILOS.			
			20 AMP/125VAC shoreline inlet in lieu of standard 15 amp. Includes mating fem			
			connector body for inlet and 20 amp GFI circuit breaker combo in lieu of standard	15		
			amp. Install the breaker box installed behind the driver's seat.			
			install the breaker box installed behind the driver's seat.			
12-01-5700		<	RR, Kussmaul Super Auto-Eject, 30A		1	REV
			Shore Inlet, 30 AMP, Auto Eject ILOS.			
			30 AMP/125VAC shoreline inlet in lieu of standard 15 amp. Includes mating fem			
			connector body for inlet and 30 amp GFI circuit breaker combo in lieu of standard	15		
			amp.			
			Install the breaker box installed behind the driver's seat.			
			NOTE: The #1 exterior compartment is required to be reduced in width by 1.50 inch			
			NOTE: The #1exterior compartment is required to be reduced in width by 1.50 inch to accommodate the foot print of this shore inlet.	65		
			to accommodate the loot print of this shore inlet.			
12-01-5702			RR, Kussmaul, Eject, Cover, 30A, Red		1	REV
12-01-6400			RR, Kussmaul ,Eject, Cover, 15 or 20A, Yellow			REV
12-01-8100		<	RR, Shoreline Indicators, (2), "ON" Green OS Mini Indicator Lights		1	REV
			These lights are to be wired after the GFI breaker to indicate shore power is 'ON'	ınd		
			breaker has not tripped.			
			MI 1 M: 00			
			Whelen Mini OS			
			(1) above each shoreline			
			(1) above each shoreline			

11/09/2022 21:58:53 Page 17

PART NO S DESCRIPTION QTY D	11/09/2022 21:58:53	3				Page 17
12-02-0200 S. RR, Outlets, Interior, 125V-15A (1) Action Wall, (1) Right Stack (1) outlet shall be mounted on the action area medical rail (1) outlet shall be mounted on the action area medical rail (1) outlet shall be mounted above the top shelf in cabinet L8 (1) Cabinet L2 (below action area) (1) Cabinet L3 (below action ar	PART NO S		DESCRIPTION	QT		ID
(1) outlet shall be mounted above the top shelf in cabinet L8 12-02-2100	12-01-9020				1	
(1) outlet shall be mounted above the top shelf in cabinet L8 12-02-2100	12-02-0200	<	RR, Outlets, Interior, 125V-15A (1) Action Wall, (1) Right Stack		1	REV
(1) outlet shall be mounted above the top shelf in cabinet L8 12-02-2100			(1) outlet shall be mounted on the action area medical rail			
12-02-2100 SRR-Outlets, Interior, Additional, 125V-15A, Custom Location, Each (1) Cabinet L2 (below action area) (1) Cabinet L2 (below action area) (1) Cabronsole - passenger's side BLOCKHEATERS 1						
12-02-2100 SRR-Outlets, Interior, Additional, 125V-15A, Custom Location, Each (1) Cabinet L2 (below action area) (1) Cabinet L2 (below action area) (1) Cabronsole - passenger's side BLOCKHEATERS 1			(1) outlet shall be mounted above the top shelf in cabinet L8			
(1) Cabinet L2 (below action area) (1) Cab Console - passenger's side 12-02-4001 Slock Heater - With OEM Plug This option does not include a switch. (STANDARD). INVERTER - 125VAC 12-03-1000 RR, Inverter Charger - Pre wire, Under 2000W Wiring only for 1200 watt maximum 'UL' issted inverter with internal transfer relay and battery charger. Wiring setup is for installation in bottom section of Left Stack/Fadio Cabinet. Includes remote orioff switch in the rear switch panel. (STANDARD) 13-01-2000 RR, HVAC - Central Air Flow Discharge (UM & UM-150) 13-01-2000 RR, Climate Control - (UM & 200-EM) 13-02-2022 RR, Exhausi Fan- Upgraz-2619(U, 8) Devel Standard Location RR						
(1) Cabinet L2 (below action area) (1) Cab Console - passenger's side 12-02-4001 Slock Heater - With OEM Plug This option does not include a switch. (STANDARD). INVERTER - 125VAC 12-03-1000 RR, Inverter Charger - Pre wire, Under 2000W Wiring only for 1200 watt maximum 'UL' issted inverter with internal transfer relay and battery charger. Wiring setup is for installation in bottom section of Left Stack/Fadio Cabinet. Includes remote orioff switch in the rear switch panel. (STANDARD) RRV 13-01-1200 RR, HVAC - Gentral air, Frivon Wischlarge (UM & UM-150) RRV 13-01-1200 RR, Climate Contral air, Frivon Wischlarge (UM & UM-150) RRV 13-02-0222 RR, Exhaust Fan - Upgrade 230 CFM, (2) Speed, Standard Location RRV 13-02-5702 RR, Cever, Cool Bar, (6) M9 Series lights 1 13-02-5702 RR, Cever, Cool Bar, (6) M9 Series lights 1 13-02-5702 RR, HVAC Front Wall Coolbar, 12V/125V Hoseline, Ford F-series BRUSHLESS 1 13-02-5728 S < > RR, HVAC Front Wall Coolbar, 12V/125V Hoseline, Ford F-series BRUSHLESS 1 14-02-9000 RR, Cever, Cool Bar, (6) M9 Series lights 1 13-02-9338 RR, Heater Valves, (2) Manual Shut-off Valves 1 13-02-9338 RR, Heater Valves, (2) Manual Shut-off Valves 1 13-02-9339 RR, Return Air System 1 13-02-9000 RR, Return Air System 1 13-03-1000 RR, Return Air System 1 13-03-1000 RR, Return Air System 1 13-03-1000 RR, Return Air Central Plenum 1 13-03-1000 RR, Return Air System 1 13-03-3000 RR, Return Air Central Plenum 1 13-03-3000 RR, Return Air System 1 14-01-1010 RR, Col Mountlis, Hardware 1 14-01-1020 RR, Col Mountlis, Hardware 1 14-01-1020 RR, Oz System, PC System 1 14-01-1020 RR, Oz System, PC System	12-02-2100	< >	RR-Outlets, Interior, Additional, 125V-15A, Custom Location, Each		2	REV
12-02-4001 Section S						
12-02-4001 Slock Heater - With OEM Plug						
12-02-4001 Selock Heater - With OEM Plug This option does not include a switch. (STANDARD). INVERTER - 125VAC			(1) cas consolo paccongo o ciac			
12-02-4001 Selock Heater - With OEM Plug This option does not include a switch. (STANDARD). INVERTER - 125VAC			BLOCKHEATERS			RFV
This option does not include a switch. (STANDARD). INVERTER - 125VAC	12-02-4001	<			1	
(STANDARD). INVERTER - 125VAC 12-03-1000 C > RR, Inverter Charger - Pre wire, Under 2000W Wiring only for 1200 watt maximum "U" listed inverter with internal transfer relay and battery charger. Wiring setup is for installation in bottom section of Left Stack/Radio Cabinet. Includes remote on/off switch in the rear switch panel. (STANDARD) RR STANDARD RR HVAC - Central Air Flow Discharge (UM & UM-150) RR REV REV REV RR REV RR REV RR REV REV RR REV RR REV REV RR REV REV	12 02 1001	-			•	1 (_ v
INVERTER - 125VAC						
12-03-1000 S. RR, Inverter Charger - Pre wire, Under 2000W Wiring only for 1200 wat maximum 'UL' listed inverter with internal transfer relay and battery charger. Wiring setup is for installation in bottom section of Left Stack/Radio Cabinet. Includes remote on/off switch in the rear switch panel. (STANDARD) STANDARD S			(STANDARD).			
12-03-1000 S. RR, Inverter Charger - Pre wire, Under 2000W Wiring only for 1200 wat maximum 'UL' listed inverter with internal transfer relay and battery charger. Wiring setup is for installation in bottom section of Left Stack/Radio Cabinet. Includes remote on/off switch in the rear switch panel. (STANDARD) STANDARD S			INIVEDTED 405VAC			DEV
Wiring only for 1200 watt maximum 'UL' listed inverter with internal transfer relay and battery charger. Wiring setup is for installation in bottom section of Left Stack/Radio Cabinet. Includes remote on/off switch in the rear switch panel. (STANDARD) 13-BANDARD 13-ENVIROMENTAL SYSTEMS REV REV	10.00.1000				,	
Battery charger. Wiring setup is for installation in bottom section of Left Stack/Radio Cabinet. Includes remote on/off switch in the rear switch panel. (STANDARD)	12-03-1000	` _			1	REV
Cabinet. Includes remote on/off switch in the rear switch panel. (STANDARD) 13 - ENVIRONMENTAL SYSTEMS REV						
13 - ENVIRONMENTAL SYSTEMS REV				adio		
REV RR, HVAC - Central Air Fiew Discharge (UM & UM-150) 1 REV RR, Climate Control - (UM & UM-150) 1 REV RR, Climate Control - (UM & UM-150) 1 REV RR, Ekhaust Fan - Upgrade 230 CFM, (2) Speed, Standard Location REV			Cabinet. Includes remote on/off switch in the rear switch panel. (STANDARD)			
REV RR, HVAC - Central Air Fiew Discharge (UM & UM-150) 1 REV RR, Climate Control - (UM & UM-150) 1 REV RR, Climate Control - (UM & UM-150) 1 REV RR, Ekhaust Fan - Upgrade 230 CFM, (2) Speed, Standard Location REV						
13-01-1200						
13-01-2000 RR, Climate Control - (UM & UM-150) RR, Caylaust Fan - Upgrade 230 CFM, (2) Speed, Standard Location REV HVAC BASE SYSTEM - HOSELINE REV REV HVAC BASE SYSTEM - HOSELINE REV REV Location Location Location Location REV REV REV Location Loc			ENVIROMENTAL CLIMATE CONTROL SYSTEM	ĺ		
13-01-2000 RR, Climate Control - (UM & UM-150) RR, Caylaust Fan - Upgrade 230 CFM, (2) Speed, Standard Location REV HVAC BASE SYSTEM - HOSELINE REV REV HVAC BASE SYSTEM - HOSELINE REV REV Location Location Location Location REV REV REV Location Loc	13-01-1200		RR, HVAC - Central Air Flow Discharge (UM & UM-150)		1	REV
13-02-5702 RR, Cover, Cool Bar, (5) M9 Series lights	13-01-2000		RR, Climate Control - (UM & UM-150)	ĺ	1	REV
13-02-5702 RR, Cover, Cool Bar, (5) M9 Series lights	13-02-0222				1	
13-02-5702 CRR, Cover, Cool Bar, (5) M9 Series lights	. 0 0					
Drawing # 303347	13-02-5702	<			1	
(5) M9 series lights only. Note: Will be painted same color as the mount location on box front. 13-02-5728 S <> RR, HVAC Front Wall Coolbar, 12V/125V Hoseline, Ford F-series BRUSHLESS 1 Motor 110/12V HVAC Aux Front Wall COOLBAR - Hoseline. Wired to operate on 110 when plugged into shoreline and 12volt when on chassis power. 12V and 110V to run through the condenser. "NOT AVAILABLE ON MODULES THAT ARE 150" L 158" L. DUE TO THE DE PTH OF THE ALS" 13-02-9000 > RR, Heater Valves, (2) Manual Shut-off Valves 1 REV RR, Thermostat, Hoseline Digital, CM5000 1 REV RR, Thermostat, Hoseline Digital, CM5000 1 REV REV RR, Thermostat, Hoseline Digital, CM5000 1 REV REV RR, Heat/AC Cabinet 1 REV RR, Safety Hook, Stryker, Installed 1 REV RR, Safety Hook, Stryker, Installed 1 REV RR, Safety Hook, Stryker, Installed 1 REV RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant 1 REV Includes constant hot power supply for battery charging. 14-01-4028 Center Mount OXYGEN AND AIR SYSTEMS RR RC CAB RR, O2 System 1 REV RR, O2 Cylinder Wrench 1 REV RR, O2 Cylinder Wrench 1 REV RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank	10 02 07 02	-			•	1 (L V
Note: Will be painted same color as the mount location on box front.						
13-02-5728 S S RR, HVAC Front Wall Coolbar, 12V/125V Hoseline, Ford F-series BRUSHLESS 1 Motor 110/12V HVAC Aux Front Wall COOLBAR - Hoseline. Wired to operate on 110 when plugged into shoreline and 12volt when on chassis power. 12V and 110V to run through the condenser. "NOT AVAILABLE ON MODULES THAT ARE 150" L 158" L. DUE TO THE DE PTH OF THE ALS" 1 REV 13-02-9338 RR, Thermostat, Hoseline Digital, CM5000 1 REV 13-02-9338 RR, Thermostat, Hoseline Digital, CM5000 1 REV 13-03-1000 RR, Return Air System 1 REV 13-03-2000 RR, Return Air System 1 REV 13-03-3000 RR, Return Air Contral Plenum 1 REV 14-101-1010 RR, Cot Mounting, Hardware 14 - MEDICAL SYSTEMS REV RR, Safety Hook, Stryker, Installed 14-01-1623 RR, Safety Hook, Stryker, Installed 1 REV RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant 1 REV 14-01-1623 RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant 1 REV 14-01-4028 Center Mount 0 Center Mount 0 Center Mount 0 Center Mount 0 RR, O2 System, PC System 1 REV RR, O2 Cylinder Wrench 1 REV RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) 1 REV Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank Tental Park T						
Motor			Note: Will be painted same color as the mount location on box front.			
Motor						
Motor	40.00.5700		DD 11/40 Front Well Ocalibar 40/4405/411 Food Frontier DD110111 F00		_	DE\/
110/12V HVAC Aux Front Wall COOLBAR - Hoseline. Wired to operate on when plugged into shoreline and 12volt when on chassis power. 12V and 110V to run through the condenser. "NOT AVAILABLE ON MODULES THAT ARE 150" L 158" L. DUE TO THE DE PTH OF THE ALS"	13-02-5/28 S	< >			1	REV
When plugged into shoreline and 12volt when on chassis power. 12V and 110V to run through the condenser. "NOT AVAILABLE ON MODULES THAT ARE 150" L 158" L. DUE TO THE DE PTH OF THE ALS"						
13-02-9000						
13-02-9000			when plugged into shoreline and 12volt when on chassis power. 12V and 110V	to		
13-02-9000						
13-02-9000			·			
13-02-9000			"NOT AVAILABLE ON MODULES THAT ARE 150" L 158" L. DUE TO THE DE	PTH		
13-02-9000						
13-02-9338						
13-02-9338						
13-02-9338	13-02-9000	>	RR. Heater Valves. (2) Manual Shut-off Valves		1	REV
13-03-1000					-	
13-03-1000 RR, Return Air System 1 REV 13-03-2000 RR, Return Air Central Plenum 1 REV 13-03-3000 RR, Heat/AC Cabinet 1 REV 14 - MEDICAL SYSTEMS REV COT MOUNTING PROVISIONS 14-01-1010 RR, Cot Mounting, Hardware 1 REV 14-01-1110 RR, Post & Wheel Cups, None 1 REV 14-01-1235 RR, Safety Hook, Stryker, Installed 1 REV 14-01-1623 RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant includes constant hot power supply for battery charging. 1 REV 14-01-4028 Center Mount 1 REV 14-02-0050 RR, O2 System, PC System 1 REV 14-02-1000 RR, O2 Cylinder Wrench 1 REV 14-02-2220 RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) Motor on the right. 1 REV Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank	10 02 3000	- 1			•	1 (L V
13-03-2000			Would probe in hold of evaporator			
13-03-2000	13 03 1000		RR Return Air Svetem		1	DE\/
13-03-3000 RR, Heat/AC Cabinet 14 - MEDICAL SYSTEMS REV			INA, Neturi Air Control Blooms		<u> </u>	
14 - MEDICAL SYSTEMS					1	
COT MOUNTING PROVISIONS REV	13-03-3000				I	
14-01-1010RR, Cot Mounting, Hardware1REV14-01-1110RR, Post & Wheel Cups, None1REV14-01-1235RR, Safety Hook, Stryker, Installed1REV14-01-1623< RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant includes constant hot power supply for battery charging.						
14-01-1110RR, Post & Wheel Cups, None1REV14-01-1235RR, Safety Hook, Stryker, Installed1REV14-01-1623RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant includes constant hot power supply for battery charging.1REV14-01-4028Center Mount1REVOXYGEN AND AIR SYSTEMS14-02-0050RR, O2 System, PC System1REV14-02-1000RR, O2 Cylinder Wrench1REV14-02-2220RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic)1REVMotor on the right.Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank						
14-01-1235 RR, Safety Hook, Stryker, Installed 14-01-1623 RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant includes constant hot power supply for battery charging. 14-01-4028 Center Mount OXYGEN AND AIR SYSTEMS 14-02-0050 RR, O2 System, PC System 14-02-1000 RR, O2 Cylinder Wrench 14-02-2220 RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank					-	
14-01-1623 < RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant includes constant hot power supply for battery charging. 14-01-4028					1	
includes constant hot power supply for battery charging. 14-01-4028 Center Mount OXYGEN AND AIR SYSTEMS 14-02-0050 RR, O2 System, PC System 1 REV REV 14-02-1000 RR, O2 Cylinder Wrench 1 REV REV 14-02-2220 RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank	14-01-1235			ĺ	1	
includes constant hot power supply for battery charging. 14-01-4028 Center Mount OXYGEN AND AIR SYSTEMS 14-02-0050 RR, O2 System, PC System 1 REV REV 14-02-1000 RR, O2 Cylinder Wrench 1 REV REV 14-02-2220 RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank	14-01-1623	<	RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant		1	REV
14-01-4028 Center Mount OXYGEN AND AIR SYSTEMS 14-02-0050 RR, O2 System, PC System 14-02-1000 RR, O2 Cylinder Wrench 14-02-2220 < RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank						
OXYGEN AND AIR SYSTEMS 14-02-0050 RR, O2 System, PC System 11 REV REV REV 14-02-1000 RR, O2 Cylinder Wrench RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank						
OXYGEN AND AIR SYSTEMS 14-02-0050 RR, O2 System, PC System 11 REV REV REV 14-02-1000 RR, O2 Cylinder Wrench RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank	14-01-4028		Center Mount		1	REV
14-02-0050 RR, O2 System, PC System 14-02-1000 RR, O2 Cylinder Wrench 14-02-2220 RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) 1 REV 14-02-2220 RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) 1 REV 14-02-2220 Motor on the right. 2 Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank					-	
14-02-1000 RR, O2 Cylinder Wrench 1 REV 14-02-2220 < RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) 1 REV Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank	14-02-0050				1	
14-02-2220 < RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic) 1 REV Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank					1	
Motor on the right. Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank			RR O2 Cylinder Lift Zico 'OTS' Electric w/OPM\/ Multivorcal Book / Ultra Madia\		1	
Zico Model 'OTS' (Oxygen Tank System) electric lift with QR-MV style oxygen tank	14-02-2220	`			ı	ΝΕV
			Motor on the right.			
bracket in #1 compartment in lieu of standard O2 tank bracket. Includes a remote						
			bracket in #1 compartment in lieu of standard O2 tank bracket. Includes a rem	ote		

11/09/2022 21:58:				Page 18
PART NO S	5	DESCRIPTION	QTY	ID
		'Up'/'Down' switch with cord mounted in a holder inside compartment. Included deletion of universal cylinder bracket, divider and shelf. A false mounting wall we installed at the back of the compartment to achieve the required 14 inches from the compartment in the compartment of the compartment in the compartment.	ll be	
		mounting to door sill. Stainless Steel Braided O2 Hose between wall mounted O2 regulator and tank fit		
		to be long enough to disconnect from the tank when the 'OTS' lift is in the doposition.)wn	
14-02-3000 14-02-3150		RR, O2 Control - Electric with Manual Bypass on Action Wall. RR, O2 Regulator, 50 PSI Preset	1	REV REV
14-02-3161 14-02-4000	<	RR, O2 Regulator, Wall Mount (PC) for use with Zico Lift RR, O2 Outlets, Ohio Style, (2) Action Wall, (1) Squad Bench (2) O2 outlets in Action area medical device rail	1 1	REV REV
		(1) O2 outlet CS Wall head of squad bench in medical device rail		
		*** NOTE *** O2 outlets MUST be at least 12" from any 125V AC outlet.		
14-02-4211 14-02-4740	_	RR, O2 Outlet, Ohio Style, Additional in Ceiling > RR, O2 Gauge, 3000 psi, Action Wall	1 1	REV REV
14-02-4740		Gauge installed on action wall. Includes adding a riser to bring the gauge out fur from the wall due to the depth of the gauge.		TXL V
14-02-6150	<	 RR, O2 Cylinder Holder, Zico QR-D-2 Strapless "D" Bracket, CN 10 Certified, Each In the open storage head of squad bench 	2	REV
		in the open storage nead of squad benon		
14-02-9020	<	RR, Brackets, SCBA, Zico Bracket # UN-6-30-3-SF, Exterior Compartment, Pair (1) on each corner bracket in Compartment #4	1	REV
14-03-1010	<	SUCTION SYSTEM > RR, Suction System, SSCOR On-Board Conforms to J3043 requirements	1	REV REV
		MISC MEDICAL		REV
14-04-1000	<		1 side	
14-04-SR01 L	J <	TMS Defibrillator Bracket SR #	1	
		TMS Medical Technologies swivel bracket for Phillips MRX defibrillator Mounte rear of action area includes avonite riser.	d at	
14-04-SR02 U	J <	Havis MDT Mounting Bracket SR #	1	
		8.5" Heavy Duty Telescoping Pole, Side Mount, Short Handle Part # C-HDM-204 Universal Adapter Plate Part # C-ADP-101.	with	
		Mounted at the front Passenger side of the center console.		
14-04-SR03 L	J <	Stryker #6507 Power-PRO 2 Stretcher SR #	1	
		Power-PRO 2 Stretcher		
		Dual Wheel Lock X-Restraint Package Retractable Head Section O2 Bottle Holder 3-Stage IV Pole PR		
		Equipment Hook Head End Storage Flat		


11/09/2022 21:58:53 Page 19

11/09/2022 21:58:53			Page 19
PART NO S	DESCRIPTION XPS Side Rail XPS Mattress	QTY	ID
	Knee-Gatch		
	Dual Compatibility Backrest Storage Pouch		
	Steer-Lock Steer-Lock		
	15 - PAINT / DECALS AND NOMENCLATURE PAINT AND FINISH		REV REV
15-00-0100 15-01-2011 <	RR, Road Rescue Paint Process > Module Paint, Paint other than OEM, Red or Metallic Paint code: TBD	1	REV REV
	Mail approval spray-out to:		
	King and Queen Emergency Services ATTN: Greg Hunter 242 Allens Circle		
	King and Queen Courthouse, VA 23085		
15-01-4010 <	Module Paint, Flat Portion of Roof to be Painted White Ford white: FA91:YZ	1	REV
15-01-5600 <	> Cab Paint - Single Color, Repaint other than OEM, Red or Metallic Paint code: TBD	1	REV
	Mail approval spray-out to:		
	King and Queen Emergency Services ATTN: Greg Hunter		
	242 Allens Circle King and Queen Courthouse, VA 23085		
	THE CAB INSERT MUST MATCH THE AREA THAT IT IS INSERTED INTO		
15-02-3001	RR, Pinstripe, None, Fine Line Paint Edge GRAPHICS AND LETTERING	1	REV REV
15-02-8102 15-02-8106 <	RR, Chevron Striping - Entire Rear	1 1	REV REV
15-02-SR01 U <	Lettering and Graphics	1	
	To be completed by 24/Seven Graphics.		
15-03-3900 <	RR, Badge Logos Do not install until after graphics.	1	REV
15-03-4000 <	RR, Logos and Model Name Do not install until after graphics.	1	REV
15-03-4002 <	RR, Ultramedic - White Logos Do not install until after graphics.	1	REV
15-04-1000 16-01-0200 74-09-0099	RR, Nomenclature Plaques. DIESEL. RR, Owner's Manual Indemnification Statement	1 1 1	REV REV REV
. 7 00 0000	The purchaser agrees to defend, indemnify and hold Rev Ambulance Groharmless from any claims, costs (including actual attorneys' fees), damages a liabilities caused in whole or in part by any alteration or modification of, or change additions to the purchased products OR use of product for purposes it was redesigned or intended for.	up and es or	Y V

11/09/2022 21:58:53 PART NO S Page 20 **ID** DESCRIPTION == Factory Ship Loose - EMS Equipment - 1.043 10/28/22 ==







DOOR	R INTERIOR DIMENSIONS		ITERIOR DIMENSIONS NOTES		NOTES:	PROPRIETARY AND CONFIDENTIAL
NO.	HEIGHT	WIDTH	DEPTH			THIS INFORMATION CONTAINED IN THIS
1	86.50"	21.75"	22.00"	ZICO 02 LIFT, DOOR LOUVERS, 02 STORAGE		DRAWING IS THE SOLE PROPERTY OF ROAD
2	28.00"	43.88"	21.25"	(1) ADJ. SHELF		RESCUE ANY REPRODUCTION IN PART
4	59.06"	31.00"	21.25"	(2) ADJ. SHELVES, (2) ANGLED SCBA BRACKETS	DETAILS ARE CONCEPTUAL ONLY LAYOUT AND ALL DIMENSIONS	OR AS A WHOLE WITHOUT THE WRITTEN
					ARE APPROXIMATE AND SUBJECT TO MODIFICATION BY DESIGN ENGINEERING.	PERMISSION OF ROAD RESCUE IS PROHITTED.

Road Rescue, Inc. Winterpark, FL 32892 www.roadrescue.com PHONE 800-932-7077 FAX 800-513-2688

REVISION 1

REVISION 2

DATE

12/16/2021

DRAWN BY

RRS

STREETSIDE EXTERIOR DETAIL SCALE

SHEET

OF

10

BID NUMBER




NOTE: THIS DRAWING IS SUBJECT TO CHANGE PENDING ROAD RESCUE, INC. PRODUCTION ENGINEERING APPROVAL. @ROAD RESCUE, INC. ALL RIGHTS RESERVED.

REVISION 3









DOOR	INTERIOR DIMENSIONS		ERIOR DIMENSIONS NOTES		DOOR	DOOR DI	MENSIONS	MISC.	PROPRIETARY AND CONFIDENTIAL
NO.	HEIGHT	WIDTH	DEPTH		NO. [HEIGHT	WIDTH	NOTES	THIS INFORMATION CONTAINED IN THIS
6	81.50"	22.75"	22.00"	FIXED DIVIDER, (2) ADJ. DIVIDERS, (1) ADJ. SHELF	8	54.75"	23.00"	RIGHT STACK/ALS ACCESS	DRAWING IS THE SOLE PROPERTY OF ROAD
					P1	80.00"	30.06"	SLIDING LIMO TINTED WINDOW 18" X 18"	RESCUE ANY REPRODUCTION IN PART
					DETAILS ARE CONCEPTUAL ONLY LAYOUT AND ALL DIMENSIONS OR AS A WHOLE WITHOUT THE WRITT				
					ARE A	PPROXIMA ⁻	TE AND SU	JBJECT TO MODIFICATION BY DESIGN ENGINEERING.	PERMISSION OF ROAD RESCUE IS PROHITTED.

Road Rescue, Inc. Winterpark, FL 32892 www.roadrescue.com PHONE 800-932-7077 FAX 800-513-2688

DATE

12/16/2021

DRAWN BY

RRS

REVISION 1

CURBSIDE EXTERIOR DETAIL

REVISION 2 REVISION 3 SCALE SHEET OF 10


BID NUMBER




NOTE: THIS DRAWING IS SUBJECT TO CHANGE PENDING ROAD RESCUE, INC. PRODUCTION ENGINEERING APPROVAL. © ROAD RESCUE, INC. ALL RIGHTS RESERVED.









DOOR	R CLEAR OPENING		NOTES		PROPRIETARY AND CONFIDENTIAL
NO.	HEIGHT	WIDTH	DEPTH		THIS INFORMATION CONTAINED IN THIS
R1	61.44"	50.25"	FIXED LIMO TINTED WINDOWS 18" X 24"		DRAWING IS THE SOLE PROPERTY OF ROAD
					RESCUE ANY REPRODUCTION IN PART
				DETAILS ARE CONCEPTUAL ONLY LAYOUT AND ALL DIMENSIONS	OR AS A WHOLE WITHOUT THE WRITTEN
				ARE APPROXIMATE AND SUBJECT TO MODIFICATION BY DESIGN ENGINEERING.	PERMISSION OF ROAD RESCUE IS PROHITTED.

Road Rescue, Inc. Winterpark, FL 32892 www.roadrescue.com PHONE 800-932-7077 FAX 800-513-2688

REVISION 1

DATE

12/16/2021

DRAWN BY

RRS

FRONT & REAR EXTERIOR DETAIL

REVISION 2 REVISION 3 SCALE SE

1881

BID NUMBER

OF


10



NOTE: THIS DRAWING IS SUBJECT TO CHANGE PENDING ROAD RESCUE, INC. PRODUCTION ENGINEERING APPROVAL. © ROAD RESCUE, INC. ALL RIGHTS RESERVED.







DOOR	INTERIOR DIMENSIONS		ONS		DOOR	R INTERIOR DIMENSIONS		IONS	MISC.	PROPRIETARY AND CONFIDENTIAL
NO.	HEIGHT	WIDTH	DEPTH	NOTES	NO.	HEIGHT	WIDTH	DEPTH	NOTES	THIS INFORMATION CONTAINED IN THIS
C1	23.00"	28.50"	15.50"	GEN II OHO DOOR, (1) ADJ. SHELF	L2	12.00"	50.00"	18.00"	SLIDING POLY DOORS	DRAWING IS THE SOLE PROPERTY OF ROAD
L1	23.62"	28.50"	15.50"	SINGLE ALUMINUM DOOR,	U4	23.50"	27.50"	18.12"	SLIDING POLY DOORS, (1) ADJ. SHELF, RESTOCK	
U2	23.50"	62.62"	18.12"	SLIDING POLY DOORS, DIVIDER, (2) ADJ. SHELVES, RESTOCKING	DETAIL	DETAILS ARE CONCEPTUAL ONLY. LAYOUT AND DIMENSIONS ARE			OR AS A WHOLE WITHOUT THE WRITTEN	
CL2	23.00"	16.00"	7.00"	GEN II OHO DOOR, (1) ADJ. SHELF	APPR	OXIMATE /	AND SUBJ	ECT TO N	MODIFICATION BY DESIGN ENGINEERING	PERMISSION OF ROAD RESCUE IS PROHITTED.

Road Rescue, Inc. Winterpark, FL 32892

REVISION 1

DATE

12/16/2021

DRAWN BY

STREETSIDE INTERIOR DETAIL

REVISION 2 REVISION 3 SCALE SHEET 4 OF 10

BID NUMBER


18814



NOTE: THIS DRAWING IS SUBJECT TO CHANGE PENDING ROAD RESCUE, INC. PRODUCTION ENGINEERING APPROVAL. © ROAD RESCUE, INC. ALL RIGHTS RESERVED.







DOOR	INTERIOR DIMENSIONS			NOTES
NO.	HEIGHT	WIDTH	DEPTH	
U7	9.00"	40.00"	8.50"	LIFT UP POLY DOOR, RESTOCKING
U7.5	9.00"	38.00"	8.50"	LIFT UP POLY DOOR, RESTOCKING

REVISION 1

DETAILS ARE CONCEPTUAL ONLY. LAYOUT AND DIMENSIONS ARE APPROXIMATE AND SUBJECT TO MODIFICATION BY DESIGN ENGINEERING

THIS INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ROAD RESCUE ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ROAD RESCUE IS PROHITTED

Road Rescue, Inc. Winterpark, FL 32892

DATE

12/16/2021

DRAWN BY

RRS

REVISION 2

CURBSIDE INTERIOR D REVISION 3

SCALE

5 OF 10














DOOR	INTER	IOR DIMENS	IONS	NOTES	
NO.	HEIGHT	WIDTH	DEPTH		
U8	20.00"	25.00"	26.00"	DOUBLE ALUM. DOORS, (1) ADJ. SHELF	
L8	40.00"	28.00"	26.00"	GEN II OHO DOORS, (2) ADJ. SHELVES	

DETAILS ARE CONCEPTUAL ONLY. LAYOUT AND DIMENSIONS ARE APPROXIMATE AND SUBJECT TO MODIFICATION BY DESIGN ENGINEERING

PROPRIETARY AND CONFIDENTIAL THIS INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ROAD RESCUE ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ROAD RESCUE IS PROHITTED.

Road Rescue, Inc. 2737 N. Forsyth Rd. Winterpark, FL 32892 WWW.roadrescue.com PHONE 800-932-7077 FAX 800-513-2688 DRAWN BY DATE REVISION 1 REVISION 2 REVISION 3 SCALE

12/16/2021

RRS

FRONT INTERIOR DETAIL

SHEET 6 OF 10




18814











DETAILS ARE CONCEPTUAL ONLY. LAYOUT AND DIMENSIONS ARE APPROXIMATE AND SUBJECT TO MODIFICATION BY DESIGN ENGINEERING

OF

SHEET 7

10

PROPRIETARY AND CONFIDENTIAL THIS INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ROAD RESCUE ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ROAD RESCUE IS PROHITTED

Road Rescue, Inc. Winterpark, FL 32892

DATE

12/16/2021

DRAWN BY

RRS

www.roadrescue.com PHONE 800-932-7077 FAX 800-513-2688 REVISION 2


REVISION 1

REAR INTERIOR DETAIL REVISION 3 SCALE

BID NUMBER




NOTE: THIS DRAWING IS SUBJECT TO CHANGE PENDING ROAD RESCUE, INC. PRODUCTION ENGINEERING APPROVAL. @ROAD RESCUE, INC. ALL RIGHTS RESERVED.











WHITE PVC HEADLINER

DETAILS ARE CONCEPTUAL ONLY LAYOUT AND ALL DIMENSIONS ARE APPROXIMATE AND SUBJECT TO MODIFICATION BY DESIGN ENGINEERING.

ROPRIETARY AND CONFIDENTIAL THIS INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ROAD RESCUE ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ROAD RESCUE IS PROHITTED.

Road Rescue, Inc. 2737 N. Forsyth Rd. Winterpark, FL 32892

DRAWN BY

RRS

www.roadrescue.com PHONE 800-932-7077 FAX 800-513-2688 DATE REVISION 1 12/16/2021

REVISION 2

CEILING DETAIL

OF 10 SHEET

BID NUMBER



SCALE


REVISION 3



KING AND QUEEN CO. EMERGENCY SERVICES F-550 ULTRAMEDIC







DETAILS ARE CONCEPTUAL ONLY. LAYOUT AND ALL DIMENSIONS ARE APPROXIMATE AND SUBJECT TO MODIFICATION BY DESIGN ENGINEERING.

SHEET 10 OF

THIS INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ROAD **RESCUE ANY** REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ROAD

RESCUE IS PROHIBITED.

Road Rescue

DATE

DRAWN BY

2737 N. FORSYTH ROAD WINTER PARK, FL 32792 www.roadrescue.com PHONE 800-932-7077 FAX 800-513-2688

REVISION 1

NONE

SCALE

10

BID NUMBER



NOTE: THIS DRAWING IS SUBJECT TO CHANGE PENDING ROAD RESCUE PRODUCTION ENGINEERING APPROVAL.

REVISION 3

REVISION 2

© ROAD RESCUE ALL RIGHTS RESERVED.

ITEM #15:

Review Modular Classroom Pricing Options

ACTION REQUESTED:

County Administrator will lead discussion on information provided by Ryan Cantu with Wilmot.

ATTACHMENTS:

• Information provided by Wilmot.

From: <u>Vivian Seay</u>
To: <u>Tina Ammons</u>

Subject: FW: King and Queen County Temp. Classrooms Project *Wilmot Schedule of Values Options rev.12 22 22*

Date: Tuesday, January 3, 2023 5:01:34 PM

Attachments: V KOCHS Temp. Classrooms Schedule of Values Options Rev12 22 22.pdf

V1 KOCHS Temp. Classrooms Schedule of Values Options Rev12 22 22.pdf V2 KOCHS Temp. Classrooms Schedule of Values Options Rev12 22 22.pdf

Master Lease Agreement - Modular Units (Commercial).doc

image001.png
Importance: High

Text Description automatically generated



From: Ryan Cantu <ryan@wilmotmodular.com> Sent: Thursday, December 22, 2022 11:23 AM To: Vivian Seay <vseay@kingandqueenco.net>

Subject: King and Queen County Temp. Classrooms Project *Wilmot Schedule of Values Options rev.12 22 22*

Importance: High

Vivian,

Good Morning!

I attached multiple pricing options for the Temp. Modular Classroom Buildings, as requested, which are based on the Proposal Binder rev.11 23 22.

Attachment V - Outright Purchase

- > Straightforward pricing for the school/County to own the buildings.
- ➤ Installation costs would be invoiced upon completion in 2023.

Attachment V1 - Operating Lease

- Lease pricing broken down by term, the school/County will not own the buildings.
- Lease costs would be invoiced monthly, installation soft costs would be invoiced upon completion in 2023.
- > Knockdown/Removal pricing would be invoiced at the end of the least term.
- > Lease rates are based on financing the building price shown in Attachment V.

Attachment V2 - Capital Lease with \$1 Buyout

- Lease pricing broken down by term, the school/County will own the buildings.
- > Lease costs would be invoiced monthly, installation soft costs would be invoiced upon completion in 2023.
- Knockdown/Removal pricing is not included because the school/County will own the buildings at the end of the term.

<u>Attachment – Master Lease Agreement Terms and Conditions</u>

- > These terms and conditions will apply to the Operating Lease and Capital Lease contracts.
- > Rates provided in attachments V1 and V2 are for planning purposes and require credit review to finalize.
- ightharpoonup We provided the Word Doc format for comments, as needed.

On a side note, I will be on vacation from Friday December 23 and return to the office on Tuesday January 3rd. I am looking forward to catching up with you after the holidays to talk through any questions you may have.

Most importantly I want to wish you and your family a Merry Christmas and Happy New Year!

?	Ryan Cantu Major Projects Director
	1-800-966-8883 443-202-2221 wilmotmodular.com ryan@wilmotmodular.com 5812 Allender Road, White Marsh MD
2	

IMPORTANT: The contents of this email and any attachments are confidential. They are intended for the named recipient(s) only. If you have received this email by mistake, please notify the sender immediately and do not disclose the contents to anyone or make copies thereof.



Outright Purchase Schedule of Values

Attachment V - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Buildings

Built at the Factory: \$1,403,221

Building Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$626,952 Includes Decks, Steps, and ADA Ramps

Project Total: \$2,030,173

Tax Exemption Certificate Required

Refer to Proposal Binder rev. 11 22 22 for Details

Knockdown/Removal are NOT Included



Operating Lease Option #1 Schedule of Values for 24/m Term

Attachment V1 - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION
WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Monthly Rate Based on a 24/m Guaranteed Term

Both Buildings, Decks, Steps, and ADA Ramps: \$47,833/m

Total After 24 Month Period: \$1,147,992

Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$499,748

Knockdown and Removal

Billed at the End of Lease: \$311,703

Project Total: \$1,959,443



Operating Lease Option #2 Schedule of Values for 36/m Term

Attachment V1 - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION
WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Monthly Rate Based on a 36/m Guaranteed Term

Both Buildings, Decks, Steps, and ADA Ramps: \$35,213/m

Total After 36 Month Period: \$1,267,668

Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$499,748

Knockdown and Removal

Billed at the End of Lease: \$311,703

Project Total: \$2,079,119



Operating Lease Option #3 Schedule of Values for 48/m Term

Attachment V1 - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION
WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Monthly Rate Based on a 48/m Guaranteed Term

Both Buildings, Decks, Steps, and ADA Ramps: \$29,003/m

Total After 48 Month Period: \$1,392,144

Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$499,748

Knockdown and Removal

Billed at the End of Lease: \$311,703

Project Total: \$2,203,595



Operating Lease Option #4 Schedule of Values for 60/m Term

Attachment V1 - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION
WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Monthly Rate Based on a 60/m Guaranteed Term

Both Buildings, Decks, Steps, and ADA Ramps: \$25,923/m

Total After 60 Month Period: \$1,555,380

Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$499,748

Knockdown and Removal

Billed at the End of Lease: \$311,703

Project Total: \$2,366,831



Capital Lease w/\$1 Buyout Option #1 Schedule of Values for 24/m Term

Attachment V2 - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Monthly Rate Based on a 24/m Guaranteed Term

Both Buildings: \$63,571/m

Total After 24 Month Period: \$1,525,704

Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$626,952 Includes Decks, Steps, and ADA Ramps

Project Total: \$2,152,656



Capital Lease w/\$1 Buyout Option #2
Schedule of Values for 36/m Term

Attachment V2 - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Monthly Rate Based on a 36/m Guaranteed Term

Both Buildings: \$44,068/m

Total After 36 Month Period: \$1,586,448

Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$626,952 Includes Decks, Steps, and ADA Ramps

Project Total: \$2,213,400



Capital Lease w/\$1 Buyout Option #3
Schedule of Values for 48/m Term

Attachment V2 - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION
WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Monthly Rate Based on a 48/m Guaranteed Term

Both Buildings: \$34,206

Total After 48 Month Period: \$1,641,888

Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$626,952 Includes Decks, Steps, and ADA Ramps

Project Total: \$2,268,840



Capital Lease w/\$1 Buyout Option #4 Schedule of Values for 60/m Term

Attachment V2 - Rev. 12 22 22

TIPS VENDOR NAME AND CONTRACT INFORMATION
WILMOT MODULAR STRUCTURES, INC.
TIPS RFP 210202 Portable Modular Buildings Part 1 or Part 2

Monthly Rate Based on a 60/m Guaranteed Term

Both Buildings: \$28,179

Total After 60 Month Period: \$1,690,740

Design, Delivery, and Installation

Engineering, Freight, Setup, and Installation: \$626,952 Includes Decks, Steps, and ADA Ramps

Project Total: \$2,317,692

This Master Lease Agreement ("Master Lease") dated _	is	made by and between
Insight Investments, LLC, ("Lessor"), a Delaware limited	liability company, 611	Anton Blvd., Suite 700,
Costa Mesa, California 92626, and	("Lessee"), a	corporation, with

This Master Lease shall be effective from

the date hereof.

offices at

LEASE AND TERM

MASTER LEASE AGREEMENT NO.

1. Schedules

Lessor and Lessee may enter into one or more Schedules for the lease of personal property consisting of mobile modular building units, and any related equipment, including, without limitation, steps, and building skirts and supports, upon the terms and conditions set forth herein (all such personal property, together with all replacements, repairs and additions incorporated therein or affixed thereto, are referred to herein as the "Units"). A Schedule may also include the financing of Intangibles. Each Schedule will constitute a separate agreement with respect to that transaction and will specify details and any special terms applicable to that transaction. In the event of any conflict between this Master Lease and a Schedule, the Schedule will govern.

2. Term

On the Acceptance Date, Lessee will be deemed to accept the Units, will be bound to perform its obligations under the Schedule, and the term of the Schedule will begin and continue through the Base Term, and thereafter until terminated by either party upon the expiration of the applicable written Notice Period. If Lessee doesn't give Lessor such notice the Base Term shall be automatically renewed on a quarter to quarter basis at the then current quarterly lease rate. No termination of a Schedule under this Section shall be effective prior to the expiration of the Base Term.

FEES

3. **Rent and Overdue Rate**

Rent is due and payable in advance on the first day of each Rent Interval to the payee and at the location specified in Lessor's invoice. Interim Rent is due and payable upon invoicing. If any payment is not made when due, Lessee will pay interest at the Overdue Rate and, in addition, Lessee shall pay a late payment fee of 5% of the amount of the delinquent rent and other charges.

4. Taxes

Lessee will pay or reimburse, and hereby indemnifies Lessor, its successors and assigns, from all claims, damages, or liabilities arising from, any and all sales and use taxes and other direct taxes as follows: taxes, fees or assessments imposed by the U.S. Government, any state government, or any county, city or other taxing authority, including the United States Department of Housing, for property, excise and gross receipts, license and registration fees assessed or assessable by a taxing authority and allocated by the Lessor on either an individual or prorated basis for any Units based on purchase price, value, possession, use, sites, rentals, delivery or operation thereof and exclude any Federal or State taxes relating to net income. Lessor shall be responsible for filing all personal property tax returns.

FINANCING

5. **Net Lease**

Each Schedule constitutes a net lease. Lessee's obligations (i) to pay Rent and all other amounts due hereunder and (ii) to perform all other Lessee obligations hereunder are absolute, non-cancellable and unconditional and are not subject to any abatement, reduction, set-off, defense, counterclaim, interruption, deferment or recoupment for any reason.

6. Title and Assignment

Lessee acknowledges and agrees that Lessor owns the Units. Lessee's interest is a possessory interest only, Lessee obtains no title to such Units, and Lessee holds the Units subject to and subordinate to the rights of Lessor, any Assignee and any Secured Party. In order to perfect Lessor's security interest in the Units in the event a Schedule is determined to be a lease intended as security, Lessee grants Lessor a security interest in the Units to secure all obligations of Lessee to Lessor and authorizes Lessor, as Lessee's agent, to prepare, execute and file, in Lessee's name, UCC financing statements confirming and perfecting such interests in the Units. Until all obligations of Lessee to Lessor with respect to a Schedule are satisfied in full, Lessee will not file a termination of any financing statement filed by Lessor with respect to the Schedule. Lessee will give Lessor at least thirty (30) days prior written notice of any change in Lessee's name, form of organization or jurisdiction of formation. Lessee will, at its expense, keep the Units free and clear from any liens or encumbrances of any kind (except any caused by Lessor) and will indemnify and hold Lessor and any Secured Party and Assignee harmless from and against any loss caused by Lessee's failure to do so. Upon request, Lessee will mark the Units indicating Lessor's interest.

Lessor will be entitled to sell, assign, or transfer, in whole or in part, its interest in a Schedule, the receivables and/or the Units thereunder or grant a security interest in and to a Schedule and/or the Units to an Assignee. The Assignee may exercise all of Lessor's rights, but Lessor will remain solely responsible for the performance of its obligations hereunder. Lessee consents to and will acknowledge such assignments in a written notice provided by Lessor to Lessee. Upon request, Lessee will provide (i) a secretary's certificate of incumbency and authority, (ii) a legal opinion relating to the representations contained in Section 12, (iii) audited financial statements, (iv) an acceptance certificate; and (v) and any other documentation reasonably requested by Lessor. Lessor acknowledges that any assignment or transfer by Lessor permitted hereunder shall not materially change Lessee's duties or obligations under this Agreement or materially increase the burdens or risks imposed upon Lessee. Lessee waives, and shall not assert against any Assignee or Secured Party, any right or claim that Lessee may have against Lessor or any third party and will pay all Rent and other amounts due under each Schedule without any abatement, reduction, set-off, defense, counterclaim, interruption, deferment or recoupment.

LESSEE RESPONSIBILITIES

7. Selection, Care, Use and Maintenance

Lessee acknowledges that it has selected the Units and specified its configuration based on its own judgment and that it does not rely on any representations made by Lessor.

Lessee's written acceptance of a Unit shall conclusively establish that the Unit is in good and efficient operating order, condition and appearance, and that Lessee unconditionally accepts the Unit "as is" and subject to the provisions of this Agreement.

Lessee will be solely responsible for Units site preparation and related costs, including without limitation, all necessary plumbing, carpentry, electric power, building alterations and architectural plans and drawings. Lessee will pay any and all utilities used or consumed by Lessee in relation to the Units, including, without limitation, electricity, water, gas, sewer and telephone services. Lessee will insure that the Units site meets any Units specifications and that reasonable access thereto is available at the time of Units delivery and installation. Unit specifications and/or drawings, if any, will be provided by the manufacturer and/or Lessor. Lessee, at its expense, will obtain all necessary governmental approvals, planning consents, consents of landlords or adjoining owners and all other required licenses and permits whatsoever. Any drawings and/or specifications provided by Lessor for Units site preparation are solely for the purpose of illustrating Units location and stating minimum specifications for Units installation.

The Units shall be kept by Lessee in its sole possession and control and will be used only by Lessee's qualified employees or agents in compliance with: (A) all applicable laws, statutes and regulations; (B) the Manufacturer's expressed warranties, specifications and anticipated use of the Units; and (C) the terms of the

insurance policies pertaining to the Units and its use. Any costs of such compliance, licensing and registration will be borne by Lessee. Lessee agrees that adherence to such installation, use, operation and compliance will be the sole obligation of Lessee. Lessee will obtain such licensing and registration of the Units as required by Federal, state or local law or regulation, including, but not limited to, any vehicle licensing and registration required by any state or applicable Federal regulations where the Units will be operated.

Lessee shall, at its expense: (A) maintain the Units in good working order and appearance; (B) supply all parts, supplies, utilities and a suitable installation site, necessary for the proper operation of the Units as specified by the Manufacturer; and (C) make all necessary or recommended adjustments, engineering changes and repairs thereto. Lessee will grant access to the Units, and all records and logs relating to the use and maintenance thereof, subject to Lessee's reasonable security requirements, to Lessor, Lessor's Assignee, their agents and the organization providing maintenance services for the Units during normal working hours for inspection, repair, maintenance, installation or required engineering changes and for any other reasonable purposes. Lessor hereby assigns to Lessee any warranty rights which Lessor may have against the Manufacturer, to the extent such warranty rights are assignable. With respect to such warranty rights as are not assignable, Lessor hereby appoints Lessee as its agent and attorney-in-fact for the purpose of enforcing such warranty rights at Lessee's expense.

Lessee will not permit any additions, improvements, variations, modifications or alterations of any kind to be made to the Units without Lessor's prior written consent.

Lessee shall not remove the Units from the location(s) specified on the Schedule without prior written approval from Lessor, and shall notify Lessor immediately of any levy or seizure thereof and shall indemnify Lessor, its successors and assigns, against loss or damage resulting therefrom (including reasonable attorneys' fees and costs).

8. Transportation, Deinstallation, Data Security and End of Term Return Requirements

Lessee assumes the full expense of transportation and in-transit insurance to Lessee's premises and for installation of the Units.

Upon the expiration or termination of a Schedule, Lessee will, at its expense, deinstall, pack and ship the Units to the location specified by the Lessor in accordance with the manufacturer's specifications. The deinstallation of the Units shall be done by the manufacturer's service representative or such other service representative that is acceptable to the Lessor at Lessee's sole expense.

Lessor shall have the right from time to time during regular business hours to enter upon Lessee's premises or elsewhere for the purpose of confirming the existence, condition and proper maintenance of the Units (including the right to review Lessee's records pertaining to the Units). Lessee shall, upon the request of Lessor, and at Lessee's own expense, firmly affix to the Units, in a conspicuous place, a label or metal plate as shall be supplied by Lessor showing Lessor as the owner and lessor of such Units. At least 30 days prior to the return of the Units, but in no event earlier than 60 days prior to such return, Lessee shall, at its sole expense, have the original manufacturer or other similarly qualified Units maintenance representative acceptable to Lessor) conduct a comprehensive physical inspection of the Units and provide Lessor with a condition report based on such inspection. The report shall either certify that the Units are in the condition required under this Agreement, or describe the repairs necessary to cause the Units to comply with such return requirements Lessee shall promptly affect all such repairs at its expense.

Upon return of any Units leased hereunder, the general condition of the Units shall be in good working order and condition (ordinary wear and tear excluded) and all operating components will be able to perform their operating function as originally intended and specified by the manufacturer. Further, the Units shall qualify for any applicable licenses or permits necessary for its intended purpose and operation and shall comply with all applicable federal, state, local and other regulatory requirements.

Notwithstanding the return of the Units at Lessor's location, Units returned with accessories, attachments or other missing items, Units requiring repairs of any kind, or requiring restoration to original specifications and equipment condition due to alterations or modifications performed by Lessee shall remain leased hereunder until said replacements, repairs or restorations have been made by Lessee in a manner acceptable to Lessor. In the event Lessee chooses not to make the required replacements, repairs or restoration, then Lessor shall determine the amount due for replacements, repairs or restoration to be made and the Units will remain leased hereunder without abatement of rental until the date that the amounts due are paid by Lessee. Lessee shall pay Lessor promptly upon receipt of any invoice(s). Any changes, alterations, or improvements shall immediately, upon their completion, become Lessor's property without compensation therefor. At the termination of this Agreement, Lessor may, at its option and at Lessee's sole expense, require Lessee to return the Units to their original specifications.

Ordinary wear and tear will not include contamination by hazardous, toxic or radioactive materials, bio-hazardous substances or petroleum products ("Hazardous Substances"). In no event will Lessee use or store Hazardous Substances in the Units, except such quantities as would be normal in the operation of a commercial office (or educational facility, if applicable). In no event will Lessee locate the Units at a remediation or other site where contamination by Hazardous Substances is foreseeable. If any returned Units are found to have been contaminated by Hazardous Substances during Lessee's possession, Lessor may charge Lessee for the clean-up or may require Lessee to purchase the Units at the then current market price for uncontaminated Units.

If the Units is not timely returned or fails to satisfy the return conditions at the expiration or earlier termination of the Lease, the Lease shall be automatically extended until Lessee causes the Units to satisfy the return conditions provided herein. During such holdover period, Lessee shall pay rental to Lessor as provided in the Lease and shall be liable to Lessor for any net damages suffered by Lessor as a result of such holdover. Lessee shall promptly undertake such actions as necessary to satisfy the return conditions.

9. Relocation or Assignment by Lessee

Throughout the term of the applicable Schedule, Lessee will keep the Units at the site(s) designated in the Schedule or at such other address within the continental United States as Lessor may from time to time approve in writing.

LESSEE SHALL NOT (A) SELL, ASSIGN OR TRANSFER THIS MASTER LEASE OR ANY SCHEDULE, OR ANY RIGHTS, INTERESTS OR OBLIGATIONS HEREUNDER OR THEREUNDER, OR THE UNITS SUBJECT THERETO OR (B) SUBLEASE, RENT OR PERMIT ANYONE OTHER THAN LESSEE TO USE THE UNITS. Any purported sale, assignment, sublease, transfer or other disposition in violation of this section will be of no force and effect.

10. Risk of Loss and Insurance

Effective upon delivery, Lessee will bear the risk of and indemnify Lessor against loss, theft or destruction of or damage to the Units. Lessee will carry casualty insurance for the Units in an amount not less than the Casualty Value and shall carry comprehensive general liability insurance in amounts of not less than \$1,000,000.00 per occurrence covering Lessee, the Units and its use. Lessee will also carry commercial property insurance protecting against all loss and damages, at full replacement cost, sustained or suffered due to the loss of or damage to the Units as a result of collision, fire, lightning theft, flood, windstorm, explosion or any other casualty. All insurance policies will (i) name the Lessor its Assignees and Secured Parties as loss payees for casualty coverage and additional insureds for liability coverage, and (ii) will provide for at least 30 days prior written notice to Lessor, its Assignees and Secured Parties of cancellation or expiration.

Lessee will promptly repair, at its expense, any damaged Units, unless such Units has suffered a Casualty Loss. If the Units has suffered a Casualty Loss, Lessee will notify Lessor within fifteen (15) days of such Casualty Loss and Lessee will replace the damaged Units with Units of the same manufacturer

model, type, feature and configuration, and marketable title in such replacement Units will vest in Lessor free and clear of all liens and encumbrances, except the interest of Lessee under the Lease.

There will be no abatement of any Rent, or any other amounts owed to Lessor under a Schedule, as a result of any loss, theft, destruction or damage to the Units.

11. Indemnification

Lessee will indemnify and hold Lessor, any Assignee and any Secured Party harmless, on an after tax basis, from and against any and all claims, costs, expenses, damages, personal injury damages, property damages and liabilities, including reasonable attorneys' fees, arising out of the ownership (for strict liability in tort only), possession, control, selection, leasing, maintenance, operation, return, or other disposition and use of the Units. The Lessee, however, will not be responsible for injury directly attributed to the intentional or negligent acts or negligent omissions of the indemnified party, its employees or agents.

12. Representations and Warranties

Lessee represents and warrants that (i) this Master Lease and each Schedule will have been executed by a duly authorized representative with full power and authority to legally bind such party, (ii) the Master Lease and each Schedule constitute legal, valid and binding agreements of the Lessee enforceable in accordance with their terms, (iii) the Units are personal property and will not become fixtures under applicable law, (iv) Lessee is the owner of record of the real estate on which the Units will be placed; and (v) there is no mortgage or other lien of record on such real estate nor will there be prior to the placement of the Units.

The parties intend that the Units shall not become fixtures, and the Units shall, in fact, not become fixtures. The Units shall at all times remain the personal property of the Lessor, and Lessee shall take no actions that may result in the Units becoming affixed to real property so as to constitute fixtures. Lessee shall execute, obtain and record such instruments and take such actions as may be necessary to prevent any person from acquiring any rights in any Units paramount to the rights of Lessor, including, but not limited to any notices to persons that the Units are personal property.

Neither Lessee nor any guarantor of Lessee's obligations under a Schedule will permit or suffer a change in its controlling ownership from the date of the applicable Schedule without Lessor's prior written consent.

DEFAULT AND REMEDIES

13. **Default**

The occurrence of any one or more of the following Events of Default constitutes a default under a Schedule:

(i) Failure of Lessee to pay Rent or any other amounts when due, if that failure continues for ten (10) days after written notice; (ii) Failure of Lessee to perform any other term or condition of this Master Lease or the Schedule, if that failure continues for thirty (30) days after written notice; (iii) Any representation or warranty by Lessee or any guarantor of Lessee's obligations proves to have been false or misleading when made; (iv) An assignment by Lessee for the benefit of creditors, the failure by Lessee to pay its debts when due, the insolvency of Lessee, the filing by Lessee or the filing against Lessee of any petition under bankruptcy or insolvency law, or the appointment of a trustee or other officer with similar powers, the liquidation of Lessee, or the taking of any action for the purposes of the foregoing; (v) Lessee dissolves or ceases to do business as a going concern or sells all or substantially all of its assets; (vi) The occurrence of an Event of Default under any Schedule or other agreement with Lessor or its Assignee or Secured Party; or (vii) any guarantor of Lessee's obligations under a Schedule becomes subject to any of the events or occurrences set forth in subsections (iv) or (v).

14. Remedies

Upon the occurrence of any of the above Events of Default, Lessor may at its option exercise one or more of the following rights:

(i) enforce Lessee's performance of the provisions of a Schedule by appropriate court action in law or in equity; (ii) terminate the Schedule without terminating Lessee's obligations thereunder; (iii) recover from Lessee any damages or expenses, including Default Costs; (iv) recover all sums due and accelerate the present value of the remaining payment stream of all Rent due under the applicable Schedule (discounted at the lower of 3% or the rate at which the applicable Schedule was financed with the Secured Party) together with all Rent and other amounts currently due as liquidated damages and not a penalty; (v) enter Lessee's premises to remove and repossess the Units without being liable for damages (except those resulting from its negligence); and (vi) pursue any other remedy permitted by law or equity. No remedy is intended to be exclusive, but each right may be enforced concurrently or individually.

In the event Lessor shall retake possession of the Units or any part thereof, if there shall, at the time of such retaking, be in, upon or attached to such Units any other property, goods or things of value belonging to Lessee or in the custody or control of Lessee, Lessor is hereby authorized to take possession of such property, goods or things of value and hold the same for Lessee either in Lessor's possession or, in the exercise of Lessor's sole discretion, in public storage for the account of, and at the expense of, Lessee.

15. Mitigation

Upon return of the Units pursuant to Section 14, Lessor will use reasonable efforts in accordance with its normal business procedures (without any obligation of priority) to mitigate its damages as described below. LESSEE WAIVES ANY RIGHTS CONFERRED BY STATUTE WHICH MAY REQUIRE LESSOR TO MITIGATE ITS DAMAGES OR MODIFY ANY OF LESSOR'S RIGHTS OR REMEDIES STATED HEREIN. Lessor may sell or lease the Units on a public or private basis. The net proceeds for any such transaction will be determined based upon the following: (a) if sold, the cash proceeds of the sale, less the Fair Market Value of the Units at the end of the Base Term and less the Default Costs; or (b) if leased, the present value (discounted at three points over the prime rate as referenced in the Wall Street Journal at the time of the mitigation) of the rentals for a term not to exceed the remainder of the Base Term at the time of default, less the Default Costs. The proceeds of mitigation, if any, will be applied against liquidated damages due to Lessor. If the net proceeds available after the permitted deductions are less than the amounts due and owing to Lessor under Section 14, Lessee shall be liable for the deficiency.

GENERAL PROVISIONS

16. Lessor Warranty and Assignment of Manufacturer Warranties

Lessor (and any Secured Party and Assignee) warrant to Lessee that so long as Lessee is not in default, they will not disturb Lessee's quiet and peaceful possession, and unrestricted use of the Units or any Intangibles.

To the extent possible, Lessor will assign to Lessee any manufacturers' warranties relating to the Units. Lessee may interact directly with the manufacturer to receive complete documentation relating to the manufacturer warranties and any disclaimers and limitations thereon.

17. Disclaimers, Limitations and Waivers

LESSOR IS NOT THE MANUFACTURER OR SUPPLIER OF THE UNITS AND, EXCEPT AS SET FORTH IN SECTION 16 OF THE MASTER LEASE, MAKES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS OF THE UNITS FOR A PARTICULAR PURPOSE, BOTH AS TO UNITS AND AS TO ANY DELIVERY, INSTALLATION, DEMOBILIZATION, MAINTENANCE OR REPAIR WORK PERFORMED BY LESSOR ON THE

UNITS. Lessor shall not be bound by any statements, agreements or representations not specifically set out herein, unless the same be reduced to writing and signed by any authorized officer of Lessor. The Units are leased "as is".

Lessor is not responsible for any liability, claim, loss, damage or expense of any kind (including strict liability in tort) caused by the, except for any loss or damage caused by the negligent acts of Lessor.

UNDER NO CIRCUMSTANCES, WILL EITHER PARTY BE LIABLE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES (INCLUDING LOST PROFITS OR SAVINGS) EVEN IF SUCH PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. NO RIGHTS OR REMEDIES REFERRED TO IN ARTICLE 2A OF THE UNIFORM COMMERCIAL CODE WILL BE CONFERRED ON LESSEE UNLESS EXPRESSLY GRANTED IN THIS MASTER LEASE OR SCHEDULE.

ARTICLE 2A MAY APPLY TO A SCHEDULE AND LESSEE MAY HAVE CERTAIN RIGHTS THEREUNDER. IF SO, LESSEE ACKNOWLEDGES THAT SUCH A SCHEDULE IS A FINANCE LEASE AS DEFINED IN UCC SECTION 2A-103. TO THE EXTENT PERMITTED BY LAW, LESSEE HEREBY WAIVES ANY RIGHTS OR REMEDIES LESSEE MAY HAVE UNDER UCC SECTIONS 2A-508 THROUGH 522 INCLUDING, WITHOUT LIMITATION, RIGHTS OF REJECTION, REVOCATION, CANCELLATION, AND RECOVERY FOR BREACH OF WARRANTY.

18. Miscellaneous

- A. Purchase Orders. Lessee may issue a purchase order to Lessor for administrative purposes only. Terms and conditions on Lessee's purchase order or other acknowledgment form, which are in addition to, or in conflict with this Agreement, will be of no force or effect.
- B. Purchase Authorization. With respect to any Units as to which (i) Lessee has issued a purchase order to Lessor or (ii) Lessee and Lessor have executed a letter of intent, proposal or similar agreement outlining the cost, rent, term and other provisions, and providing for such Units to be leased under a Schedule hereto, Lessee agrees that: (a) Lessor may order such Units from a manufacturer or vendor thereof in Lessor's own name, and (b) in such case, Lessee will indemnify and hold Lessor harmless from and against all claims, actions and/or demands of said manufacturer or vendor resulting from any cancellation or termination of said purchase order in the event that the lease financing of said Units contemplated by the letter of intent, proposal or similar agreement is not consummated.
- C. Relationship. Each party is an independent contractor and, except as expressly set forth herein will have no authority to bind or commit the other party. Nothing herein shall be deemed or construed to create a joint venture, partnership or agency relationship between the parties.
- D. No Waiver. The waiver by either party of a breach of any provision of this Agreement will not be construed as a waiver of any subsequent breach. The invalidity, in whole or in part, of any provision of this Agreement will not affect the validity of the remaining provisions.
- E. Notices. Any notice, request or other communication under this Agreement will be given in writing and deemed received upon the earlier of actual receipt or three (3) days after mailing if mailed postage prepaid by regular mail to the address set forth above or, one (1) day after such notice is sent by overnight delivery. The end of lease notice required under Section 2 may be provided by Lessee by (i) an electronic transmission utilizing Lessor's Asset Management Online System (AMOS) or (ii) via email addressed to eol notice@ifsleasing.com. Each party adopts its signature on the electronic transmission methods described above as its original signature and agrees that such notification methods will have the same effect as if the document had been signed and delivered by mail or in person.
- F. Survival. Those terms and conditions which would, by their meaning or intent, survive the expiration or termination of any Schedule will so survive.
- G. Entire Agreement. This Master Lease and each Schedule, represents the entire agreement between the parties and supersedes all oral or other written agreements or understandings between the parties concerning the Units. This Master Lease and each Schedule may not be modified unless in writing and signed by the party against whom enforcement of the modification is sought. If any provision of this Master Lease or any Schedule is held to be invalid or unenforceable, the validity and enforceability of the remaining provisions shall not in any way be affected or impaired.

- H. Law. THIS MASTER LEASE AND EACH SCHEDULE IS GOVERNED BY THE LAWS OF THE STATE OF CALIFORNIA WITHOUT REGARD TO ITS CONFLICT OF LAWS PROVISIONS. All parties agree that no convention of the United Nations, including the Convention on Contracts for the International Sale of Goods, shall apply to a Schedule. If there is any dispute or litigation as a result of this Agreement, the prevailing party will be entitled to reasonable attorney's fees. TO THE EXTENT NOT PROHIBITED BY LAW, THE PARTIES HERETO WAIVE THE RIGHT TO TRIAL BY JURY TO THE EXTENT SUCH RIGHT MAY BE WAIVED.
- I. Counterparts. This Master Lease and any Schedule may be executed in counterparts, each of which shall be deemed an original, with all of the counterparts together constituting one and the same instrument.
- J. Binding Effect. This Master Lease shall be binding upon and shall inure to the benefit of Lessor, Lessee and their respective successors and permitted assigns.
- K. Lessor's Discharge of Lessee's Obligations. If Lessee fails to comply with any provision of a Schedule, Lessor has the right, but not the obligation, to effect such compliance on behalf of Lessee upon ten (10) days prior written notice to Lessee. If Lessee fails to deliver, or keep in effect, the insurance certificates as required by this Agreement, Lessee shall be in Default under this Agreement, and, at Lessor's option, Lessor may obtain such insurance for Lessee at Lessee's cost. In such event, all monies advanced or extended by Lessor, and all expenses incurred by Lessor in affecting such compliance, together with an amount equal to the Overdue Rate shall be paid by Lessee to Lessor on the first day of the next Rent Interval. No such performance by Lessor shall be deemed a waiver of any rights or remedies of Lessor or be deemed to cure the default by Lessee.
- L. Affiliates. Lessor and Lessee (or any of Lessee's Affiliates) may enter into one or more Schedules for the lease of Units. If the Schedule is executed by an Affiliate of Lessee, then such Affiliate shall be deemed the "Lessee" hereunder with respect to that Schedule. The Master Lessee will, without notice, be jointly and severally liable for the due performance of the obligations of its Affiliates under all Schedules executed hereunder, including without limitation, all terms and conditions negotiated by its Affiliate.
- M. Electronic Chattel Paper. Lessor and Lessee agree that the written version of this Master Lease and any Schedule hereto containing the original, fax, or machine copy signatures may constitute the original authoritative version, and that the electronic version of this Master Lease and such Schedule which has been authenticated by Lessor and Lessee in accordance with applicable law and controlled by the Lessor (or any Assignee or Secured Party identified pursuant to Section 7 hereof) shall (pursuant to the rules and regulations of eOriginal, Inc.) constitute the original authoritative version of this Master Lease and such Schedule; provided that if the "Paper Out" process shall have occurred pursuant to the eOriginal Product Reference Guide, and there shall simultaneously exist both the "Paper Out" printed version and an electronic version of this Master Lease and such Schedule, then the "Paper Out" printed version of this Master Lease and such Schedule as identified in the eOriginal audit record and corresponding affidavit shall constitute the sole authoritative version. Both Lessor and Lessee hereby agree that this Master Lease and any Schedule may be authenticated by electronic means, and expressly consent to the use of the electronic version of this Master Lease and such Schedule to embody the entire agreement and the understanding between Lessor and Lessee. Reference herein to eOriginal shall mean eOriginal, Inc., Baltimore, MD, or any successor electronic custodian appointed by Lessor and Lessee.

19. Definitions

- A. "Acceptance Date" is defined in the Schedule.
- B. "Affiliates" means any entity directly or indirectly owned or controlled by, or under common ownership or control with the Master Lessee who is party to this Agreement.
- C. "Agreement" means collectively this Master Lease and each Schedule.
- D. "Assignee" means an entity to which Lessor has sold, assigned or transferred its rights in a Schedule, the receivables and/or the Units covered thereby.
- E. "Base Term" means the period of time beginning on the first day of the full Rent Interval following the Acceptance Date and continuing for the number of Rent Intervals indicated on the Schedule.

- F. "Casualty Loss" means that the Units has suffered irreparable damage or destruction or has otherwise been irretrievably lost or stolen or taken in condemnation.
- G. "Casualty Value" means the greater of the Fair Market Value of the Units or the aggregate Rent remaining for the balance of the Base Term.
- H. "Default Costs" means reasonable costs and expenses, including court costs, reasonable collection and attorney's fees and costs, as well as any costs of repossession, repairing, refurbishing and remarketing resulting from a Lessee Event of Default.
- I. "Events of Default" means the events described in Section 13.
- J. "Fair Market Value" means the price or rent (as applicable) obtainable for the Units in an arm's-length sale or lease transaction (as applicable) between informed and willing parties, neither under compulsion to contract, for the sale or lease of Units utilizing an assumption that the Units is installed and under continuous and uninterrupted use by the buyer/user.
- K. "Interim Rent" means the prorata portion of Rent due for the period from the Acceptance Date through but not including the first day of the first full Rent Interval of the Base Term.
- L. "Notice Period" means 120 days prior to the expiration of the Base Term or any month thereafter.
- M. "Master Lease" has the meaning set forth in the first sentence of this Master Lease Agreement.
- N. "Master Lessee" means the party executing this Master Lease as the "Lessee".
- O. "Overdue Rate" means the lesser of one and one-half percent (1.5%) per month or the maximum amount permitted by law.
- P. "Rent" means the rent, including Interim Rent, Lessee will pay for the Units as specified in the Schedule.
- Q. "Rent Interval" means a full calendar month or quarter as indicated on a Schedule.
- R "Schedule" means a document which is issued pursuant to this Master Lease and incorporates by reference certain terms and conditions of this Master Lease as indicated herein.
- S. "Secured Party" means an entity which has been granted a security interest in a Schedule and/or related Units for the purpose of securing a loan.
- T. "UCC" means the Uniform Commercial Code as enacted in California.
- U. "Units" means personal property consisting of mobile modular building units, and any related equipment, including, without limitation, steps, and building skirts and supports, together with all replacements, repairs and additions incorporated therein or affixed thereto.

IN WITNESS WHEREOF, the parties have caused this Master Lease to be executed by their duly authorized officers as of the day and year first set forth above.

INSIGHT INVESTMENTS, LLC	LESSEE
BY:	BY:
TITLE:	TITLE:
DATE:	DATE:
/	

SCHEDULE NO DATED AS OF				
TO THE MASTER LEASE AGREEMENT NODATED AS OF				
BY AND BETWEEN INSIGHT INVESTMENTS, LLC, LESSOR				
AND, LESSEE				

Unit Location and D	Description: DESCRIBED ON ATTAC	HMENT "A"
Unit Cost: \$		
Acceptance Date:	The Date Set Forth in the A	cceptance Notification
Base Term Start Da	te: The First Day of the Month	Following the Acceptance Date
Rent Interval:		
Base Term:		
Rent: \$		
Other Costs:		
Special Terms:		
officers as of the da		Schedule to be executed by their duly authorized his Schedule shall incorporate by reference all of the Agreement
INSIGHT INVESTME	NTS, LLC	ESSEE
BY:	E	3Y:
TITLE:		TITLE:
DATE:		DATE:

IF MANUALLY EXECUTED AND NOT SUBSEQUENTLY STORED IN AN ELECTRONIC VAULT, THIS IS COUNTERPART NO. __ OF THREE (3)
SERIALLY NUMBERED, MANUALLY EXECUTED COUNTERPARTS OF THIS SCHEDULE. ONLY COUNTERPART NO. 1 CONSTITUTES CHATTEL
PAPER UNDER THE UCC

ACCEPTANCE NOTIFICATION

Lessee:	
Master Lease Agreement #:	Dated:
Schedule #:	Dated:
Lessee hereby certifies that all of the Units referred	to in the above Schedule with the above Lessor, have
been delivered to and have been received by the Les to the use thereof has been completed, that the Uni operating order and condition and in all respects sat of a nonconformity, that the Units are accepted by the condition and the units are accepted by the condition and the units are accepted by the condition and the units are accepted by the condition are accepted by the units are accepted by the condition and the units are accepted by the units accepted by the units are accepted	see, that all installation or other work necessary prior ts have been examined by the Lessee and are in good isfactory to the Lessee, that Lessee has no knowledge the Lessee for all purposes under the above Schedule ernmental approvals have been obtained and that the
manufacturer, or are unsatisfactory for any reason and/or manufacturer only and waives any such claim rent and other amounts payable under the above Lessee is not in breach or default of the above Sci	e as represented or warranted by the supplier and/or in, Lessee shall make any claim against the supplier in against Lessor and shall, nevertheless, pay Lessor all Schedule and Master Lease Agreement. So long as inedule and Master Lease Agreement, Lessor hereby against the supplier and/or manufacturer for breach of the Units.
Acceptance Date:	
Lessor: Insight Investments, LLC	Lessee:
Ву:	Ву:
	Print Name and Title:

Date:

ITEM #16:

Quarterly Reports

ACTION REQUESTED:

The Board will receive reports from Constitutional Officers, Department Heads and various agencies.

ATTACHMENTS:

None – Reports provided in advance were provided under separate cover.

- Sheriff
- Commonwealth Attorney
- **❖** Treasurer
- **❖** Commissioner of Revenue
- Clerk of Circuit Court
- Director of Social Services
- ❖ School Superintendent
- * Republic Services
- ❖ VDOT
- ❖ VA Cooperative Extension

ITEM #17:

Set Public Hearing Date – Deed of Trust for Telecenter Project

ACTION REQUESTED:

A public hearing is needed in order execute the Deed of Trust required as part of the EDA grant for the Telecenter project. In order to keep the project moving in accordance with the approved timeline staff is requesting the hearing be held at the January work session meeting on January 23rd.

ATTACHMENTS:

• None

ITEM #16:

Quarterly Reports

ACTION REQUESTED:

The Board will receive reports from Constitutional Officers, Department Heads and various agencies.

ATTACHMENTS:

None – Reports provided in advance were provided under separate cover.

- Sheriff
- Commonwealth Attorney
- **❖** Treasurer
- **❖** Commissioner of Revenue
- Clerk of Circuit Court
- Director of Social Services
- ❖ School Superintendent
- * Republic Services
- ❖ VDOT
- ❖ VA Cooperative Extension

ITEM #19:

County Administrator's Comments

ACTION REQUESTED:

None

ATTACHMENTS:

None

ITEM #20:

Board of Supervisor Comments

ACTION REQUESTED:

None

ATTACHMENTS:

None

ITEM #21:

Closed Session (If needed)

ACTION REQUESTED:

Need a motion to enter into closed session pursuant to Section _____

After coming out of closed session:

Need a motion to come out of closed session with each member of the Board certifying by individual vote that only those public business matters lawfully exempted from the open meeting requirements of the Virginia Freedom of Information Act were heard, discussed and considered in the closed session.

Take action on any matters discussed that require it.

ATTACHMENTS:

None